INDEX ALPHABETICO-SYNONYMICUS INSECTORUM HEMIPTERORUM HETEROPTERORUM













INDEX

alphabetico - synonymicus

INSECTORUM

HEMIPTERORUM HETEROPTERORUM.

Alphabetisch - synonymisches Verzeichniss

. der

wanzenartigen Insecten.

Von

Dr. Herrich-Schäffer.

Regensburg,

in Commission von G. J. Manz

Acanthia m.

= intrusa m.

Eur. mer. VI. 48. 608.

Acanthia F. R. Brm. - Serv. v. Cimex.

- F. E. S. v. F. S. R.

-- Rossi v. Aradus.

— Wolff. — Pz. v. Tingidides.

atra Pz. v. Ophthalmic.

capitata Pz. - Wolff v. Zoemerus.

cardui Pz. 3. 23. — L. — W. v. Monanthia.

clavicornis L. - Rossi v. Laccometop.

- Pz. 3. 24. v. Monanth. cardui.

corticalis Wolff v. Aradus.

crassicornis F. E. S. v. Capsus.

crassipes Wolff. - Pz. v. Syrtis.

denticulata F. Spec. cf. Pygolampis.

depressa v. Aradus.

echii W. v. Monanth. wolffii.

erosa v. Syrtis.

fasciata F. E. S. v. Lygaeus.

filicis W. v. Capsus.

gibba F. E. S. v. Coreus F. R.

grylloides v. Ophthalmic.

lectularia v. Cimex.

marginata W. v. Orthosteira.

pallicornis W. v. Capsus.

paradoxa W. v. Coreus F.

quadrimaculata W. v. Monanthia.

serrata F. Spec. - Ross. ? cf. Coreus.

spinosa Ross. v. Tingis.

sylvestris W. v. Anthocoris.

umbraculata F. - Pz. v. Doryderes.

umbraculosa Pz. v. Doryderes.

Acanthischium Serv.	
maculatum Serv.	ap.
Acanthocephalus Lap. v. Diactor.	·
Acanthocerus Pal. v. Crinocerus.	
Acanthocoris Serv. v. Crinocerus.	
Acanthosoma Curt. — Brm. — m. — Kol. — Dall.	
- & Sastragala Serv Sahlb.	
Clinocoris Hhn.	
Pentatoma Enc.	
affinis Hop.	bor.
agathina F. m. v. grisea.	
bispina Pz. m. v. Sastragala ferrugat.	
borealis Hop.	bor.
clypeata Brm. v. liturat.	
- coreatum Dall. Ent. Tr. V. pl. 19. f. 6. Mord	ind.
dentatum Dall. Deg. v. haemagast.	
difficile Dall.	(;)
distinctum Dall.	šnd.
dubium Dall.	(;)
elongatum Dall. Nord	ind.
emeritum F.	(?)
fasciator F.	(?)
forfex Dall. Rord	ind.
gladiator F. — Brm. v. Arvelius.	
= grisea L. fn. — Brm. — Serv.	
interstincta L. — F.	
agathina F. — m. Dtsch. Ins. 114. 10. 11.	
achatina Wolff, f. 55.	
collaris F. R. 83?	
betulae Deg. III. 261. S. t. 14. f. 9.	žur.
= haematogaster Schrk.	
liturata m. in Deutschl. Ins. 115. 13. 14.	

C. dentatus Göz. — Deg. — Dall.	Eur.
= haemorrhoidalis L. Stoll. f. 44. A.	Eur. II, 71. 158.
hamata Stoll. 135. — Brm. v. Arvelius	9.
interstincta L. v. grisea.	
laevicorne Dall.	(?)
linea Dall.	Neuholl.
= lituratum F Wolff Pz. 40.	19. — Fall. —
Dall. — m. — Kol.	
Acanthos. clypeata Brm. — Ramb	. And. Gur.
lutea Le Guill. Erichs. B. 1841. p. 1	15.
	Freundschaftsins.
luteicornis Hop. v. Arvelius.	
megacephalum v. Microdeuter. Dall.	
nebulosum Kirb. fn.	Um. bor.
notatum Dall.	Philip.
nubilum Dall.	Hongkong.
picicolor Hop.	(;)
proximum Dall.	(3)
punctatum Dall.	Ind.
recurvum Dall.	Mordind.
rufescens Dall.	(;)
— uniguttatum Don. Ind. pl. 8. f. 5.	Mordind.
variolosa Hop.	Iav.
vittatum F.	Meuseel.
Aconthothorax Cost.	
- siculus Cost. Ann. Soc. X. 6. 9.	Sicil.
Acatalectus Dall.	
ater Dall.	Neuholl.
piceus Hop.	Neuholl.
punctulatus Dall.	Neuholl.
— rugosus Dall. pl. 2. f. 6.	Neuholl.
sepulcralis Erichs. Arch.	(3)

```
Accra Erichs, Ber. 1841. p. 115.
  -- bucephalus White Entom. p. 136. (Plataspis)
                                                  (?)
Aceratodes Serv. - Dall.
      Edessa Brm. — Lep. — m.
     Pentat. Lep.
                        Alle aus dem tropischen Umerika.
  = albirenis Brm.
                              21m. ág. VII. 127. 774.
                                                 Brf.
  ... carnosa Hop.
  ... cornuta Brm.
                                                 Brf.
                                Um. ág. IV. 82. 412.
  = corrosa m.
  = cruenta F.
                                Um. m.
                                         H. 125. 205.
  ... discolor. Dall.
                                               Buian.
  ... fulvicornis F. - Dall.
                                            Montevid.
  ... fulvipes Dall.
                                          Um. aquin.
  = icterica Hhn.
                                   Brf.
                                         H. 126. 206.
  = inconspicua m.
                                   Cub.
                                        V. 102, 553.
  ... marginalis Dall.
                                              Um. m.
  = meditabunda F.
                                      VII. 127. 773.
                                 Cub.
  = obsoleta m.
                                Um. åg. IV. 82. 413.
  ... piperitia Hop.
                                                 Brf.
Acinocoris Hhn. - Spin. - Serv. v. Largus.
Acrocoris Hhp. v. Spiniger limb.
Actorus Brm. v. Micrelytra.
Adrisa Serv. cf. Cydnus.
  ... nigra Serv.
Aednus Dall.
  - obscurus Dall. pl. 3. f. 5.
Aegius Dall.
      Cimex m.
  = aereus m.
                                    Brf. VI. 69. 635.
Aelia F. - Fll. - Zett. - Hhn. - Ramb. - Serv. -
      Kol. - Sahlb. - Dall.
```

Sciocoris Kol.

Eysarcoris Hhn. t. 19. A — D. — & t. 242. B. C.

Neottiglossa Kirb. Bor.

... americana Dall.

Um. spt.

= acuminata L.

Germ. I. 120. 63.

rostrata Deg.

assimilis Hop. v. Coryssorh. aegyptiaca v. Schizops.

... atricornis Hop.
caenosa White v. Megarh.

Austri.

... castra Hop.

Súbafr.

conspicua Hop. v. Coryssorh.
crucifera Hop. v. Agonoscel.
depressa Hop. v. Agonoscelis.
elliptica m. v. Sciocoris.
erosa Hop. v. Agonosc. versic.

furcata F. v. Macrina.

furcellata Wolff. v. Coryssorhaphis.

atonii.

gambiensis Hop. v. Agonoscelis vers.

- glandulosa Brm. Wolff. 170. gen. propr. Bengal. ... gracilis White Er. Br. 1842. p. 122. Congo.

= hastata F. Cap

Cap. VII. 90. 752.

histeroides F. v. Tetrodus. inflexa Serv. v. Pentat.

= inflexa Wolff. 182. - Sahlb. - Dall. Germ.

II. 129. 210.

infuscata Hop. v. Agonoscelis versicol. juvencus Brm. v. Tetrodus.

= klugii Hhn.

Eur. I. 122. 64.

... lanceolata F. R.

Buin.

melanoleuca Hop. cf. Coryssorhaphis.

1: 11.	
nasalis Hop. Unstri.	
neglecta Dall.	
acuminata Curt. Sall.	
nubila F. v. Agonoscelis.	
orthacantha Palis. (?)	
pallens Germ. Ent. Z. S. 68.	
producta Klug. (Heg.)	
pugnax F. v. Pentat.	
rostrata F. Brm. v. Megarh.	
similis Hop. v. Coryssorh.	
sparsa Hop. v. Coryssorh.	
spiniceps m. v. Platistus.	
spinicollis Hop. (?)	
strigosa Kl. Brm. cum glandulosa gen. propr. Cap.	
tricornis Hop. v. alicornis.	
trilineata Kirb. Bor. pl. 6. f. 6. Spubsonb.	
typhoeus F. Wolff. v. Pentat.	
?varicornis Hop. Gamb.	
= virgata Kl. Symb. Spr. VI. 67. 632.	
•	
Agramma Westw. — Fieb.	
Piesma Lap.	
Serenthia Spin. — m. IV. 47. t. 122. A — F.	
atricapilla Spin. Sardin.	
gibb a Fieb. Ind. or.	
= laeta Fall. Grm. III. 49. 388. t. 125. C.	
nigra Fieb. Sicil.	
- ruficornis Grm. Fn. 15. 12. Grm.	
tricolor Lap. v. laeta.	
A graceus Dell	
Agroecus Dall. — griseus Dall. pl. 7. f. 7. Brf.	
- Origona Dall Di 4 I 4	
luridus Dall. Brí.	

Alathetus Dall.
- rufitarsis Dall. pl. 4. f. 3. 3am.
Alcaeus Dall.
— subspinosus Dall. pl. 4. f. 6. Rangaroo.
varicornis Hop. Neuholl.
Alcimus Dall.
- lineolatus Dall. pl. 8. f. 2. Philip.
Alphocoris Grm. — Serv.
- lixoidea Grm. t. 1. f. 3. Senegal.
mucoreus Klug. Symb. t. 43. f. 45.
larinoides Grm. Z.
Alydus F Lep Hhn. &c.
Lyg. Wolff. mit Camptopus Serv. I. p. 196. t. 32.
A — C. — VIII. p. 96. t. 281. D. E.
?? acicularis F. R. eher Reduvin. Tranqueb.
apterus L. v. Micrelytra.
arcuatus F. — Brm. (Campt.) Isle de fr.
atratus F. 2m. m.
= brevipes m. (Campt.)
= calcaratus L. Eur. I. 198. 101.
crenulatas F. v. Leptoscelis.
= cruentus m. 2(m. spt. VIII. 100. 868.
dentatus F. v. Hyalimen.
= dentipes (F.? zu unbestimmt.)m. (Campt.) Java.
VIII. 90. 867.
fuscus F. (Camptop.) Ind. or.
geranii Brm. Duf. v. lateralis.
— hirsutus Klii. t. S. f. S. Russ. mer.
histrio F. Copius.
•
hyoscyami Schill. v. Corizus.
= lateralis Grm. fn. 8. 21. geranii Duf. — Brm. — mar-
ginalis Oliv. (Camptop.) Eur. m. V. 99. 549. 550.

= limbatus Kl. Dtschl. Ins. 135. 12.
linearis F. (Campt.) China.
= lineola m. (Campt.) Zurc.
marginalis Ol. v. lateralis.
pallidus Gray v. Hyalimenus vespif.
?pedestris F. Ind. or.
= pilosulus m. 2(m. spt. VIII. 101. 870.
quadrispinosus F. v. Zelus.
= recurvus m. (Campt.) Brf. VIII. 98. 866.
serripes F. (Campt.) 2(m. spt.
= sinuatus F. (Campt.) Brf. VIII. 98. 865.
= tarsatus F. (Campt.) Mer. VIII. 101. 869.
?tibialis F. Sno.
- tragacanthae Kolti t. S. f. 7. (Campt.) Ruff. m.
- ?trispinus Deg. f. 19. (Cim.) Surin.
vespiformis F. v. Hyalimenus.
Amaurus Brm. etc. v. Megymenum.
Ambly ottus Serv.
dufourii Serv. Gall. m.
Amblythyreus Westw. Trans. ent. Soc. III. pl. 11.
angustus W. Snd. or.
quadratus W rhombiventris W. f.S.
Amnestus Dall.
- spinifrons Dall. p. 3. f. 2 Say Journ. New-York.
Amphaces Dall.
- ferruginea Dall. pl. 10. f. 2. Meuholl.
proxima Dall. Neuholl.
Amphilobus Klug. v. Harpact.
Anasa Serv.
= apicalis m. Brf.
cornuta Serv. Brs.
0

= puncticornis m. (Gonoc.) Euba. VII. 12. 689.
Ancyrosoma Serv.

Tetyra F. — Ventocoris Hahn. — Trigonos. Brm. — Graphosoma Grm.

= albolineata F. Stoll. f. 168? Eur. mer. II. 37. 135. Aneurus Curt. Lap. — Serv. IX. t. 310. A—D.

Aradus F.

= laevis F. IX. 141. 951. leptopterus Grm. v. Aradus.

... subdipterus Kl. — Brm.

Brf.

Anischys Dall.

Rhaphigaster m.

- luteovaris Hop. - Dall. pl. 10. f. 5. Meuholl.

= sparsus Grm. Silb. m. Cap. VIII. 7. 786.
Anisops Spin. — Serv. IX. t. 291. B—D.

Notonecta F. - Brm.

= dominicanus m. St. Dom. IX. 41. 905.
elegans Fieb.
femoralis Fieb.
hyalinus Fieb.

macrophthalmus Fieb.
... niveus F. cf. scutellaris.

— Costa cent. n. 7.
platycnemis Fieb.
productus Fieb.

= sardeus D.

IX. 41. 904.

compressa Waltl. Sard. Aeg. = scutellaris Billb. Ind or. IX. 41. 906.

varius Fieb.

Anisoscelis Ltr. — Brm. — m. — Serv. Lyg. F. — Wolff.

— alipes Guér. Mag. 3. pl. 75.

Mm.

= antica m. Brf. III. 92. 316. bilineata v. Diactor. cincta m. v. Phyllopus. divisa m. v. Leptoscel. crenulatus. = fasciatus m. Santi. IX. 277. fastuosa v. Leptoscel. flavipes Brm. v. Lept. ... flavoscutellata d'Orb. Voy. ... gonagra F. cf. antica. Brf. haemorrhoidalis Brm. v. Lept. latifolia v. Diactor bilin. lunata F. v. Lept. lunata Ltr. v. Lept. ... lunatus (Cor.) Latr. in Humb. 2(m. m. - membranacens F. Wolff 22. Stoll 73. 2(fr. 2(f. = phyllopus L. - F. - Wolff. 191. - Stoll. 51. cincta m. Brf. III. 91. 315. pulverulentus m. v. Leptoscelis. VII. 9. ruficrus v. Nematop. - rubrobalteatus Deg. t. 34. f. 15. scriptus v. Hypselop. = serratulus m. 2(m. m. VII, 11, 687, 688. ... tibialis m. = 2(m. spt. VII. 12. -Anomaloptera Perris. — Serv. ... helianthum Perr. Anthocoris Fall. - Brm. Phyllocoris Costa. Hylophila Westw. Lygaeus et Salda F. Rhinarius Hhn. = albipennis m. Serm. IX. 923. 976.

Germ. I. 108. 58.

= austriacus H.

nemoralis, pratensis, sylvestris et campestris F. austriacus F. v. nemorum.

bicuspis m. Nomel. v. domesticus. cursitans Fll. cf. fruticum.

= domesticus H.

Grm. IX. 228. 243.

bicuspis m. Nomcl.

= exilis Fll. - m. Dtschl. Ins. 135. 7.

tenellus Zett. Fn. 1. 178. 3. Germ.

= fasciatus m. Grm. IX. 225. 975. var. nemorum sec. Scholtz.

... formice to rum Boheman Vetensk. akad. H. 1844. p. 158. — Erichs. Ber. 1844. p. 97.

Grm. In Umeisennestern.

= fruticum Fll.

minutus Fll. - L. Fn. - Hhn. I. 111. 60. ? alter sexus: cursitans.

? parvicornis Costa. Neap. t. 3. f. 6. Grm.

= lucorum Fll.

Lyg. pygmaeus Fll. 21. var. nigra.

= nemoralis F.

IX. 226. —

Rh. pratensis Hahn.

Germ. I. 107, 57.

= nemorum Fll. — Cim. L.

Ac. sylv. W. 84.

R. austriacus F. R.

R. silv. H.

Eur. I. 105. 56.

= obscurus H. Eur. I. 110. 59.

Salda nigr. W. 161. parvicornis Costa Neap. cf. frutic.

pratensis H. v. nemoral.

punctum album Rossi 1337. hujus gen. at species dubia.

= pusillus m.

Germ. IX. 225. 977.

= reduvinus m. Selvet. IX. 222. 973. rufescens Costa var. austriaci? oder Microphysa test. m.
silvarum Rossi 1350. spec. dubia.
tardus m. Nomel. v. Xylocoris.
= truncatulus m. Helv. IX. 228. 974.
Antiteuchus Dall.
Pentatoma Palis.
Empicoris Spin.
Cataulax Serv.
Empicoris m. VII.
= annulatus m.
macraspis Serv. Brs. III. 66. 279.
griseus Dall. (?)
melanoleucus Hop. v. renggeri.
obscurus Dall. Mer.
piceus Pal.
unicolor Hop. Am aq.
punctipes Hop. , Am. aq.
= renggeri m. (melanoleucus Hop.) Brf. VII. 45. 733.
variegatus Dall. Para.
- variolosus Hop Stoll. f. 173. Benez.
Apateticus Dall.
- halys Dall. pl. 2. f. 2. Benez.
Aphanosoma Cost.
italicum Costa. Stal.
Aphanus m.
Pachymerus Fall etc.
= enervis m. Grm. VI. 57. 618.
insignis Cost. Cent. nr. 68.
— pallipes Dtschl. Ins. 121. 2.
rufipes Wolff. 145. Grm.
Ophth. lonicerae Schill.

= rusticus Fll. - Schill. t. 7. f. 5. I. 223. 116.

- rustitus rn Schin.	1. 6. 1. 0. 1. 220. 110.
arenarius Hhn.	Grm. I. 43. 27.
= sabulosus Schill. — Fal	l. Grm. I. 224. 117.
pedestris Fall.	
Apines Dall.	
— concinna Dall. pl. 9. f. 2	2. Ostind.
Apiomerus Hhn. Brm. — Ser	v
Reduv. F. — Lep. II. t.	5. f. 19. — VIII. pg. 73. —
t. 273 — 275.	
apicalis Kl. Brm.	Para.
capucinus v. Beharus.	
crassipes F.	
cylindripes F. — Brm. v.	Poncrobia.
erythromelas d'Orb.	રીમા.
= flavipennis m.	Brf. VIII. 75. 844.
= flaviventris m.	Mer. VIII. 77. 847.
= incisus m.	21m. ág. VIII. 74.
= integer m.	21m. ág. VIII. 78.
= hirtipes F. — Brm. —	Stoll. 90 Deg. pl. 35.
f. 1.	I. 29. 19.
= lanipes F.	રીm.
lunatus Enc. v. Beharus.	
morbillosus v. Micrauch.	
nigripes F.	રીm. હૈવ.
= pictipes m.	Um. ág. VIII. 75. 843.
= pilipes F.	Can.
= rubrocinctus m.	Brf. VIII. 76. 845.
stollii v. Trichoscelis.	
Aphelocheira Ficb.	
Naucoris F.	7 7

... aestivalis F.

Gall. — Carpath. — Fenn.

Aplostoma Hop.

... virescens Hop.

Gambia.

Apodiphus Spin.

= hellenica Lep.

V. 67. 512.

exsculpta Brm.

Brác.

nebulosa Brm. z. Coenomorpha.

Apodiphya Serv. v. Apodiphus Spin. Appasus Serv.

Diplonychus m.

= aegyptius m. ... natator Serv.

Meg. VIII. 26. 800.

Seneg.

Apterotus Dall.

... maculatus Dall.

Reuholl.

Aptus Hhn. v. Nabis.

Aradus F. etc.

?acuminatus F. R.

Um. m.

?albipennis F. R.

Sumatr.

= americanus m. 2(m. fpt. VIII. 115. 889. annulicornis F. 12. v. betulae.

... australis Erichs. Wieg. Arch.

van Diem.

= betulae L. - Fll.

annulicornis F.

ellipticus Duf. Ann. Soc. Ent. II. — p. 447. V. 89. 537. depressus betulae Deq.

betulinus Fll. spec. dubia.

= brevicollis Fll.

Gur. V. 94. 543.

= complanatus Brm.

Grm. V. 91. 511.

conspicuus m. Nomel. v. corticalis. cinnamomeus Panz. 100. 20. cf. pallescens.

?cordatus F. R.

Um. m.

= corticalis L. - Fll.

conspicuus m. Nomel.

Grm. V. 90. 538.

dilatatus Duf. Ann. Soc. Ent. II. p. 447. pl. 10. 1.

= depressus F. — Wolff. 123. ? nigricornis F. planus F. R. parius F. R. Grm. V. 93. 542. dilatatus Duf. v. corticalis. dissimilis Costa nr. 121. t. 3. f. 1. Neap. ?elevatus F. R. ellipticus Duf. v. betulae. ... erosus Fll. cf. lugubris? ... flavicornis Dalm. anal. p. 88. Sierra leon. flaviventris m. v. Dysodius. fuscatus m. v. Dysodius. ... griseus F. R. laevis F. - Fll. v. Aneurus. ... ?lanceolatus F. R. Am. m. = leptopterus Grm. Grm. V. 91. 539. = lugubris Fll. Grm. VIII. 115. 888. lunatus F. v. Dysodius. membranaceus F. v. Brachyrynch. nigricornis F. cf. depressus. parvulus m. v. Dysod. perrisii Duf. Ann. Soc. Ent. v. leptopterus. = pallescens m. V. 91. 510. ? cinnamomeus Pz. 100. 20. ?rugosus L. - Fil. - F. R. Suec. gen. alii. - Scop. ?spinosus F. R. Um. m. tremulae v. Dysod. = tristis m. Eur. m. VIII. 116. truncatus m. v. Dysod.

?varius Fll. — F. R. cf. dep	
= versicolor. m. Schellenb. t.	
	V, 92. 541.
Arenocoris Hhn. v. Coreus.	
Arhapha m.	IX. 183. —
= carolina m.	Carol. IX. 183 968.
Arilus Hhn. cf. Pleogaster aura	ntius et guttifer.
pungens v. Euagoras.	I I II COUNTY !
stramineus v. Cidoria.	Contract to the second
Arma Hhn. — Serv.	
Asopus Brm. — etc.	and the second second
Pentatoma Hhn. — etc.	Description 1
Zicrona Serv.	min magnific =
annulipes Grm. Silb.	T-maketo
pavonina Hop.	Súbafr.
bidens v. Jalla.	THE PERSON NAMED IN
= coerulea L. — (Zicr.)	Eur. II. 65. 154.
cornuta Dall.	Columb.
cuprea Dall.	Harrie Harris Ha
= custos F. etc.	Eur. I. 95. 52.
didyma Palis. (Pentat.) pl. 9.	f. 2. St. Dom.
fuscescens Dall.	mer.
— genei Costa Annal. Soc. X. p	l. 6. f. 7. Sicil.
grandis Dall.	(3)
grisea Brm. (Asop.) — Dall.	
illustris Serv.	Jav.
lurida F. etc. Dall. v. Podisus.	
marginella Dall.	Huds.
_	Um. bor.
	Brs.
obscura Dall.	Brf.
pallipes Dall.	Venez.

= punctata F Wolff. 173.	Gur. II. 69. 157
schellenbergii Guér. Coq.	pl. 11. f. 9. (Pentat.)
. 1 40.	Nenholl
?spinidens F. R. (Cim.)	- Tranqueb.
spinosa Dall.	(3)
tincta Dall.	Columb
ventralis Dall.	Benez
Arocatus Spin. v. Lygaeus melan	_
Arocera Spin. cf. Vulsirea margin	nalis.
Artheneis Spin. v. Cymus.	00.00
Arvelius Spin Serv m.	
Acanthosoma Brm.	
= albopunctatus Deg. —	
gladiator F. — Brm. —	Spin. 26m. ág.
	V. 104. 558.
edessoides Spin. v. Taurocer.	
?heros F.	Can
laciniatus Spin. v. Evoplit.	((a)) y = 1
luteicornis Hop.	St. Vinc.
Asopus Serv. — m. — Brm. nov.	
Enthyrynchus Dall.	the state of the state of the
armiger v. Coryssorh. furcell.	Get a service or
bidens v. Jalla.	
calens v. Platynopus.	and thinking
catena Drur. v. Platynopus.	All sed pulling
chalybaeus v. Stiretrus.	e 4
chiropterus v. Cazira verrucosa	16 16 20 1 1 1 1 1 1 1 1
chrysoprasinus v. Asopus smar	agdulus.
chrysopterus v. Podisus.	A more
coeruleus v. Arma.	Adversors.
confluens v. Podisus.	.000 0000000
conformis v. Canthecona.	Markey and the Park
c.	

coccineus v. Stiretrus.

cruentus Brm. v. Corryssorhaphis,

custos v. Arma.

decastigma m. v. Stiretrus septemguttatus.

decemguttatus v. Stiretrus.

dianae Brm. v. Stiretrus.

dichrous v. Platynopus.

dumosus v. Jalla.

ebulinus v. Coryssorhaph.

figuratus v. Canthecona.

= floridanus L. 2(m. aq. IV. 102. 450.

fucosus v. Podisus.

genei Costa. - Erichs. Ber. 1841. p. 115. v. Arma.

... geometricus Hag. - Brm. Sav. (?) leprosus v. Platynopus, Macrorhaphis Dall.

luridus v. Podisus.

-- mactans F. — Dall.

oculatus F.

argus F. - Brm. nov. act. t. 41. f. 6.

militaris v. Platynopus.

moestus v. Canthecona.

nummularis Erichs. v. Podisus cermatulus Dall.

ochrocyaneus Enc. v. Discocera.

punctatus v. Arma. = punicus L. - F.

trivittatus m.

Mer. IV. 103. 451.

rhodomelas m. v. Platynopus.

salamandra Brm. v. Coryssorhaphis.

sanguinipes F. v. Platynopus.

tristis m. v. Canthecona.

trivittatus m. v. Punicus.

ulceratus Kl. v. Coryssorh.

variegatus m. v. Platynop. verrucifer v. Cazira. Aspathus m. Nematopus m. olim. = angustatus m. Brf. VI. 80. 651. Aspidotoma Curt. v. Zosmerus. Aspongopus Lap. — Brm. — Serv. — m. Edessa F. R. Pentatoma Enc. ater Drur. v. Janus. alternans Hop. v. Cyclopelta obscura. amethystinus F. v. Pycanum. ... chinensis Dall. Chin. = costalis m. (Basicryptus) Cap. VII. 82. 749. ... cuprifer Hop. Cong. danus Wolff. v. janus. depressicornis m. v. Cyclopelta obscura. = erythrocerus Gem. in Silb. A mysterio nubilus Hop. Cap. VII. 79. 745. Nav. ... fuscus Hop. = janus F. VII. 78. 747. ater Drur. - Stoll. 41. - danus Wolff. vicinus Hop. Ind. or. mactans v. Cyclopelta. Tenass. ... marginalis Dall. = melanopterus Grm.

Edessa viduata F. cf. Stoll. 110. Nubia. VII.

mutabilis Pert. v. Cyclop. mactans.

... nepalensis Hop. ... nigriventris Hop. cf. unicolor. ... Inigriventris Hop. cf. unicolor.

nubilus Hop. v. erythrocerus.
- obscurus F Wolff. 171. Ind. er. VII. 8
obscurus Enc. v. alternans Hop.
ochreus Hop. Bengal.
sanguinolentus Hop. Ind.
? siccifolius Hop. Gent.
vicinus Hop. v. janus.
unicolor m. v. Cyclopelta nigr.
unicolor Dall. Bengat.
viduatus F. melanopterus.
Astemma Ltr Serv. v. Capsus.
Atelocera Lap. — Servus. Brm. — m.
= armatus Lap Grm. Seneg. VII. 52. 720.
centrolineatus Hop. Zav.
cervicornis Hop. Sierra L.
furcatus Hop. Java.
grandicornis Erichs. Arch. VIII. 1. 275.
hypomelas Brm. Nio.
lata Hop. Cap.
= limatus Grm. in Silb.
Halys cincta m. Cap. VII. 52. 511.
obscura Dall. Cong.
= obsipatus Grm. in Silb. Port. Nat. VII. 52. 723.
parvula Dall. Cap.
raptoria Grm. Silb Gierr.
rugosus Hop. Cap.
= serratus F Stoll. f. 43. Guin. VIII. 53. 721.
= spinulosus Palis. Guin. VII. 51. 722.
sticticus Hop. Gamb.
varicornis Hop. Unftrl.
variegatus Hop. — Cuftrí.
Atrachelus Serv. v. Zelus.

Atractus Lap. Serv Coreus Schill Pseudo-
phloeus Brm. — m. H. — Curt.
cinereus Lap. v. laticornis.
= dalmanni Schill. t. 1. f. 1. Germ. II. 112. 193.
?disciger (Paletrocoris) Kol. t. 7, f. 4. Rauf.
= inconspicuus m. Mer. VI. 14. 570.
- laticornis Schill. t. 2. f. 2.
cinereus Lap Serv. pl. 4. f. 1. Eur. m.
- lituratus Curt. pl. 500. Eur. m.
= lobatus.
obscurus Grm. Fn, 22. 11 VI. 6, 561. Sicit.
Attus Hhn. v. Capsus.
Augocoris Brm. — Serv.
besckii Brm. v. cretac.
- cretaceus Panz. Voet. IV. t. 47. f. 8.
beschii Brm. — Grm.
sexpunctat. F. Para.
ehrenbergii Grm. Mcr.
gigas Hop. Mer.
= gomesii Brm. — Grm. Ztschr. t. 1. f. 1. — Am. et
Serv. Para. IV. 92. 431.
nigripennis Dall. Benezucia.
olivaceus White v. ehrenb.
= pallidus Palis. pl. 5, b. f. 8.
unicolor Brm. — Grm. Cuba. III. 107. 333.
- rufus Dall. f. 11. Columb.
= rugulosus m. 2(m. m. IV. 432.
unicolor Brm. v. pallidus.
Basicryptus m. v. Aspongopus.
Bathrus Dall.
— variegatus Dall. pl. 5. f. 2. Չայիքու
Bathycoelia Serv. — Dall.

Gastraulax m.

- buonopoziensis Palis. pl. 7. f. 2

Gamb.

... indica Dall.

Mordind.

= thalassina m.

Guin. VII. 62. 731.

= torquatus m.

Manil. VII. 61. 730.

Bebaens Dall.

- punctipes Dall. pl. 10. f. 6.

Columb.

Beharus Serv.

Reduv. F. — Lep.

A piom. Brm. — m. = capucinus m.

(?) VIII. 76. 846.

- lunatus F. - Stoll. 91.

Can.

Bellocoris Hhn. v. Odontotarsus et Eurygaster. Belostoma Ltr. et Serv. —

Belostomum Brin.

Nepa. L. F. IX. 31. t. 290. N. t. 291. II — L. annulipes m. v. grande.

giganteum Mus. Beror.

Ind. or.

= grande L. — Stoll. t. 7. f. IV. — Roesel t. 26. — annulipes m. — 2(mer. IX. 28, 803, 804.

... indicum Serv.

Ind. or.

Beosus Serv. v. Pachymerus.

Berytus F. — Brm. — Wolff. etc. mit Neides Ltr. — Curt. — Serv. — I. 132. t. 21. A—E. annulatus Brm. corrig. pg. 1010. v. rufescens. caucasicus Klti, cf. clavipes.

= clavipes F. — Dtschl. Ins. 135. 6. a. — Schellenb. t. 4. Germ. I, 135. 69.

caucasicus Kol.

crassipes m. Dtschl. Ins. 135. 6. b. Germ.

Costa. Cent. nr. 127. t. 3. f. 5.

elegans Curt. — annulatas Brm. Corr. cf. punctipes Grm.

elegans Brm. p. 313. = annulatas corrig. v. rufescens.
= minor m. Dtschl. Ins. 137. 7. Grm.
meridionalis Costa. Cent. nr. 36.
= montivagus Ent. Zeit. Selvet.
= punctipes Grm. fr. 7. 21.
elegans Curt. — Brm. Germ. IX. — 988.
= rufescens m. Dtschl. Ins. 135. 8. Germ.
elegans Brm. p. 313.— annulatus ibid. corrig. p. 1010.
= tipularius L. — F. Gur. I. 133. 68.
trichocerus Scholtz. Schles. Gesellsch. 1846. p. 151.
Silef.
Blissus Kl.
hirtulus Kl. Symb. t. 43. f. 10. 2(byff.
Bolbocoris Serv.
tricolor Serv. Cap.
reticulatus Dall. China.
= rufus Hop Grm. Seneg. V. 42. 494.
= variolosa m. Seneg. V. 43. 493.
Bothronotus Fieb. v. Enithares.
Brachypelta Serv.
Cydnus F. etc. (auch Stoll. f. 223.)
= tristis L. Hahn. Eur. I. 161. 83.
Brachyplatys Boid. Astrol Dall.
Plataspis Hop. — Serv.
Thyreocoris Brm. — Grm.
Platycephala Lap.
Tetyra F.
aenea Dall. Sav.
aethiops Dall. Sierr.
complanatus Brm. Novact. t. 41. f. 3. — Grm. Zts.
scipio White in Gray. Philip.
flavipes F. — Grm. Ztsch.

flaviceps Hop. — Grm. Ztsch. Reuholl.
mungo White in Gray Zool. M. Philip.
= nigriventris Hop. — Westw. Mag. — Serv. —
Grm. — m.
silphoides m. Jav. IV. 83. 415.
pacifica Dall. Decan.
= pallipes F Grm. Zts Dall m. Sudafr.
V. 15. 477.
acaroides Thb.
silphoides F. — Grm. Zeitschr. (Thyreoc.). China.
- m. v. nigriventris.
- Brm. Hbd. v. vahlii.
subaenea Hop.
septus Grm. Ztschr.
= vahlii F Coq. II. t. 18. f. 14 Wolff. f. 90.
papua Guér. Coq. — Grm. Ztschr. —
silphoides Brm. Hbd. Manita.
variegata Dall. Sierr.
xanthogramma White in Gray Zool. misc. Philip.
Brachyrhynchus Lap. — Brm. — Serv.
Aradus F. etc.
Aradus F. etc.
Aradus F. etc dilatatus Kl. — Brm. Banat.
Aradus F. etc dilatatus Kl. — Brm. Banat. = membranaceus F. — Brm. Cap. VIII. 122. 887.
Aradus F. etc dilatatus Kl. — Brm. Banat. = membranaceus F. — Brm. Cap. VIII. 122. 887 orientalis Lap. — Brm. Sava.
Aradus F. etc. dilatatus Kl. — Brm. Banat. = membranaceus F. — Brm. Cap. VIII. 122. 887. orientalis Lap. — Brm. Java. punctulatus Kl. — Brm. Jnb. er.
Aradus F. etc. dilatatus Kl. — Brm. Banat. = membranaceus F. — Brm. Cap. VIII. 122. 887. orientalis Lap. — Brm. Sava. punctulatus Kl. — Brm. Snd. or. Brachysthetus Lap. — Hop. — Serv. — Spin.
Aradus F. etc. dilatatus Kl. — Brm. Banat. = membranaceus F. — Brm. Cap. VIII. 122. 887. orientalis Lap. — Brm. Sava. punctulatus Kl. — Brm. Snb. or. Brachysthetus Lap. — Hop. — Serv. — Spin. Edessa Sect. II. Brm. — VIII. 1. t, 253. A. B.
Aradus F. etc. dilatatus Kl. — Brm. = membranaceus F. — Brm. Cap. VIII. 122. 887. orientalis Lap. — Brm. punctulatus Kl. — Brm. Brachysthetus Lap. — Hop. — Serv. — Spin. Edessa Sect. II. Brm. — VIII. 1. t, 253. A. B. = circumscriptus Kl. Brm. Eap. VIII. 2. 789. Cap. VIII. 1. 788.
Aradus F. etc. dilatatus Kl. — Brm. = membranaceus F. — Brm. Cap. VIII. 122. S87. orientalis Lap. — Brm. punctulatus Kl. — Brm. Brachysthetus Lap. — Hop. — Serv. — Spin. Edessa Sect. II. Brm. — VIII. 1. t, 253. A. B. = circumscriptus Kl. Brm. Eap. VIII. 2. 789. Eap. VIII. 1. 788.

Mer. IX. 310. 1010.

... sexmaculatus m.

Brochymena Serv. - Dall.

Halys F. - m. = annulata F. Um. spt. VII. 57. 728. = arborea Say Journ. - Dall. erosa m. V. 70. 515. ... carolinensis Hop. Um. fpt. erosa m. v. arborea. = frondosa Grm. Silb. - m. Cap. VII. 58. 726. ... latispina Grm. Silb. Cav. = lineolata m. Mer. V. 69. 514. myops F. m. v. Galedanta. pupillata m. v. serrata. = quadripustulata F. - m. Um. fpt. VII. 57. 729. - reticulata Thb. - Dall. - Stell. f. 111. = serrata F. - Wolff. 178. - Pal. pl. 11. f. 8. - Serv. Georg. IV. 104. 453. pupillata m. ... unicolor m. Brf. Bryocoris v. Capsus. Byrsoptera Spin. v. Caps. rufifrons. Callidea Dall. — Brm. — Grm. — Serv. -Eucoryssa et Galostha Serv. Calliphara Grm. Chrysocoris Hhn. Scutellera Ltr. - Lam. Tetyra F. S. R. Cimex L. - F. S. R. abdominalis Grm. - Hop. v. dilaticollis. = atricapilla Guér. Coq. Dall. javana Hop. — Grm. — Java. aurata Guér. v. chrysopras.

aurifera Hop, v. chrysopras.

- baro F Grm.
pallens Serv. pl. 1. f. 4. 3nd. or.
- basilica Grm. Stoll. 222. Surie.
bengalensis Hop Grm Dall. Beng.
bifasciata White. 3nd. or.
billardierii Guér. 3nd. or.
- var. Guer. Coq. pl. 11. f. 2. v. dimidiat.
buquetii Guér. v. nobilis.
chromatica White v. sellata.
= chrysoprasina Grm. — H. IH. 103. 328
aurata Guér. Voy.
aurifera Hop. Jav.
= dilaticollis Guér. Coq.
stollii Hhn. II. 39. 136.
abdominalis Hop. — Grm.
stockerus Serv. Java.
dimidiata Dall.
billardierii var. Guér. Coq. pl. 11. f. 2.
dispar Brm. v. Cantao.
dispar Brm. v. Cantao. dorsalis White v. eques.
•
dorsalis White v. eques.
dorsalis White v. eques. dregii Grm. — Silb. — (Libyssa Dall.) Súbafrifa.
dorsalis White v. eques dregii Grm. — Silb. — (Libyssa Dall.) Súdafrifa. = duodecimpunctata F. — (Libyssa Dall.) HI. 100. 325.
dorsalis White v. eques dregii Grm. — Silb. — (Libyssa Dall.) Súdafrifa. = duodecimpunctata F. — (Libyssa Dall.) HI. 100. 325. nana HS. Senegal. Cap. V. 83. 530.
dorsalis White v. eques dregii Grm. — Silb. — (Libyssa Dall.) Súbafrifa. = duodecimpunctata F. — (Libyssa Dall.) HI. 100. 325. nana HS. Senegal. Cap. V. 83. 530 eques F. — Brm. — Guér. Coq. Serv.
dorsalis White v. eques dregii Grm. — Silb. — (Libyssa Dall.) Súdafrifa. = duodecimpunctata F. — (Libyssa Dall.) III. 100. 325. nana HS. Senegal. Cap. V. 83. 530 eques F. — Brm. — Guér. Coq. Serv. formosa Hop.
dorsalis White v. eques dregii Grm. — Silb. — (Libyssa Dall.) Súdafrifa. = duodecimpunctata F. — (Libyssa Dall.) HI. 100. 325. nana HS. Senegal. Cap. V. 83. 530 eques F. — Brm. — Guér. Coq. Serv. formosa Hop. dorsalis White. Borneo, Philipp.
dorsalis White v. eques dregii Grm. — Silb. — (Libyssa Dall.) Súbafrifa. = duodecimpunctata F. — (Libyssa Dall.) HI. 100. 325. nana HS. Senegal. Cap. V. 83. 530 eques F. — Brm. — Guér. Coq. Serv. formosa Hop. dorsalis White. Borneo, Philipp erichsoni Grm.
dorsalis White v. eques dregii Grm. — Silb. — (Libyssa Dall.) Súdafrifa. = duodecimpunctata F. — (Libyssa Dall.) HI. 100. 325. nana HS. Senegal. Cap. V. 83. 530 eques F. — Brm. — Guér. Coq. Serv. formosa Hop. dorsalis White. Borneo, Philipp erichsoni Grm. Ind. or. examinans White v. Libyssa 12 punct.

festiva Grm.	Manila.
formosa Grm. — Hop. v.	
•	2. f. 1. Brm. Grm. Guer.
**	pilipp. China. III. 102. 327.
— grandis Thb. nov. pl. 2.	
	. South S. pl. 3. f. 2. —
Grm. — HS.	Hustral. V. 83. 529.
lateralis Guér. Voy. (S	·
marginella Hop.	Ind. or.
nana m. v. 12 punct.	0
— nobilis L. amoenit.	
var. buqueti Guér.	
pustulatus Pz. Voci. 1	V. t. 47. 11. Jav.
- Grm. v. excellens.	
obtusa Hop.	Jav.
ornata Dall. p. 27.	China.
parentum White.	Ind. or.
patricia F. Grm.	Trang.
praslinea Guér. Voy. D	operr. t, 11. f. 3.
excellens Brm. nov. ac	ct. t. 41. f. 2. — Serv.
nobilis Grm. Zts.	
speciosa White.	Philipp.
pulchella Dall. p. 25.	Ind. or.
purpurata Hop.	Tim.
— ригригеа Нор. — Grm.	- Stoll. 15. 16 Stocke-
rus Wolff. 144. — F.	- Ltr Brm. Ind. or.
pulchra Hop. v. reynaudii.	
regalis F.	Hustre Rusterl.
regia Hop. v. Calliph.	
roylii Hop. — Grm.	Himat.
reynaudii Guér. Bél. pl.	4. f. 3.

pulchra Hop. Grm. Java? ... sellata White, Gray Zool. misc. II. 79. Philip. chromatica White. ... senator F. Grm. — Schiödte. dux Kirb. corallifera Mac L. basalis Gray. - Grm. binotata Hop. festiva Grm. aurantiaco-maculata Blanch. d'Orb. pl. 4. f. 7. Meuboll. = sexmaculata Leach. misc. 1. 36. pl. 14. - iris Grm. Java. V. 80, 526. = signata F. Wolff. 85. Senegal. III. 98. 323. (Libyssa Dall.) ... speciosa White. - stollii Wolff. 45. - Grm. stockerus Guer. Coq. - Hhu. 136 v. dilaticollis. - Hop. v. abdominalis. - stockerus L. - Ltr. erichsonii Grm. taprobanensis Hop. - Grm. Stoll. f. 172. Centon. 3nd. - Hop. v. Galostha. - Serv. v. dilaticoll. ... superba Dall. taprobanensis Hop. v. stockerus. ... vulcanica de Guill. Erichs. Ber. 1841. p. 115.

Calliphara Grm.

Scutellera Dall.

- amethystina Stoll. 49. 250 Grm. Oftind.	
baro F. China.	
basalis Gray Kingd. t. 92. 1. Auftrl.	
var.? binotata Hop.	
basilica Grm. — Stoll. 222?	
billardierii F. — Guér. Dup. t. 11. f. 1. 2. Stoll.	
48. Rufirt.	
binotata Hop. v. basalis.	
dispar Grm. v. Cantao.	
- fasciata Voet. IV. t. 46. 2 (Scutell.) Dall	
nepalensis Hop. — Grm.	
amethystina Grm. — Stoll. 49. 251. Repat.	
O grandis Thb. Offind.	
iris Grm. v. Callid. sexmacul.	
javana Grm. v. Callid. atricap.	
morgani White mag. III. 542 Ent. Fr (Scu-	
tell.) Dall. Sierra.	
nepalensis Hop. v. fasciata.	
= nobilis F. (non L.) - Voct. IV. t. 47. f. 1	
Wolff, f. 46. — (Scutell.) Dall. — Lam. — Brm.	
Grm. Z. — Serv. — Stoll. f. 1, 7, 20, 22, 23.	
Dstind. III. 24. 247.	
oblong a Hop Grm (Scutell.) Dall. China.	
peronii Guér. Voy. Dup. t. 11. f. 4. 2(uftral.?	
pulchra Hop. Sav.	
= regia Hop. Sava. V. 82. 528.	
Calliprepes White Trans. Ent. Soc. III. p. 93.	
grayii White. Nepal.	
Camptischium Serv. v. Crinocerus.	
Camptopus Serv. v. Alydus.	
Campylosteira Fieb.	
Tingis Fall.	

Monanthia Brm. — m.	
brachycera Fieb.	Bohem.
ciliata Fieb.	Bohem.
fallenii Fieb.	Bohem.
verna Fall.	Suec. IV. 64. 398.
Canopus F Larve Erichs. Bericht	1839. pg. 10. V. 26.—
Cantacader Serv Piesma Lep.	cf. Orthosteira Fieb.
quadricornis Duf. Lep. Enc	. — Serv. Hisp.
Cantao Serv.	
Calliphara Grm.	
Callidea Brm.	
Tetyra F. S. R.	
Cimex F. E. S.	
= ocellatus Thb. — dispar F.	- Donov. Chin. etc.
	Ind. or. III. 38. 324.
parentum White Mag B	Int. Tr Neuholl.
	Philippinen.
Cantharodes Westw.	-27 (7) (1)
caenosa Westw. Ent. Tr. IV.	pl. 18. f. 3, Bestafr.
Canthecona Serv.	0.0
Pentatoma Palis.	
Asopus m.	
annulipes Dall.	Súdafr.
= armiger m Dall,	Sierr. VII. 113. 711.
cocrulea Dall.	Port. Nat.
= conformis m.	Turc. VI. 72, 640.
= discolor Pal.	
tristis m.	Cap. VII. 120, 777.
figuratus v. Jolofa.	T Charles
furcellata Wolff. 176. — Dall.	v. Carissorhanhie
	Carioscina pinos

... grandis Dall, Columb.

(?)

... grisea Dall.

marginella Dall.	Sierra.
marmorata Dall.	Sûdafr.
moestus m. v. Glypsus.	
n phymatophora Pal. pl. 8. f. 2.	(?)
tristis m. v. discolor.	
= yolofa Guér. ic. pl. 65. 2.	
figuratus Grm. Silb.	
Canthesancus Serv.	
- trimaculatus Serv. pl. 7. f. 10	d. Jav.
•	() () () () ()
?aequinoctialis Scop. (Cim.)	
= affinis m. Mey. t. 1. f. 5.	THE BUILDING
pabulinus Fll.	Grm.
agilis F H. v. histrionicus.	
albidus Kol. 109. t. 11. f. 27.	
= albipennis Fll.	Sem H 91 177
albomarginatus F Fil. v. Lo	pus.
albomarginatus F. — Fil. v. Lo = alienus m.	pus. Grm. III. 53. 271 .
albomarginatus F. — Fil. v. Log = alienus m. alpinus Kol. 100.	pus. Grm. III. 53. 271 . Armen.
albomarginatus F. — Fll. v. Log = alienus m. alpinus Kol. 100. = ambiguus Fll.	pus. Grm. III. 53. 271 . Armen. Grm. VI. 43. 602 .
albomarginatus F. — Fil. v. Log = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil.	pus. Grm. III. 53. 271 . Urmen. Grm. VI. 43. 602 . III. 109. 335 — 337 .
albomarginatus F. — Fll. v. Log = alienus m alpinus Kol. 100. = ambiguus Fll. = ambulans Fll. var. b.	orm. III. 53. 271. Armen. Grm. VI. 43. 602. III. 109. 335—337. Grm. III. 110.
albomarginatus F. — Fll. v. Log = alienus m alpinus Kol. 100. = ambiguus Fll. = ambulans Fll. var. b. = angulatus Fll.	orm. III. 53. 271. @rm. VI. 43. 602. III. 109. 335—337. @rm. III. 110. @rm. III. 75. 292.
albomarginatus F. — Fil. v. Lo = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. — angustus M. Nomel. 49. — M	Pus. Srm. III. 53. 271. Armen. Srm. VI. 43. 602. III. 109. 335 — 337. Srm. III. 110. Srm. HI. 75. 292. Ley. t. 2. f. 3. Srm.
albomarginatus F. — Fil. v. Log = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. - angustus M. Nomel. 49. — M = annulatus Wolff.	Fig. 111. 53. 271. Wrmen. Srm. VI. 43. 602. HI. 109. 335 — 337. Srm. HI. 110. Srm. HI. 75. 292. Ley. t. 2. f. 3. Srm. Srm. III. 52. 270.
albomarginatus F. — Fil. v. Lo = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. — angustus M. Nomel. 49. — M = annulatus Wolff. — annulicornis Nomel. pg. 51.	Brm. III. 53. 271. Wrmen. Grm. VI. 43. 602. III. 109. 335—337. Grm. III. 110. Grm. III. 75. 292. Ley. t. 2. f. 3. Grm. Grm. III. 52. 270. Grm.
albomarginatus F. — Fil. v. Log = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. — angustus M. Nomel. 49. — M. = annulatus Wolff. — annulicornis Nomel. pg. 51. = annulipes m.	pus.
albomarginatus F. — Fil. v. Log = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. — angustus M. Nomel. 49. — M. = annulatus Wolff. — annulicornis Nomel. pg. 51. = annulipes m. apicalis H. v. lateralis.	Fig. 111. 53. 271. Crmen. Crm. VI. 43. 602. HI. 109. 335—337. Crm. HI. 110. Crm. HI. 75. 292. Ley. t. 2. f. 3. Grm. Crm. HI. 52. 270. Crm. V. 101. f. 669.
albomarginatus F. — Fil. v. Lo = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. — angustus M. Nomcl. 49. — M. = annulatus Wolff. — annulicornis Nomcl. pg. 51. = annulipes m. apicalis H. v. lateralis. aptera Cicada L. v. pallicornis.	pus.
albomarginatus F. — Fil. v. Lo = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. — angustus M. Nomel. 49. — M. = annulatus Wolff. — annulicornis Nomel. pg. 51. = annulipes m. apicalis H. v. lateralis. aptera Cicada L. v. pallicornis. apterum (Astemma) Serv. v. pal	pus.
albomarginatus F. — Fil. v. Lo = alienus m alpinus Kol. 100. = ambiguus Fil. = ambulans Fil. var. b. = angulatus Fil. — angustus M. Nomcl. 49. — M. = annulatus Wolff. — annulicornis Nomcl. pg. 51. = annulipes m. apicalis H. v. lateralis. aptera Cicada L. v. pallicornis.	pus.

	lugubris II. Grm.	II. 138. 225.
	artemisiae Schill.	Siles.
=	ater L.	I. 126. 65.
	tyrannus F.	
	flavicollis F.	Grm.
_	atomarius M. n. 46. t. 4. f. 3.	Spelv.
	aurulentus Schill.	Silef.
=	avellanae Mey. n. 16. t. 2. f. 2 Spelv	. V. 104. 670.
		Szelv.
=	betuleti Fall Nomel. p. 52. H. Grm	. II. 136, 222.
	biclavatus in. Nomel. p. 48. v. bifasciatus	
==	· ·	VI. 96. 668.
		III. 7. 232.
	- Fil F. v. clavatus.	
_		III. 70. 285.
	bimaculatus Nomel. p. 51 Hffg.	Grm.
	primar areas producting	VI. 48. 607.
	- Sulz. Kennz. v. tibialis.	710 10. 0000
_	binotatus F. Grm.	III. 77. 296.
	- Fll. M. 51. v. chenop.	
=	bipunctatus F.	III. 79. 298.
	quadripunct. F. Rh. 157.	Grm.
	brevis Pz. 59. 8. — M. n. 108.	Grm.
	brevicollis Mey. n. 4. t. 1. f. 4.	Spelv.
	brunneicornis m. Nomel.	Grm.
	brunnipennis M. n. 35, t. 3. f. 2.	Spelv.
	?calens L. S. N.	Ind.
	campestris L. v. pratensis.	2,
	capillaris F. v. tricolor.	
	capitatus Nom. 55.	Grm.
	capito (Globiceps Lep.) Serv. pl. 6. f. 1,	
	!carceli Lep. Enc.	i Suu.
	: car cerr nep. Enc.	*

caricis Fll.	Grm. II. 100. 184
= cervinus m.	Grm. VI. 57. 617
= chenopodii Fll.	
binotatus Fll. — F. — Hhr	I. 202. 103
punctatus F.	
Miris laevigat. Pz. 93. 21.	Grm
— chloropterus.	
elegantulus M. n. 69. t. 5. f.	2. Grm
— chorizans Fll. — Pz. 18. 21.	_ Grm. M. n. 50
	t. 4. f. 4
chrysanthemi Hhn. cf. decolor.	
— cinctus Kol. 114. t. 11. f. 29.	Rauf
= clavatus L. (Globiceps) Serv.	III. 47. 264
bifasc. F. Fll.	Grm
- coccineus M. n. 48. t. 4. f. 5.	Helv
coerulescens Scholtz.	Siles
= collaris Fll. — H.	II. 121. 203
errans Wolff.	Grm
= contaminatus Fll.	Grm. I. 151. 76
= cordiger m. Nomel. p. 51. Hhn	. Grm. II. 75. 171
= coryzoides m.	Grm. V. 35. 387.
= coryli L.	
pallipes H.	Grm. I. 26. 16.
= crassicornis H.	Grm. III. 85. 308.
= croceipes m. Um.	bor. VIII. 16. 792.
cruentatus Brull. Mor. 4. 83.	S. Grac.
curvipes M. v. thoracic.	
cyllocoroides Scholtz.	Silef.
= dalmanni Fll. Mon.	Grm. I. 210. 108.
danicus Hhn. v. tricolor.	
— decolor Fll.	
chrysanthemi Hhn.	Grm. I. 10. 4.

... declivis Scholtz. Giles. decoratus Meyer v. sphegiform. Ross. = diopsis Brm. Ural. IX. 166. 961. 962. Grm. IV. 33. 384. = distinguendus m. = divisus m. Um. aq. IX. 167. 960. elatus F. - Pz. - W. v. trifasc. elegantulus Mey n. 69. t. 5. f. 2. v. chloropt. errans Wolff. v. collaris. Sard. III. 6. 231. = erythromelas H. ... erythrocephalus Nom. p. 52. Grm. = erythrophthalmus H. Germ. I. 207. 106. Grm. ... exsanguis Nom. = externus m. Um. bor. VIII. 16. 791. = fallenii Hhn. Nomel. p. 52. Srm. II. 89. 175. = fasciatus M. n. 89. t. 5. f. 5. Selv. VI. 99. 671. ... fasciiventris m. Nom. Grm. = ferrugatus F. I. 204. 104. roseomaculat. Deg. Grm. = filicis L. - Wolff. f. 43. Grm. II. 86. 172. flavicollis F. v. ater. = flavomaculatus F. - Wolff. f. 108. - Pz. 92. 16. Grm. III. 10. 235. flavomarginatus v. Phytocoris. - Costa Annal. Soc. Ent. X. pl. 6. f. 3. ... flavosparsus Sahlb. Act. Soc. Fenn. 1. Fasc. 2. flavovarius F. — Fll. Hhn. v. kalmii. = floralis Hhu. Grm., I. 157. 81. = fraxini Nom. Grm. III. 81. 303. = fulvomaculatus Fll. Grm. VI. 35. 593.

HI. 81. 302. HI. 50. 267.

	23.13. 1 . 12		
	- var. Fall. v. lateralis.		
		Grm. IV. 79. 408. 409).
=	gemellatus m.	Grm. III. 81. 301	
	gibbicollis Nom. pg. 51.	Grn	١.
	gothicus v. Lopus.		
	gracilicornis Scholtz.	Sile	ſ.
	gramineus F. cf. kalmii.		
	graminis Fll.	Sue	с.
=	gyllenhalii Fil.	Grm. 111. 86. 310),
	hieracii Hhn. v. thunbergi.		
-	hirtus Curt. (Chlamydatus)	t. 693.	
-	histrionicus L.		
	agilis F.	Germ. H. II. 98. 18:	2.
	holosericeus Hhn.	Grm. I. 27. 17	7.
	nigrita m.	VI. 45. 601	ι.
	hortensis M. n. 34. t. 3. f	. 2. Grn	1.
	hortulanus M. n. 52. t. 7.		
	humuli Schumm.	Sile	
	icterocephalus Hhn. v. nassat.		
=		Grm. IV. 30. 381	ι.
	?invidus Rossi nr. 1326.	Sta	ί.
	kalmii L.		
	gramineus F.?		
	flavovarius F. — Fll.	Grm. H. I. 211. 109).
=	lateralis Fll. — m.		
	seticornis F Wolff	- Brm.	
	apicalis.		ł.
	fulvomaculat. var. Fall.	Grn	
	- Hhn. v. unifasc.	0.007	
	lugubris Hhn. v. arbustor.		
=	luridus Fll.	Grm. III. 87. f. 31:	2
		2111 211 011 21 31	-

```
... luteicollis Nom.
 = luteus m. Grm. III. p. 78. f. 297.
- maculipennis H. S. Nel. M. n. 60. t. 51. Grm.
                    63rm. 1V. 78. f. 406.
 = maerkelii H. S.
                          (Srm. I. 130. f. 67.
= magnicornis Fll.
 = mali M. n. 30. t. 2.
marginatus Hhn. v. unifasciatus.
 = marginellus F. - Brm. - HS. Nom. -
      scriptus F. nr. 32. - Hhn. Grm. H. 120. 202.
 = marginepunctatus m.
                         (Srm. III. 69. f. 284.
 ... mat. Rossi.
 = melanocephalus L.
      revestitus Fll.
                          Grm. I. 155. 79.
     nallens F.
 - melanochrus m.
                  Mer. VIII. 17. f. 793.
= melaxanthus m. 2(m. bor. VIII. 18. f. 794.
 ... mercopterus Rossi. Stal.
   - Scop. n. 1344. v. spissicornis.
 - meyeri Kol. 74. t. 11. f. 26. Rauf.
= miniatus HS.
                    Grm. IV. 34. 386.
- minor (Chlamydatus) Curt. - Serv. (Pachytoma)
Costae ann. Soc. ent. X. pl. 6. f. 4. Stal.
- modestus M. n. 40. t. 3. f. 5. Selv.
= molliculus Fil. Grm. VI. 32. f. 589.
                        Siles.
... montanus Schill.
= multicolor m.
                        21m. bor. VIII. 19. 795.
 = mutabilis Fll. - M. n. 23. - L. fn. - Hhn.
                           Grm. II. 137. 223.
= - (Halticus)
                      Grm. II. 95. f. 180.
                   1. 153. 78.
 = nassatus Fall.
icteroceph. H.
                      I. 149. 75.
= neglectus.
                    Grm. auftr. III. 82. f. 304.
```

= nigerrimus m.	Grm.	III. 87.	311.
nigrita VI. 45. f. 601. v. holos	eric.		
nigrovittatus Costa. Cent. r	ir. 76.		Ital.
- nitidus M. n. 107. t. 6. f. 4.			Helv.
= nubilus HS. Pz. 135. 9.			Grm.
- oblongus Kol. t. 11. f. 28.			Rauk.
= pabulinus L M. t. 1. f. 3	3. — Gri	m. I. 14	8. 74.
pallens v. melanoceph.			
pallescens m. Nomel.		(Berm.
= pallicornis L.		I. 114	. 61.
Astemma apterum Serv.			
Cicada apt. L.			
Attus arenar.	Grm.	III. —	255.
= pallidus HS.	Grm. 1	II. 51. f.	269.
pallipes (Phylus) v. coryli.			
— parallelus M. n. 21. t. 6. f.	3.,		Helv.
passerinii Costa Ann. Soc.	Ent.		Ital.
pastinacae Fll. — H. v. tripust	. 11		,
= pauperatns HS.	Grm.	IV. 31.	382.
peregrinus m. Nomcl.			Berm.
pilicornis m. Nomel.		(Berm.
= pilosus H.	Grm.	II. 96.	181.
= pinastri Fall. Hhn.	Grm.	II. 87.	173.
= plagiatus HS. Pz. 135. 10	- Grm.	VI. 31. f	. 587.
planicornis Kol.		011	Rauk.
= - m.	Grm.	III. 84.	30 6.
Pallis magnicornis Schill.			
= prasinus H.	Grm.	III. 8.	233.
= pratensis L. — Fll.		I. 217.	112.
umbellatar. Pz. 93. 19.			
campestris H.		I. 218.	
= propinguus HS.	Grm.	VI. 47.	606.

=	pteridis Fall. — Grm. fn. 1	0. 13. Grm.
	?pubicornis F. Lyg.	Umer.
=	pulcher m.	Gem. III. 75. 293.
_	pulicarius Fall.	Grm. I. 117. 62.
	pulverulentus Kl. — M. n	. 31. Spelv.
	punctata Zett Kol. 98.	Suec.
	punctipes m. Nomel.	Germ.
	punctulatus Fll M. t. 4.	f. 2. Grm.
	?punctum album Rossi nr. 1	337. potius Anthocoris.
	pusillus m. Nom.	Gem.
=	pyrrhula m.	Um. åq. III. 67. 281.
	quadripunctatus F. R. v. bipun	ctat.
	querceti m. Nom.	Grm.
	revestitus Fll. v. melanoceph.	
	roseomaculatus Deg. v. ferruga	tus.
_	roseri HS.	Grm. IV. 78. 407.
_	roseus Fil. Grm. III.	71. 287. VI. 46. 604.
	?ruber L. Fn.	Suec.
	- Nomel.	Grm.
=	rubicundus Fll.	
	Lygus rubricat. H.	Grm. I. 156. 80.
=	rubricatus Fll.	
	Lygus rufescens H.	Grm. I. 28. 18.
	- Hhn. v. rubicundus.	
	rubrinervis Nom.	Grm.
<u>_</u>	rufrifons Fll.	Hl. 110. 338.
	Byrsoptera erytroceph. Spi	n. Grm.
=	rufipennis Fall.	Srm. VI. 50. 610.
	rufipes F. v. trifasc.	
=	rugicollis m.	Grm. III. 80. 299.
=	rutilus m.	fur. mer. IV. 34. 385.
=	salicellus M.	Grm. VI. 47. 605.

= saltator H.	Grm. III. 11. 236.
saltians Fall. (Astemma) Serv.	
salviae H.	Grm. II. 133. 217.
	Grm. III. 70. 286.
	Siles.
= scriptus F. S. R. n. 153.	
- F. nr. 32 Hhn. f. 202	
	Grm.
F.	Grm. II. 205. 105.
= seladonius Fall	Grm. VI. 33. 590.
semiflavus Fll. — Wolff. 38. v.	
seticornis F Kol. v. tibial	is Wolff. v. lateralis
Fil. HS.	
= setulosus HS.	Hung. IV. 30. 380.
Mayer n. 13. t. 1. f. 1.	
The state of the s	Brm. III. 77. f. 295.
= sexguttaxus F. — Hhn. Grm	. II. 131. 113 — 216.
= sexpunctatus F. — Hhn. Grm signatus Nom.	. II. 131. 113—216. Grm.
= sexpunctatus F. — Hhn. Grm signatus Nom solitarius M. n. 62. t. 5. f. 4.	. II. 131. 113 — <mark>216.</mark> Grm. Helv.
= sexpunctatus F. — Hhn. Grm signatus Nom. — solitarius M. n. 62. t. 5. f. 4. = sphegiformis Rossi. — Kol.	. II. 131. 113 — <mark>216.</mark> Grm. Helv.
 sexpunctatus F. — Hhn. Grm. signatus Nom. solitarius M. n. 62. t. 5. f. 4. sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — 	. II. 131. 113 — 216. Grm. Helv.
 sexpunctatus F. — Hhn. Grm. signatus Nom. solitarius M. n. 62. t. 5. f. 4. sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — 	Grm. III. 48. 265.
= sexpunctatus F. — Hhn. Grm signatus Nom solitarius M. n. 62. t. 5. f. 4. = sphegiformis R'ossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M.	Grm. III. 48. 265. Selv.
 sexpunctatus F. — Hhn. Grm signatus Nom. solitarius M. n. 62. t. 5. f. 4. sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. spinolae M. nr. 2. t. 1. f. 2. 	Grm. III. 48. 265. Setv.
 sexpunctatus F. — Hhn. Grm signatus Nom. solitarius M. n. 62. t. 5. f. 4. sphegiformis R'ossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. spinolae M. nr. 2. t. 1. f. 2. spissicornis F. (Heterotoma) S. 	Grm. III. 48. 265. Setv. Detv. Serv. Pz. 2. 16. Grm.
= sexpunctatus F. — Hhn. Grm signatus Nom. - solitarius M. n. 62. t. 5. f. 4. = sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. - spinolae M. nr. 2. t. 1. f. 2. - spissicornis F. (Heterotoma) S. = striatellus F. — Pz. 93. 17. —	Grm. III. 48. 265. Setv. Setv. Serv. Pz. 2. 16. Grm
 sexpunctatus F. — Hhn. Grm signatus Nom. solitarius M. n. 62. t. 5. f. 4. sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. spinolae M. nr. 2. t. 1. f. 2. spissicornis F. (Heterotoma) S. striatellus F. — Pz. 93. 17. — striatus L. — Pz. 93. 22. — I. 	Grm. III. 48. 265. Setv. Setv. Serv. Pz. 2. 16. Grm. — Grm. II. 133. 218. I. Grm. II. 134. 219.
= sexpunctatus F. — Hhn. Grm signatus Nom. - solitarius M. n. 62. t. 5. f. 4. = sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. - spinolae M. nr. 2. t. 1. f. 2. - spissicornis F. (Heterotoma) S. = striatellus F. — Pz. 93. 17. — striatus L. — Pz. 93. 22. — F. superciliosus L. Fn. cf. fulvo	Grm. III. 48. 265. Setv. Setv. Serv. Pz. 2. 16. Grm. — Grm. II. 133. 218. H. Grm. II. 134, 219. omaculatum.
= sexpunctatus F. — Hhn. Grm signatus Nom. - solitarius M. n. 62. t. 5. f. 4. = sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. - spinolae M. nr. 2. t. 1. f. 2. - spissicornis F. (Heterotoma) S. = striatellus F. — Pz. 93. 17. — striatus L. — Pz. 93. 22. — I. superciliosus L. Fn. cf. fulvo = suturalis m.	Grm. III. 48. 265. Helv.
= sexpunctatus F. — Hhn. Grm signatus Nom. - solitarius M. n. 62. t. 5. f. 4. = sphegiformis R'ossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. - spinolae M. nr. 2. t. 1. f. 2. spissicornis F. (Heterotoma) S. striatellus F. — Pz. 93. 17. — striatus L. — Pz. 93. 22. — F. superciliosus L. Fn. cf. fulvo suturalis m. tanaceti Fll.	Grm. III. 48. 265. Helv.
= sexpunctatus F. — Hhn. Grm signatus Nom. - solitarius M. n. 62. t. 5. f. 4. = sphegiformis Rossi. — Kol. clavatus L. sec. Fall. — bifasciatus Fll. F. HS. decoratus M. - spinolae M. nr. 2. t. 1. f. 2. - spissicornis F. (Heterotoma) S. = striatellus F. — Pz. 93. 17. — striatus L. — Pz. 93. 22. — I. superciliosus L. Fn. cf. fulvo = suturalis m.	Grm. III. 48. 265. Helv.

= thoracicus Fall - M. n. 90. t	. 6. f. 5. Grm.
curvipes M. n. 86. t. 5. f. 3.	
= thunbergii Fll. — Grm. fn. 18	3. 19.
Lopus hieracii Hhn.	Grm. I. 144. 73.
= tibialis Nom.	Grm. I. 128. 66.
— ticinensis M. n. 88. t. 6. f. 1.	Helv.
transversalis F. cf. tripustul.	
= tricolor F Pz. 93. 20 d	lanicus F H. Grm.
	I. 17. 9.
? — F. Rh. n. 176.	Ind. or.
= trifasciatus F.	
rufipes F.	
elatus F. — Pz. 73. 20.	Grm.
= triguttatus L.	Grm. II. 99. 183.
= tripustulatus F Fll.	Grm. I. 213. 110.
pastinacae Fll.	I. 215. 111.
! transversalis F.	Grm.
tristis Scholz.	Silef.
= tumidicornis m. non M.	Grm. III. 81. 307.
— Mayer n. 25.	Spelv.
tyrannus F. v. ater.	
umbellatarum Scop. — Pz. v. pra	tensis.
= umbratilis Fll.	Grm. III. 49. 266.
= unicolor H.	Grm. III. 94. 179.
= unifasciatus F.	
semiflavus Fll Wolff. f. 48	8. — I. 208. 107.
lateralis.	II. 85. 169.
marginatus.	Grm. II. 85. 170.
?vandalicus Rossi. nr. 1343.	Ital.
	III. 137. 224.
= varians M. n. 39.	Grm. VI. 45. 603.
varicornis Erichs. Wiegm. Arch	. 1842. Ban Diem.

variegatus Costa Cent. n. 78.	Ital.
varipennis Hffgg. v. punctulat.	
= verbasci HS. — M. n. 42, t. 4, f. 1.	Grm.
= virgula HS. Grm. III. 51	. 268.
= viridulus Fll M. n. 51. t. 7. f. 2. H. II. 136	. 221.
	Grm.
vitellinus Scholtz.	Giles.
= vittipennis HS. Grm. III. 83	. 305.
? vividus F. R.	Dania.
waltlii m. Nom.	Germ.
Catacanthus Spin Serv Cimex Sulz Wo	lff. —
Edessa F. — Pentat. Cap.	
- anchorago Drur. Jns. III. pl.	46. 5.
	Sierra.
- aurantius Sulz. Gesch F Serv.	
aurantiacus Brm. Ufia.	Philip.
- incarnatus Deur. III. pl. 36. 5.	
nigripes F Thb Wolff. 11 Stoll.	10.
3	nd or.
- nigripes Sulz. Gesch.	
punctum F.	
carrenoi Le Guill. Rev.	
Stoll. f. 40.	id. or.
Catamiarus Serv. v. Pirates.	
Cataulax Spin. — Serv. — Dall.	
macraspis Pert. Del. pl. 33. 7 Spin.	
Catoplatus Spin. — Cost v. Monanthia cost.	
Cutostyrax Serv. v. Platynotus & Oplomus.	
Cazira Serv Pentatoma Westw Asopus Brm.	m.
	523.
	Philip.
= ulcerata m. Spongfong. IV. 103	452.

... verrucosa Westw. Zool. Journ. v. pl. 22. f. 7. verrucifer Brm. Hbb.

? peregrinator L. Mus. Ulr.

Ind.

Centrocoris Kol. v. Enoplops.

Cephalocteus Duf. - Serv.

Schiödte in Kroyer naturh. Tids. -IV. 328. dufourii Sol. in. litt. v. Amblyottus.

= histeroides Duf. Ann. soc. III. pl. 5. 6. — Cydn. scab. F. Sisp. VII. 108. t. 248.

... melolonthoides Schiödt. scarabaeoides Ramb. v. histeroid.

Cephaloplatus White.

Dryptocephalus White.

... australis Dall.

Meuholl.

Ind. or.

... pertyi Ent. Tr. III. 90.

3

Cerascopus Heinek. Isis 1831. p. 101.

... marginatus Larve einer Hydrometr.

Ceratocoris White Entom. — Dall. — Plataspis Westw.

... bucephalus White. Westw. — Ent. — Trans. IV. pl. 18. f. 1. Bestafr.

Cerbus Hhn. - Brm. v. Mictis, welcher Rame alter.

phyllocnemis Brm. v. Spathophora.

umbrinus Brm. v. Piezogaster.

Cercotmetus Ser. IX. 32. —

... asiaticus Serv.

Java.

Cermatulus Dall. v. Podisus.

Cethera Serv.

- variata Serv. pl. 12. 4.

Genry.

Chaerosoma Costa v. Chorosom.

Charlesterus Lap. — Serv. — Brm. 13, VII. pg. 3. t. 217. C. D.

albiventris Brm. Mer.
bicolor Griff. anim. K. pl. 92. 4.
carmelita Brm. Sierra, f.
cruciger F. R. (Lyg. 32) Stoll. 175.
Bei Serv. als Machtima, wohin wahrscheinlich noch meh-
rere Arten Burm. gehoren.
fasciatus Brm. Brf.
- gracilis Lap. pl. 53. 6 Serv. pl. 4. 2. Can.
marginalis Brm. Mer.
= moestus Brm. Mer. VII. 3. 681.
spinosus Brm. Brf.
vexillaris Brm. Brf.
Cheirochela Hop. Linn. Trans. XVIII. p. 442.
assamensis. Usam.
Chelochirus Spin. Guér. Mag. & Rev. p. 383.
atrox Erichs. Ber. 1839. pg. 101. Sava.
Chirochela Fieb. v. Cheirochela.
Chlaenocoris Brm. — Grm. — Serv.
Globocoris Hhn. V. 26. —
apicalis Grm. Brf. V. 28
= caesus Grm. 2(m. m. V. 28. 479.
= impressus F. Hop. — III. 24. 248. V. 27. 480.
Chlamydatus Curt. v. Capsus minor.
Chlorocoris Spin. — m. VII. 49.
Thelima Serv.
= complanatus Guér. Coq. pl. 2. f. 13.
tau Spin.
deplanatus m. VI. 68. 633. Brs.
rufispinus Dall. Mer.
Choerocoris Dall.
Callidea et Pachycoris Grm.

Tetyra Serv. — F.

Cimex F.

= aulicus.

Pachyc. Grm. — Silb. — m.

V. 10. 467.

ornat. Grm. - Silb.

Sudafr.

... paganus F. — Don. South. pl. 3. f. 4. — Guér. Cog. pl. 11. f. 5.

Astrol. pl. 11. f. 4.

Neuholl.

... variegatus Dall.

Reuholl.

Choerommatus Serv.

... farinosus Serv. pl. 4. f. 4.

Senegal.

Chocrycydnus White Grey. Reise S. 472. Erichs. Ber. 1841. pg. 115.

... foveolatus.

R. Georgs. Sund.

Chondrocera.

... foliacea d'Orb. Voy.

Um. m.

Chorosoma Curt. — Serv.

Chaerosoma Costa.

Rophalus Schill. - m.

= schillingii Schumm. Chor. arundinis Curt. | Grm.

IV. 74. 402.

Chrysocoris Hhn. Callidea.

Cicada aptera L. v. Capsus.

Cidoria Serv.

... flava Serv. pl. 12. f. 15.

Cap.

= straminea m.

2(m. m. VI. 92. 663.

Cimbus Hhn. — Brm. — Serv. I. f. 33.

= productus H.

Java. I. 34. 23.

versicolor Lap. v. Tiarodes.

Cimex L. — F. — W. — III. t. 79. B—D. — IX. t. 308. E. — K.

abietis L. fn. v. Platygaster.

abutilon Ross. cf. Coriz.

acantharis C. cf. Yolinus. - Sulz. Gesch. v. Pygodes. acaroides Thunb. v. Thyreocor. pallip. acuminatus L. fn. v. Aelia. acus Deg. v. Limnobates. adspersus F. R. v. Pentat. aegypticus L. v. Pyrrhocoris. aeneus Scop. v. Pentat. perlatum. aereus m. v. Pentat. aethiops F. E. S. v. Cydnus. aequinoctialis Scop. v. Capsus. agathinus. W. - F. v. Acanthosoma. aggressor F. R. 49. v. Pentat. agilis Scop. Schr. v. Stenoceph. nug. albicollis F. v. Loxa. albipes F. R. 15. v. Pentat. sphacel. - F. R. 144. v. Pentat. gamma. albofasciatus Deg. t. 34. f. 11. albolineatus F. Wolff. v. Ancyrosoma. albomarginatus F. R. 121. v. Cydnus. albopunctatus Deg. v. Arvelius. alienatus F. R. v. Pentat. allionii L. v. Psacasta pedem. alpinus Scop. carn. v. Salda. saltat. anchorago F. E. S. v. Stiretrus diana. andreae L. cf. Stiretrus. annulatus L. fn. v. Harpact. - Sulz. Gesch. v. Harpactor cruentus. annulus F. E. S. v. Sphaerocoris. apicalis m. v. Pentat. appendiceus Vill. v. Tingis pyri. apterus L. v. Pyrrhocor.

arabs L. v. Edessa. ?

arcuatus F. E. S. v. Pachycor.

arenarius L. fn. v. Pachym.

argus. Drur. v. Sphaerocoris.

- F. E. S. v. Pachyc.

armatus F. R. cf. Pentat.

ater L. fn. v. Caps.

atomarius F. R. cf. Pentat.

aurantiacus Sulz. v. Catacanth.

aurantius F. E. S. - Sulz. - v. Catacantha.

auriculatus Deg. v. Syromast. marg.

austriacus Schr. v. Eurygast. maur.

azureus F. R. cf. Pentat.

baccarum L. fn. - F. v. Pentat.

balteatus L. - Drur. I. pl. 43, 3. Um. inf. vielleicht eine Unisoscelis mit falschen Sinterbeinen.

beryllinus L. - Wolff. Index 130. cf. Arma custos.

beryllus F. R. v. Pentat.

betulae L. fn. v. Aradus.

- Deg. v. Acanthos. gris.

bicolor L. fn. v. Cydnus.

bidens L. fn. v. Jalla.

- Sulz. Kennz. cf. Arcanthos. haemorrh.

biguttatus F. E. S. v. Cydnus.

- L. v. Platymeris.

bimaculatus Sulz. Kennz. t. 11. f. 7F. v. Caps. tibialis.

binotatus F. R. v. Pentat.

bioculatus F. R. cf. Pentat.

bipunctatus L. Mus. Ulr. v. Pentat.

bipustulatus L. — Deg. v. Leptoscelis haemorrhous.

- F. R. 19. v. Pentat. ypsilon.

bispinosus F. E. S. v. Podops.

bispinus Panz. v. Sastragala.

boscii F. E. S. v. Pachycor. branderi L. ? brevicornis F. E. S. v. Amaurus. calcaratus L. fn. v. Alydus. - Sulz. Kennz, v. Cydnus. tristis. calens L. cf. Caps. - F. R. cf. Pentat. calidus F. R. cf. Pentat. campestris L. fn. v. Caps. carbonarius Ross. v. Pachymer. echii. cardui L. fn. - Deg. v. Tingis. carinatus. Drur. v. Prionotus serr. carnifex F. R. v. Pentat. catena Drur. v. Platynop. cerinthe F. E. S. v. Psacasta. cervus F. E. S. v. Edessa. chinensis Thb. v. Tesserat. ... ciliatus Eversm. Bull. d. l. Soc. de Mosc. 1814.

H. 359. Ruff. m.

-- F. R. vix. Cydn.?

cinctus F. R. v. Rhaphig.

cinnamomea v. Pentat.

clavatus L. v. Caps.

clavicornis L. fn. v. Ting.

claviger Grez. Drur. cf. Leptocoris.

clypeatas L. -- F,?

coarctatus v. Podops. bispin.

coelebs F. R. v. Pentat.

coeruleus L. fn. v. Arma.

collinus Scop. v. Pachym. pini.

collaris F. R. v. Acanthos. haematog.

collaris L. S. N. v. Sycanus coloratus Kl. Symb. v. Pentat. compressipes Drur. v. Metopodus. conicus L. cf. Cymus thymi. conspicillaris Drur. v. Hammatoc. convergens m. v. Pentat. corticalis L. fn. v. Aradus. corticatus Sulz. Gesch. v. Pldea. coryli L. fn. v. Caps. costatus F. E. S. v. Eurygaster. crassicornis L. fn. v. Corizus. crenator F. cf. Pentat. cribrum F. E. S. v. Brachysthet. cristatus L. Drur. Sulz. - v. Prionotus. croceus L. v. Caps. cruciatus L. - W. v. Pentat. cruentus F. v. Edessa. crux Thb. v. Physorhynch. cucullatus L. cf. Eurygaster maurus. culiciformis Deg. v. Gerris errat. custator F. cf. Pentat. custos F. v. Arma. dama F. v. Placosternum taurus. debellator F. v. Pentat. decrepitus F. E. S. v. Mitis errat. delirator F. v. Prooxys. dentator F. - W. v. Halys. dentatus Göz. - Deg. L. v. Acanthof. haemag. denticulatus Scop. v. coreus. - Wolff v. Coreus pilicorn. deplanatus m. v. Pentat. deplanus m. v. Pentat.

depressus m. v. Pentat.

- betulae Deg. v. Aradus.

desfontainii F. E. S. v. Trigonosoma.

dimidiatus Hag. v. Pentat.

diophthalmus F. v. Scutell. banks.

discoideus F. cf. Pentat.

discolor W. v. Pentat.

dispar F. E. S. v. Cantao.

dissimilis F. - W. v. Pentat.

divisus m. v. Pentat.

dolobratus L. fn. Schr. v. Lopus.

dominulus Scop. - W. v. Eurydema fest.

druraei L. Mant. Sulz. Gesch. v. Scutell.

dubius Scop. v. Cydnus albomarginell.

dumosus L. fn. F. v. Jalla.

elatus F. cf. Pent.

elector F. cf. Podisus luridus

emeritus F. cf. Pentat.

eques F. E. S. v. Galostha.

equestris. L. fn. v. Lyg.

- Mus. Ulr. v. Lyg.

erosus L. S. N. n. 19. Sulz. t. 11. f. 71. v. Syrtis.

erraticus L. fn. v. Miris.

eryngii Grm. fn. v. Pentat.

- Hhn. v. Pentat nigricorne.

erythropus L.?

exanthematicus Scop. v. Psacasta.

fabricii L. v. Pachycor.

- Wolff v. Pachyc. guttula.

familiaris Ross. v. Lyg. venust.

fasciatus F. cf. Pentat.

femorapunctatus Wolff 151. v. Capsus.

femoratus Deg. t. 35. f. 4.? ferrugator F. v. Sastragala. ferrugineus L. S. N. v. Pachymerus. ferus L. fn. v. Nabis. festivus L. W. v. Eurydema. filicis L. fn. v. Caps. fimbriatus F. v. Pentat. flavescens F. cf. Pentat. flavicinctus m. v. Ochlerus. flavicoll. Drur. v. Loxa. flavicollis Pal. v. Rhaphig. smar. flavo-quadrimaculatus Deg. v. Capsus. flavicornis F. E. S. Wolff. v. Cydnus. flavipes F. E. S. v. Thyreocoris. - Scop. Capsi diversi. floridanus L. v. Asopus. frischii L. v. Eurygaster maur. fulvus Deg. t. 34. f. 22. -? fuliginosus L. fn. v. Odontoscel. fulvo niger Deg. t. 34. f. 21. -? fulvipes Deg. cf. Cnemodus. - Scop. v. Caps. flavomac. funebris F. cf. Pentat. furcellatus W. v. Coryssorhaph. furcifer F. v. Coeloglossa. - W. v. Coelogl. Sehest. furcis Drur. v. Hammatocerus. fuscus Geoff. v. Eurygast. maur. galii W. v. Psacasta. gallae Mull. W. 84. v. Anthocor. gallarum ulmi v. Anthoc. nemoralis Deg.

gamma F. v. Pentat.

gazella F. E. S. v. Hypoxys. geniculatus F. E. S. v. Edessa. genistae Scop, Capsi diversi. geographicus F. v. Pentat. gladiator F. 36. v. Arvelius. - F. 50. v. jaculator. glaucescens F. cf. Pentat. glaucus F. E. S. v. Edessa, globus F. E. S. v. Coptosoma. gothicus L. fn. v. Caps. gramineus F. cf. Pentat. grammicus L. W. v. Odontotarsus. gravis F. cf. Pentat. griseus L. fn. v. Acanthosoma interstinct. - W. v. Rhaphig punctipennis. griseus nigropunct. v. Pent. perlat. gronovii L. S. N. -? grossipes abietis Deg. v. Platygaster. grylloides L. v. Ophthalm. guineensis L. v. Platymeris. guttatus F. cf. Erthesina. haemagaster Schr. v. Acanthos. haematicus m. v. Loxa. haemorrhoidalis L. fn. v. Acanthos. haemorrhous L. v. Leptoscelis. hastator F. v. Prooxys. heros F. cf. Arvelius. = hirundinis m. histrio F. v. Pentat.

— L. S. N. 12. —? histrionicus L. v. Caps. hortorum L. W. 154. v. Miris. Grm.

hottentotus F. v. Eurygaster. hybridus Scop. v. Pirates stridulus. hyoscyami L. fn. v. Corizus. - Sulz. Kennz. v. Lyg. equestris. - capensis W. 104. v. Lyg. ictericus L. v. Pentat. illustris F. E. S. v. Pachyc. imperialis F. E. S. v. Calliphara. impressus Coq. v. Pentat. incarnatus Drur. W. v. Catacanth. incisus m. v. Macropygium. incultus Erichs. Arch. VIII. p. 275. -? indus L. v. Nematopus. inscriptus F. v. Pentat. interstinctus L. fn. v. Acanthos. inunctus W. v. Podops. iracundus Scop. v. Harpact. cruent. iratus F. v. Pentat. irroratus F. E. S. v. Pachyc. iserti F. cf. Pentat. italicus Ross. v. Pyrrhoc. jaculator F. v. Arvelius gladiator. janus F. E. S. v. Aspongopus. javanicus Thb. W. 12. v. Tesserat. jucundus Kl. Symb. v. Pentat. junceus Scop. v. Alydus. juniperinus L. fn. F. v. Pent. kalmii L. fn. v. Caps. kermesinus L. L. cf. Lyg. laciniatus Vill. v. Phyllomorpha. lacteolus L. v. Pachym.

lacustris L. fn. v. Hydrometra.

laetus F. v. Pentat.
laevigatus L. fn. v. Miris.
lauiarius L. v. Caps. danicus.
lanatus F. v. Odontoscelis.

= lectularius L. fn. 909 et 10. III. 17. 242.

Acanthia F. — Wolff. — Brm. — Serv. Gur.

le Reddi Le Guill. Rev. zool. cf. Pentat.

leucocephalus L. fn. v. Caps.

leucogrammus L. W. 89. v. Ancyrosoma. leucomelas L. W. 62. v. Cydnus.

liligerus F. E. S. v. Coeloglossa furcif.

limbatus F. v. Pentat.

linea Kl. Sym. v. Pentat.

lineatus L. v. Graphosoma.

- Sulz Kennz. v. Euryg. maurus.

lineola L. Deg. v. Largus.

- Sulz. Gesch. v. Limnobates.

- F. E. S. v. Pachyc.

littoralis L. fu. v. Salda.

litura F. E. S. v. Odontoscelis.

lituratus F. W. 14. Acanthosoma.

longipes Deg. v. Emesa prec.

- L. cf. Trichoscelis.

lugens F. E. S. W. 180. v. Pentat.

lunula F. cf. Eurydema.

luridus F. v. Podisus.

lynceus Coq. v. Coeloglossa.

lynx W. v. Pentat.

— Panz. v. Pentat. sphac.

mactans F. v. Cyclop.

macula F. cf. Hypoxys?

maculatus F. cf. Pentat.

marginatus F. v. Doryderes.

— L. fn. v. Syromast.
maritimus Scop. v. Pachymer. luscus?

mat. Ross. v. Caps.

maurus L. fn. v. Euryg.

meditabundus F. v. Edessa.

megacephalus Ross. v. Ophthalm. albip.

melacanthus F. cf. Pentat.

melanocephalus L. cf. Caps.

meriopterus Scop. - Ross. v. Caps.

miliaris Kl. Symb. v. Pentat.

militaris Ross. v. Lyg.

minutus L. fn. v. Anthocor.

mixtus F. v. Edessa F. R.

morio L. fn. W. v. Cydnus.

mucoreus F. E. S. v. Erthesina.

multipunctatus Thb. v. Sphaeroc. impluv.

multispinosus Deg. t. 35. f. 10. 11. v. Sinea.

musci Schr. v. Ting.

mutabilis L. fn. v. Caps.

myops F. v. Galedanta.

nanus fasciatus Deg. t. 34. f. 25. - ?

neglectus Ross. cf. Podops.

nemorum L. fn. v. Anthocoris.

nervosus Cyrill. v. Ancyrosoma.

- Scop. v. Coriz. capitat.

nigellae F. v. Trigonosoma.

niger Geoff. - ?

- spinipes Deg. v. Cydnus.

nigricornis F. W. v. Pentat.

nigridens F. cf. Pentat.

nigripes F. W. v. Catacanth.

- L. - Deg. t. 35. f. 1. v. Apiomerus. nigrispinus F. cf. Pentat. nigrita F. E. S. v. Cydnus. nigrolineatus F. W. v. Graphosom. nigropunctatus Deg. t. 54. f. 11. -? nitiduloides W. v. Corcomelas. nobilis L. v. Callidea. - W. v. Calliphara. nubilus F. v. Agonosc. obscurus F. W. v. Aspongop. ocellatus Thb. v. Cantao disp. oculatus F. v. Lyg. argus. oculus cancri Deg. t. 34. f. 24. oleraceus L. fn. - F. v. Euryd. ornatus W. 15. v. Eurydem. - L. fn. v. Euryd. pabulinus L. fn. v. Capsus. - Scop. Capsi diversi. paganus F. cf. Seutell. pallipes F. v. Thyreocoris. pandurus Scop. - Vill. v. Lyg. milit. papillosa F. - Drur. - W. v. Tesserat. paradoxus Sparrm. v. Pephricus. pedemontanus F. v. Psacasta. peregrinator L. gen. dub. - Sulz. Gesch. v. Dinidor. perditor F. cf. Pentat. perlatus F. v. Pentat. - W. 134. v. Pent. melanoceph. personatus L. fn. v. Redut. perspicuus Brm. Pentat. sexpunct. petiti le Guill. Rev.?

phyllopus L. v. Anisosc. pictus F. v. Euryd. - Drur, v. Leptoscel, crenulat. picus F. E. S. v. Edessa. pini L. fn. v. Pachym. poecilus Kl. v. Pentat. populi L. fn. v. Phythoc. porphyropterus L. v. Pentat. nigricorn. prasinus L. fn. v. Pentat. pratensis L. fn. v. Caps. pugillator F. v. Pentat. pugnax F. v. Pent. punctatoguttatus Ross. v. Lyg. punctatus L. fn. v. Arma. punctum F. E. S. v. Edess. punctum album Rossi v. Anthoc. punicus L. cf. Pentat. purpureipennis Deg. - W. 132. v. Pent. nigric. purpureolincatus Ross. v. Odontogast. pustulatus Deg. t. 34. f. 2. - cf. Pentatoma. pyrrhocerus m. v. Pentat. ict. quadriflavomacul. Deg. v. Caps. quadrilineatus Schr.? quadrimaculat. Enc. v. Rhaphig. nad Hop. quadripustulat. F. cf. Pentat. quadrispinos. L. - Deg. v. Zelus. quinquepunct. Goez.? reflexus F. cf. Pentat. regalis F. E. S. v. Calliphara. repandus F. cf. Pentat. reticularis F. Gen. dub. rhombeus L. - Ross. v. Verlus. quadr.

riparius Scop. v. Miris dolabrat.

rivulorum F. E. S. - Ross. v. Velia.

rolandri L. fn. v. Pachym.

roseomaculatus Deg. v. Caps. ferrugatus.

rostrastus L. v. Enoplops scaph.

rubrobalteatus Deg. t. 34. f. 15. v. Anisoscelis.

rubens F. E. S. v. Edessa.

ruber L. fn. v. Caps. ??

rubrofasciatus Deg. t. 35. f. 12. v. Conorhinus.

ruficollis L. Mus. Ulr. cf. Stiretrus.

ruficornis F. cf. Aspongopus.

rufipes L. fn. - W. 9. v. Pentat.

rufocinct. m. v. Pentat.

rusomarginatus Deg. t. 32. f. 3. 4. cf. Raphigaster.

rugosus L. fn.?

- Scop. v. Aradus.

rusticus F. E. S. v. Sphaeroc.

rutilus F. cf. Pentat. tetrastigma.

sacer L. v. Pirat.

sagitta F. cf. Pentat.

saltatorius L. fn. v. Salda.

sanguinipes F. v. Platynop.

saturninus Ross. v. Pachym.

saxatilis L. v. Lyg.

scaber L.?

scapha F. v. Enoplops.

scarabaeoides L. fn. F. v. Coreomelas.

- Rossi - Panz. - Sulz. - Schell. v. Coptos. globus.

schranckii Goez. - W. 129. v. Eurygast maurus.

schulzii F. E. S. v. Coereomelas.

scorpio Deg. W. 83. v. Phymata.

seladonius F. cf. Pentat. semiflavus L. v. Capsus. semipunctatus F. v. Graphosoma. senegalensis F. cf. Pentat. serratus L. v. Mustha. - F. spec. Ross. cf. Coreus. sexpunctatus L. v. Pentat. perspic. signatus F. (W. 85) v. Callidea. silphoides F. v. Thyreocoris. silvarum Rossi v. Anthocoris. sordidus m. v. Pentat. icter. speciosus Scop. (W. 24) v. Lvg. equestr. sphacelatus F. v. Pentat. sphegiform. Ross. v. Caps. spinidens F. v. Arma. spinipes Schr. v. Brachypelta tristis spinosa F. E. S. - Ross. cf. Tingis. spirans F. cf. Pentat. splendidulus F. cf. Eurydema. spinosulus Sulz. Gesch. v. Coreus. stagnorum L. fn. v. Limnobates. stigma F. E. S. sppl. v. Pachyc. stockerus W. 44. v. Callid. purpurea. - L. - F. E. S. v. Galostha. stolidus L. v. Eurydema. stollii Wolf v. Callid. stocker. striatus L. fn. v. Caps. strictus F. v. Pentat. subapterus Deg. v. Harpactor pedestr. subrufus L. v. Corizus capit. superciliosus L. v. Lopus gothicus. succinctus L. S. N. Amoen. - Deg. v. Largus.

sylvestris L. fn. v. Pachym. tarandus F. E. S. gen. dub. tarsatus Kl. Symb. v. Pentat. taurus F. E. S. v. Placosternum. testaceus Scop. v. Miris laevig. tibialis Thb. v. Eumecopus arm. tigris Geoff. v. Tingis. tipularius L. fn. v. Beryt. tipuloides Deg. v. Stenocoris. torquatus F. v. Raphigast. torridus Scop. (W. 87.) v. Pachycor. guttula. transversalis m. v. Loxa. triangulator m. v. Pentat. tricolor L. (W. 108.) v. Caps. trifasciatus L. v. Caps. trigonus Thb. v. Hypselon. triguttatus L. v. Caps. trilineatus F. E. S. cf. Pentat. tripunctatus F. cf. Pentat. tripterus F. E. S. gen. dub. cf. Edessa. tripustulatus F. cf. Stiretrus. trisignatus m. v. Pentat. trispinosus Deg. cf. Alydus. tristis Ross. F. E. S. v. Cydnus. - Deg. t. 4. f. 20.? tristriatus F.? tuberculatus F. E. S. v. Psacasta. - Rossi vix id. tunicatus Ross. v. Lopus. typhoeus F. - W. 174. v. Pentat. ulmi L. fn. v. Phytocor.

manufactured of the control of the

umbellatarum Scop. v. Caps. pratensis. umbraculatus W. v. Doryderes. umbratilis L. fn. (W. 139.) v. Pachym. umbrinus W. v. Sciocor. actor or contract. umbrosus Drur. v. Physomerus grossipes. uniguttatus Donov. v. Sastragala. urticae F. - Ross. v. Heterogast. vacca F. E. S. v. Edessa. vagabundus L. fn. Ross. v. Gerris. vahlii W. 90. v. Plataspis. valgus L. — D. v. Mictis. vandalicus Ross. v. Caps. variegatus Deg. t. 34. f. 23. cf. Largus. variolosus L. - Deg. cf. Dinidor. varius F. cf. Eurydema. variegatus L. (W. 129.) v. Eurygast. maur. velox F. gen. dub. venustissimus Schr. - v. Pentat. melanoceph. verbasci Deg. v. Pentat. baccarum. vernalis W. 135, v. Pentat. versicolor F. v. Agonoscelis. vesiculosus m. v. Pentat. aut Rhaphig. victor F. W. 175. v. Prooxys. viduatus F. E. S. v. Aspongop, melanopt. . I was a state of the second violaceus F. v. Pentat. virens L. v. Miris, - Kl. Symb. v. Pentat. virgatus Kl. v. Aelia. viridis pensylvanicus Deg. t. 34. f. 5. cf. Pentatoma. viridissimus W. 52. v. Rhaphig. smaragd. viridulus L. F. gen. dub.

vittatus F. cf. Pentat.

ypsilon L griseus Deg. t. 34. f. 3 v. Pentat.
Clavigralla Spin.
gibbosa, Spin., Bomb.
Clinocoris Hhn.
ferrugator v. Sastragala.
haemorrhoidalis v. Acanthosoma,
Cnemodus m.
- brevipennis m. IX. 184. 948.
cf. Cim. fulvipes Deg. pl. 35. 21. 2(m. sept.
Coeloglossa Grm. 1835. — Costa.
Solenostethium Spin. 1837 Serv Tetyra F
W Scutellera Brm. V. 59. t. 162. A-D.
attenuata Hop. Cat. — Grm. Gambia.
furcifera v. liligera.
- Wolff. v. sehestedii
- liligera Thb.
furciser F Brm schestedii Grm Stoll. pl. 9.
f. 59. Sudafrifa.
= lyncea F Coq. V. 60. f. 502. Eur. m.
rubropunctata Guer. Coq. II. 157. China.
- sehestedii F Wolff. f. 128. (furcifera.)
Bestafrifa.
Coenomorpha Dall.
Halys Grm. Silb. — m.
= insubida Grm. Silh. Cap. VII. 59. 727.
= nebulosa Dall. pl. 7. f. 3 Brm. (Halys) m.
Cap. VII. 59. 725.
nervosa Dall. Cap.
Coenus Dall.
— tarsalis Dall. pl. 8. f. 6.
Coleotichus White Ent. Tr. 1842.
Coltottenus wante and it. 10 mg

```
Cimex F. E. S. — Tetyra F. S. R. — Germ.
 ... costatus F. - Donov. South S. Ins. Hem. pl. 3.
              Neuholl.
 ... unicolor Dall.
Colliocoris Hhn. v. Harpactor pedestr.
Colobathristes Brm.
 ... chalcocephalus Brm.
 ... mucronatus Kl. - Brm. Babia.
 ... nigriceps Brm.
                                       Vernamb.
Conorhinus Lap. - Brm. - Serv. - m. - Reduv. F. -
                         VIII. 69. t. 271. A-I.
  Wolff.
gigas F. — W. v. rubrofasc.
                   Mer. VIII. 71. 839. 840.
= mexicanus m.
== phyllosoma Brm.
                               Jav. VIII. 70. 837.
 = renggeri m.
                         Parag. VIII. 71. 838.
- rubrofasciatus Deg. t. 35. f. 12. - Serv. pl. 8.
 f. 2. gigas F. — Wolff. — Stoll f. 140.
                   Um. Uf. Ufr. VIII. 72. 841. 842.
... rubrovarius d'Orb. Voy.
                                         2fm. m.
Copius Thb. - Brm. - Alydus F.
       Holhymenia Lep. VII. 1. t. 217. A. A.
 - histrio F. (Alyd.) Stoll. f. 294.
    intermedius Brm. v. latreillii.
  = latreillii Lep. - Serv. - Brm.
      maculatus Thbg. - intermedius Brm. m. VII. 2. 680.
      Holhym. Enc. X. 62.
    maculatus Thb. v. latreilli.
  ... rubescens Serv. pl. 4. f. 8.
                                            Brf.
  ... scurra Brm.
                                           Sur.
  ... serratus Fall. Hem. Su. 154! - Brm. gewiß nicht
     hieher; vielleicht eine Xylocoris. Suec.
Coptochilus Serv.
```

ferrugineus Serv.	ί.
Coptosoma Lap Serv Dall Scutell. Ltr Gle) -
bocoris Hhn. — Thyreocoris Brm. — m. — Platasp	is
Hop. — Tetyra F.	
adspersus Brm. v. bufo.	
affine Dall. Nato	ıI.
= atomarius Grm. m. Java. Phil. V. 30. 48	1.
bipustulatus Grm. — Dall. Cap. Sier	r.
= bufo Eschs. Manit. V. 32. f. 48	2.
adspersus Brm.	
cicatricosum Dall Norbin	ð.
= cinctum Eschs. — Grm. — m. Manil. V. 3	0.
seminulum Brm. (Thyreocor.) nov. act variegat	us
(Thyreoc.) m. — Dall. IV. 83. 41	
circumscriptus Grm. Ind.	r.
- cribrarius F Serv. pl. 2. f. 4 IV. 84. 41	6.
_ · Dstin	ið.
— duodecimpunctatus Grm. — m. V. 14. 474.	
Ind.	or.
= globus F Coq Ltr Hhn. II. 41. 137.	?
scarabacoides Pz. 36. 23.	ır.
hemisphaericum Dall. Reuho	
ictericum Dall. Ph	
laticeps Dall. Senso	n.
maenlatum Hop. — Grm. Brf. Made	ıg.
marginellum Dall. Co	ip.
nepalense Hop. — Dall. — Grm.	p.
nubilum Grm. Cap. Sie	rr.
parvulum Dall. Dftin	ıd.
poecilum Dall. Neubo	ıll.
= sphaerulum Grm. — m. V. 15. 476. 3nd.	
stigmaticum Grm. Gu	in:

transversum Hop.	Gamb.
vermiculatum Grm.	Jav.
Coranus Curt. v. Harpactor.	
Coreocoris Hhn. v. Spartocerus.	0.010 10
— Blanch. — Spin. v. Discogaste	r.
Coreomelas White. — Serv.	
Scutellera Palis.	
Odontoscelis Brm. — Grm.	
Galgupha Serv.	
= albipennis Esch. V. 13. 472.	Chil.
atra Serv.	Mer.
	Brf. V. 36. 486.
D. d. II	Brs.
— daldorfii F.	
vinculatus Grm.	
notata Serv. pl. 2. f. 5.	Rio.
fulvipennis Dall.	
= lateralis Wolff. f. 169. — Grm.	
= maculipennis Grm.	Um. m. V. 35. 485.
marginella Dall.	Um. bor.
— nigra Dall.	
Scut. helopi Palis. pl. 5. b. f.	9 Huds.
= nitiduloides Wolff. f. 92. —	
	. bor. V. 12. f. 471.
- notata Serv. pl. 2. f. 5. (Galgu	
pulicarius Grm 'Un	
puncticollis Dall.	- Eur.?
ruficornis Dall.	Columb.
= scarabaeoides L.	II. 47. f. 141. Eur.
Schulzii F.	Can.
= signatipennis Grm.	Brs. V. 35. s. 481.

= Smidtii F.

Um. m. V. 35. f. 483.

... tibialis F.

Um. m.

= unicolor Palis. — Dall.

Tet. helopioides Wolff. 168. Am. bor. V. 12. f. 470. ... vinculatus Grm. Cap.

Coreus F. — Brm. — Merocoris Hhn. II. p. 105. t. 62. B — D. — Arenocoris ibid. p. 109. t. 63. B — E. Pseudophloeus VI. pg. 3. Abth. II. acridioides v. Crinocerus.

- acridioides v. Crinocerus.
- = affinis m. cf. hirticornis Brm. Eur. m. V. 97. 411
- alternans m. Dtfd. Inf. 135. 4. Sifp. bicolor v. Chariest.
 calcaratus Latr. v. Alyd. capitatus F. v. Coriz. cinctus Enc. v. Paryph. laetus. cornutus Pert. v. Menenot. crassicornis Fll. v. Coriz. dalmanni Schill. v. Atractus.
 - dentator F

= dentator F. II. 107. 189. Grm.

annulipes m. —

denticulatus L. - Scop. - W. v. pilicornis.

- = disciger Klti. 6. t. 7. f. 4. Rauf. errans F. v. Coriz.
 - = fallenii Schill. II. 112. f. 192. t. 182. c. Germ.
- genei Grm. fn. 24. 18.

Eur. m.

= gracilicornis m. VI. 59. 620. Gur. m. hirticornis F. — Coq. — Brm. cf. affinis m.

— F. — Pz. v. pilicornis.

hystrix Ltr. dict. v. Phyllomorpha.

insidiator F. — Coq. v. Gonocerus.

juniperi Klti. v. Gonocerus.

lateralis Grm. v. Alydus.

laticornis Schill. v. Atractus.

lunatus Ltr. in Humb. v. Anisosc.

magnicornis Fll. v. Coriz.

marginatus Fll. v. Syromast.

miriformis Fll. v. Coriz.

neglectus m. v. Stenocephalus.

nugax v. Stenoceph.

Merocoris Hhn.

= nubilus II. 111. f. 191. Grm.

= obscurus m. Sicil. VI. 5. 560.

ordinatus Say v. Gonocer. rugator.

- W. v. Phyllomorpha.

= pilicornis Brm. — hirticornis Pz. — W.
denticulat. L. — W. 68. — F.

II. 106. 188. Grm.

puncticornis Brm. v. Homoeocerus.

quadratus F. v. Verlusia.

rhombeus F. v. Verlusia quadrata.

rugator v. Homoeocerus.

scabrator F. Acanthocoris.

scapha v. Enoplops.

sculptus Pert. v. Spartocerus.

serrulatus Pert. v. Spartoc.

spiniger Schllb. v. Aradus depressus.

- Rossi F. v. Enoplops.

= spinipes Fll.

Grm. II. 110. 190.

... spinolae (Merocor.) Costa. cent. n. 43. Stat. sulcicornis Coq. v. Verlusia.

typhaecornis F. — m. Dtschl. Inf. 127. 7. Lufit. venator F. v. Gonoc.

- Coq. v. Syrom. marg.

waltlii m. Dtschl. Inf. 127. 7. Sifp. VI. t. 182. D.

```
Corimelaena White v. Coreomelas.
Coriplatus White Trans. Ent. Soc. III. p. 90. t.7. f. 3 .-
  Erichs. Ber. 1842. p. 122.
  ... de pressus. Demerar.
Corisa Serv. — Fieb.
       Corixa Geoff. - Oliv. - Ltr. - Fll. - Brm.
Nepa Deg. - Sigara F. - Pz.
  ... abdominalis Say. - Fieb. p. 42. Mer.
- Fieb. olim. p. 33. v. fabricii.
  ... affinis Leach. — Fieb. p. 41.
  ... alternata Say - Fieb. 43. Um. fpt.
  ... assimilis Fieb. p. 32. - Uuftr.
  — atomaria Grm. — Fieb. p. 15. Gur. m.
  ... australis Fieb. p. 20. ... Quftrl.
= basalis Costa cent. nr. 2. Eur. m. IX. 58. 918.
  ... bifasciata Guér. la Plata.
  ... bimaculata Guer. Ic. - Fieb. p. 42. Mer.
  = bonsdorfii Sahlb. - Fieb. p. 36. IX. 53. 916. 917.
                                     Gur. bor.
    borealis Dalm. - Fieb. p. 28. v. praeusta.
  ... burmeisterii Fieb. p. 24. 2(m. fpt.
  ... calva Say. - Fieb. p. 19. 21m. spt.
  = carinata Shlb. - Fieb. p. 38. 'IX. 56. 913. Eur.
  ... - Kirb. p. 43. Um. fpt.
  = coleoptrata F. - Fieb. p. 40. IX. 53. Gur.
- ... concinna Fieb. p. 29.
... confluens Fieb. p. 18.
  ... convexa Fieb. p. 37. Um. fpt.
... cubae Guér. icon. t. 57. f. 9. — Fieb. p. 42.
                                        Cub.
  - distincta Fieb. p. 32.
                                        Gur.
  ... dohrnii Fieb. p. 37.
                                        Gur.
... dorsalis Leach. - Fieb. p. 41.
```

erichsonii Fieb. p. 35. Um. spt.
fabricii Fieb. p. 33. Eur.
abdominalis Fieb. olim.
fallenii fieb. p. 31.
= fossarum Leach Fieb. p. 32. IX. 55. 908. Eur.
— var. b. v. limitata.
gebleri Kol Fieb. p. 29. Sibir.
= geoffroyi Leach Fieb. p. 14 IX. 62. 914. Gur.
striata F Fll punctata Brm.
- Stoll Fieb. p. 25. v. sahlbergi.
germarii Fieb. p. 38. Cur.
= hellensii Sahlb Fieb. p. 26. Eur. IX. 54. 909.
= hieroglyphica L. Duf Fieb. p. 22. Gur. IX.
59. 921.
- Spin. p. 44. cf. xanthosoma.
hyalinipennis Fieb. p. 39. Snd. cr.
interrupta Say. — Fieb. p. 27. Um. ág.
1. irrorata Grm Fieb. p. 38. Cap. IX. 60
— Sturm. — m. Inf. Barth.
kirbyi Fieb. p. 43.
kollari Fieb. p. 17. Am. åq.
lateralis Leach. — fieb. p. 34. 41. cf. nigrolin.
limitata fieb. p. 35.
undulata var. b. Fall. — fossarum var. b. Fall.
stagnatis Leach. — striata Zett. Eur.
lineata Fieb. p. 41.
- lineolata m. IX. 55. 911. Germ.
linnei Fieb. p. 25.
lugubris Fieb. p. 18. Auftr.
macrocephala Fieb. p. 16. Sicil.
maculata Guill. — Fieb. p. 45. Chile.
= - m. IX. 54. 920. Germ.?
Ott. 01. 020.

marginata Ehrenb Fieb. p. 17. Uf. occ.
melanosoma Fieb. p. 23. Eur. m.
mercenaria Say Fieb. p. 43. Am. fpt.
moesta Fieb. p. 34. Eur.
nigripennis Fbr. — Fieb. p. 40.
nigrolineata Fieb. p. 34. Cur.
nitida Fieb. p. 28. Um. spt.
— panzeri Fieb. p. 15.
striata Pz. 50. 30. Eur. m.
pectoralis Fieb. p. 26. Cap.
planifrons Kirb Fieb. p. 44. 2m. fpt.
platycnemis Fieb. p. 16. Qfr. bor.
praeusta Fieb. p. 28. Eur.
punctata Brm. v. geoffroyi.
pygmaca Fieb. p. 24. Cub.
= regularis m. IX. 57. 910.
sahlbergi Fieb. p. 25.
striata Sahlb. Eur.
? schellenbergii Spin. — Fieb. p. 45.
selecta Fieb. p. 22. Lusit.
semistriata Fieb. p. 36. Eur.
signata Fieb. p. 21. Um. spt.
stagnalis Leach. v. limitata.
stigmatica Fieb. p. 36. Um. spt.
= striata Linn. — Fieb. p. 30.
? undulata Fll. — IX. 61. 912. Eur.
- F Fll. v. geoffroyi.
- Kirb. Fieb. p. 43. Um. spt.
— Pz. v. panzerii.
- Shlb. v. sahlbergi.
- Zett. v. limitata.
strigata Ltr Fieb. p. 44.

tarsalis Fieb. p. 19.
transversa Fll. — Fieb. p. 26. Gur. m.
triangularis Guér. — Niígh.
= undulata Cost. IX. 57. 915.
- Fall. cf. striata.
var. b. v. limitata.
verticalis Fieb. p. 24. 2(m. spt.
xanthosoma Fieb. p. 14. Sardin.
zimmermanni Brm. — Fieb. p. 21. 2(m. fpt.
Coriscus Schr. v. Nabis.
Corixa Ltr. — Brm. etc. v. Corisa.
Corizus Fall Hhn Coreus, Lyg. F Rhopalus Schill
Kleidocerus Westw. — Myrmus Hhn. I. 81. t.
? abutilon Ross. nr. 1325. Stal.
= arundinis Curt. v. Chorosoma.
= capitatus F. Wolff. 72. III. 3. 228. Eur.
— Pz. 92. 19. v. crassicorn.
— caucasicus Kol. 19. t. 7. f. 5. Rauf.
= crassicornis L. — F.
capitatus Pz. 92. 19. III. 2. 227.
rufus Schill. Eur.
= errans F. Eur. m. III. 1. 226.
= gracilis m. Dtschl. Ins. 127. 2. Eur. m.
= hyoscyami L. — Therapha Serv. — I. 18. 10.
Eur.
= maculatus m. VI. 2. 559. Eur. m.
- Guill. Chite.
magnicornis F. — Klti. v. parumpunct.
= miriformis Fll. Grm. I. 82. 46. 47.
= parumpunctatus Schill.
magnicornis Fll. — pratensis Fll.
Grm. III. 5, 229.

- Fll. v. prarumpunctat.	o and different
- rubescens Kolti 20. t. 7.	f. 6. Rauk.
rufus Schill. v. crassicorn.	mit at tell manager
schillingii v. Chorosoma.	100701116161
sidae F.	Brf.
substriatus Kl. — Brm.	Eur.
= tigrinus Schill.	Grm. III. 5 230.
Coryssorhaphis Serv. — Dall.	not consodient
Coryzorhaphis Spin	- Aelia Hop. — Aso-
pus Brm.	Contract of the Contract
assimilis Hop. (Aelia).	Sierra.
conspicua Hop. (Ael.)	all = lan Afr.
cruentus Brm.	
= furcellatus Wolff.	out and a stream.
armiger m.	Ostind. VII. 119. 711.
— leucoccphalus Spin. — S	
100 100 100	Brs.
melanoleuca Hop. (Ael.)	Ind. or.
melanoleuca Hop. (Ael.) pavonia Hop.	Ind. or. Ind. or. Cap.
melanoleuca Hop. (Ael.) pavonia Hop. salamandra Kl. — Brm.	Ind. or. Cap. Peru.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.)	Ind. or. Cap. Peru. Sierra.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira.	Ind. or. Cap. Peru. Sierra.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin.	Ind. or. Cap. Peru. Sierra.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin.	Ind. or. Cap. Peru. Sierra.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin. Craspedum Ramb. — Serv.	Ind. or. Cap. Peru. Sierra.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin. Craspedum Ramb. — Serv. Syromastes Ltr.	Ind. or. Cap. Peru. Sierra.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin. Craspedum Ramb. — Serv. Syromastes Ltr. Phyllomorpha Guér. — V	Ind. or. Cap. Peru. Sierra. Brf.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin. Craspedum Ramb. — Serv. Syromastes Ltr. Phyllomorpha Guér. — V latreillii Guér. — Wstw.	Ind. or. Cap. Peru. Sierra. Brs. Westw.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin. Craspedum Ramb. — Serv. Syromastes Ltr. Phyllomorpha Guér. — V latreillii Guér. — Wstw. laciniatum Ramb. v. Phyllom	Ind. or. Cap. Peru. Sierra. Brf. Westw.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin. Craspedum Ramb. — Serv. Syromastes Ltr. Phyllomorpha Guér. — V latreillii Guér. — Wstw. laciniatum Ramb. v. Phyllom Cressona Dall.	Ind. or. Cap. Peru. Sierra. Brf. Westw.
melanoleuca Hop. (Ael.) pavonia Hop salamandra Kl. — Brm sparsa Hop. (Ael.) ulceratus Kl. v. Cazira. Coryzoplatus Spin pallens Spin. Craspedum Ramb. — Serv. Syromastes Ltr. Phyllomorpha Guér. — V latreillii Guér. — Wstw. laciniatum Ramb. v. Phyllom	Ind. or. Eap. Peru. Sierra. Brf. Westw.

... tuberculata Serv. Java. Crinocerus Brm. — Serv. Lygaeus F. - Ltr. tab. 185. A. B. mit Golema, Hymenophora, Camptischium, Acanthocoriz, vielleicht auch Zoreva Serv., Corynomerus Serv. 2(m. bor. VI. 20. 375. = acridioides F. St. Dom. ... crucifer Palis. pl. 12. = devotus m. (Hymenoph.) Columb. VI. 88. 658. = fulvicornis m. (Camptisch.) Demer. VI. 87. 657. grylloides Kl. - Stoll. 114. cf. Crin. scabripes. - histrio Brm. (Golema rubromac.) Serv. Stoll. 189. Surin. = lobatus (Campt.) Burm. Cuba. VI. 17. 573. rubromaculatus (Galema) Serv. pl. 12. f. 5. v. hi-= sanctus F. - (Crinoc.) Serv. Cap. VI. 21. 577. scabrator F. - Brm. v. Acanthocoris. = scabripes m. (Crinoc.) cf. grylloides. VI. 18. 574. Ind. or. - spinosum Serv. (Camptisch.) pl. 4. f. 5. - Stoll. 287. = tibialis m. (Crinocer.) Serv. (?) VI. 21. 576. Meg. VI. 86. 656. = triguttatus m. - tristis Pert. del. t. 34. f. 2. (Merocor.) = tuberculatus m. (Camptisch.) Serv. 2(m. åg. VI. 17. 572. Cryptostemma m. = alienum m. Dtschl. Ins. 136. 11. Germ. Cuspicona Dall.

Rhynchocoris Erichs. Arch. - Hop.

crassa Hop. China.
- fasciata Dall. pl. 10. f. 3. Neuholl.
fulvescens Dall. Reuholl.
inconspicua Dall. Reuholl.
pulchra Dall. Reuholl.
roei Hop. Neuholl.
taeniola Dall. Rangarooinset.
thoracica Hop. Renfudwal.
ligata Erichs. Arch.?
unimaculata Hop. Reuholl.
virescens Dall.
Cyclogaster Westw.
pallidus Westw. Ent. Tr. II. pl. 2. f. 6. Samb.
Cyclopelta Serv. — Dinidor. m. — Aspongop. Brm. —
Tesseratom. Enc Edessa F.
= depressicornis m. IV. 85. f. 418. Ind. or.
cf. obscur.?
funebris F. Sierra.
= mactans F Stoll. f. 194. III. 65. f. 278 mac-
tabilis Pert. Brs.
= nigroviolacea Palis. pl. 7. f. 4.
unicolor m. IV. 93. 433. Westafr.
= obscura Lep. Enc.
alternans Hop. Aspong. Difind.
depressicornis m. IV. 85. 418. Jav. Phil.
siccifolia Hop. Dall. Bomb.
Cydnus F.
mit Cyrtomenus, Dismegistus.
= abyssinicus m. IX. 345. 1004. Abys.
aethiops F. Cay.
= affinis m Dtschl. Ins. 114.8. Grm. III. 11. 237.
¢ ji

```
Sehirus Serv. - Pz. 33. 20. - Wolff. f. 62.
Grm. I. 167.-86.
= albomarginellus F. - Pt. 33, 22.
                  dubius Scop. carn. - Wolff. 61. Hhn. I. 191.
                                                         Among My reterrorist
                          98.
 Sehirus. Serv. Dall.
                                                                              del Grm.
... albonotatus Dall. (Sehir.)
                                                                         Um. bor.
            aterrimus Forst. v. tristis.
... australis Erichs. Arch.
                                                                      VIII. 1. p. 275. Huftel.
    = bicolor L. - Stoll. 224. - Panz 32. 11. (Sehir.)
                                                                            Eur. I. 192, 99.
                Dall. - Tritomegas Serv.
     ... bifoveolatus m. ... Stal.
    = biguttatus L. - Fll. - Dall. (Sehirus) - Panz.
                32. 13. Tritomegas Serv.
                                       Modern 's . . . . Grm. ' L. 169. 88.
     ... binotatus Hop. - Dall. (Dism.) Cap.?
                                                                    Ind. or.
m ... brevipennis F.
     = brunneus F. - Dischl. Ins. 126, 21. Lusit.
.... brunnipennis F. - Zanger.
... capicola Hop. Cap.
... castaneus Serv. Cyrlomenus Serv. 21m. fpt.
- cinctus Palis. pl. 8. f. 7. - Sehirus Serv,
                                                               .21fr.
= circumcinctus m. - Dismegistus Serv.
                                                              Cap. II. 115. 195.
            dubius Scop. - Wolff. 68. Hbn. - Dall. v. albomar-
                 ginell.
                                                  The second secon
                                               V. 97. 546. Hung.
elongatus m.
     = femoralis m. V. 98. 548. Hung.
 - fimbriatus Thb. t. 2. f. 61. Dall. (Dismeg.) - co-
```

stalis Reiche Abyss. pl. 29. f. 1. Subafr.
flavicornis Hhn. v. nigrita.
= flavicornis F Panz 33. 21 Wolff picipes
Hbn. I. 165. 85. Germ.
giganteus Kl. (Prolobodes) Para.
= hispidulus Kl. Symb. Urab. des.
holomelas Kl. Para. v. Ectinopus.
indicus Hop. Ind. or.
inflexus Wolff v. Pentat. leporin.
insularis Hop. St. Binc.
intermedius W. v. Pentat, neglect.
latipes Hop.
lugens W. 180. v. Pentat.
lunatus Linz. v. Pentat.
maculatus W. 183. v. Pentat.
melaleucus Thb. — Sehir. Dall. Cap
melanocephalus F. v. Pentat.
melanopterus m. Eur m.
= morio L F Panz. 32. 15 Wolff 64
nigritus Hhn. I. 168, 87. (Sehirus Dall.) Grm.
mutabilis Pert. t. 33. f. 6. Brf.
= nanus m. Dischl. Ins. 126. 24. Sung.
nepalensis Hop. Nep.
niger (Adrisa Serv.) Sav.
nigricans Hop. Cap.
nigrita F. v. flavicornis.
- Hhn. v. morio.
= - m. Dtschl. Ins. 126. 23.
flavicornis. H. I. 170. 89. Grm.
notatus Schill. Arb. d. Schl. Ges. 1843. S. 149.
W = 1 State of the
19

obscurus Hop.	ap.
= ovatus. m. V. 96. 545. Sun	1g.
perlatus F. citirt zweierlei Urten (Panz u. Wolff.)	
piceus Hop Australia de Australia d	rl.
picipes Fll. (non Hhn.)	
(Cyrtomenus Serv. — Aethus Dall.) Gr	m.
- Hhn. v. flavicornis	
- pilosulus Kl. Symb. t. 43.	br.
= pilosus m. Dtschl. Ins. 126. 22. Eur.	m.
rugifrons m. V. 97. 547. Um. 8	iq.
sanguinicollis F. Tang	er.
= sanguinolentus m. Afr. IX. 395. 100	5.
scarabaeoides F. v. Cephalocteus.	
sepulchralis Erichs. Arch. VIII. 1. p. 275. Huft	rl.
serripes Guild. Hop. St. Bir	10.
sexmaculatus Ramb. Andal. — Dall. (Sehir.) Şi	p.
Tritomegas Serv.	
signatipes m. Ind. or	. 3
spinipes Schr. v. tristis.	
— F. Ufr. d	q.
subferrugineus Hop. St. Bir	ıc.
tristis F Pz. 32. 16. v. Brachypelta.	
umbraculosus. F. v. Discocephala.	
umbrinus Fall. Mon. v. Sciocoris.	
varians F. Benge	ıl.
Cyllecoris & Cyllocoris Hhn. v. Capsus.	
Cymbidus Spin. v. Tiaroles.	
Cymbus Hhn. v. Cimbus.	
Cymodema Spin. — Serv.	
tabida Spin. Sarbi	n.
Cymus Hhn. — Brm. — Serv. — m.	

Lygaeus Fll.
ANTE A Heterogaster Schill.
Henestaris et; Artheneis Spin.
I. t. 12. A—D. — IX. p. 202.
binotatus Grm. Silb
elaviculus Fll. de / _ eur. I. 77. 44.
cymoides Spin. cf. ericae.
dipus Grm. Silb. Cap.
m = ericae Schill Dtschl. Ins. 135. 15. Grm.
= glandicolor Hhn. Grm. I. 77. 45.
halophilus Grm Costa Cent. n. 144. Eur.
helyeticus m. Selv.
hispanicus Spin Spip.
hyrcanicus Kol. t. 10. f. 20. Rauf. IX. 204. 965.
- jacobaeae Schill. Silef.
a - laticeps Curt fm, mil 1 m 2fngt.
- origani Kolti Rauf.
5 ?petiolatus Grm. in Silb. Cap.
= punctipennis m. Gur. m. IV. 75. 403.
ri = resedae Pant. 40. 20.
ereticulatus m. Gur, m. IV. 77. 405.
— saturejae Kol., t. 10. f. 20.
- senecionis Schill Dtschl. Ins. 135. 14. Grm.
spinolae Cost.
thymi Wolff. — Dtschl. Ins 135. 13.
? Cim. conicus L. 1914 - 1914 - 1914 - Grm.
Cyptocoris Brm.
= lundii F Grm. Cap. IX. 329. 1006.
Cyrtomenus Serv. — Cydnus F.
Mich I non div. a gen. Cydnus.
are and a mile of the con-

castaneus Serr. Am. pt.
grossus Dall. Columb.
mirabilis Pert. del. t. 31. 6.
mutabilis Pert. Zert. Brf.
teter Spin. Brf.
Dalader Serv.
— acuticosta Serv. pl. 4. f. 7. Born.
rotundicosta Serv. Jav.
Dalcantha Serv.
dilatata Serv. Sithet.
Dalpada Serv. — Dall. — Halys F. — m.
affinis Dall. Dfind.
aspersa Serv. Java.
clavata F Dall concinna Hop. Dftind.
nigricollis Hop. — Dall. — obscura Hop. Dffind.
oculata F. — Dall. Dffind.
trimaculata Hop. Phil. Jav.
varia Dall. Silhet.
= versicolor m. Spind. V. 76. 520.
Dalsira Serv.
affinis Serv. Cap.
= albivittis m. (Phylloceph.) Cap. VII. 69. f. 737.
marginata Serv. Manila.
cf. modesta et glandulosa Wolff. — irrorata Hope.
— strigosa Kl. — Brm.
Darbanus Serv. v. Euagoras.
Dasynus Brm. olim. v. Spartocerus.
Derephysia Spin. — Fieb.
angusticollis m. v. Monanth.
crispata m. v. Monanth.

= cristata Pz. 99. 19. — t. 130. J-L. — Fieb.
p. 100. t. 8. f. 28-33. Germ.
= foliacea Fall Pz. 118. 16 t. 129. D. 130.
M. N Fieb. p. 99. t. 8. f. 23-27. Germ.
gracilis m. v. Monanth.
reticulata m. v. Monanth.
Derepteryx White Serv. p. XXXI.
grayii White Trans. III. p. 92. Repal.
hardwickij ibid. Nepal.
Deroploa Wstw Serv Dall.
parva Wstw. Zool. Journ. V. t. 23. f. 6. Huffrl.
Diactor Pert Serv Lyg. F
Anisoscelis Serv. — Brm. — m. t. 91. A-E.
Acanthocephalus Lap.
alatus Brm. Mer. VI. 53. 613.
femoratus W. 189 !
azureus, Brm. v. Petalops.
= bilineatus F. — Brm. — m. IV. 60. 274.
elegans Pert latifolia Serv. Mag. Brf.
compressipes Brm. v. Metopodus.
Can. VI. 54.
elatus F. — Stoll. 55. — Brm. v. Petalops.
elegans Pert. v. bilin.
femoratus W. 189. cf. alatus.
— foliaceus F. — Stoll. 201. 201. 2m. m.
latifolius Guér. Mag. v. bilin.
paganus Brm.
suratus v. Metopodus.
Diceraeus Dall.
leucostigma Dall. Para.
- melacanthus Dall. pl. 8. f. 1. Benez.

Dichelops Spin.	
Diploxys Serv.	-will reserve the
acutispinus Serv.	Seneg.
bipunctatus Serv.	Seneg.
comma Thb. v. Myrochea.	
cryptorhynchus cf. Hymenarc.	
fissus Kl. v. Macrina acanth.	
line ola Serv.	Buenos.
senegalensis Serv.	Geneg.
Dicranomerus Hhn. v. Stenocephal	us.
Dicrotelus Erichs. Wiegm. Arch. 18	342.
prolixus Er.	Van. Diem.
Dictyonota Curt. — Spin. — Lap.	
= crassicornis Fall — Curt. —	
17. — Piesma marg. Brm.	Eur.
— m. t. 129. B. v. strichnoc.	
— erythrophthalma Grm. fn. –	- Fieb. t. 8. f. 1-3.
	Grm. IV. 74.
= pilicornis m. — Fieb. p. 95.	
- In the 101 miles	Grm. IV. 74. 401.
- strichnocera Fieb. t. 8. f. 4-	-7.
crassicornis m. t. 129. B.	Eur.
Dictyotus Dall.	
affinis Dall.	King Georgs S.
bipunctatus Dall.	
•	Neuholl.
confinis Dall.	Neuholl.
cońfinis Dall. discoideus Dall.	Neuholl. Neuholl.
confinis Dall discoideus Dall geniculatus Dall.	Neuholl. Neuholl. Neuholl.
confinis Dall discoideus Dall geniculatus Dall inconspicuus Dall.	Neuholl. Neuholl. Neuholl. King. Georges S.
confinis Dall discoideus Dall geniculatus Dall inconspicuus Dall polystictica White Zool. Ereb	Neuholl. Neuholl. Neuholl. King. Georges S. Neufeel.
confinis Dall discoideus Dall geniculatus Dall inconspicuus Dall.	Neuholl. Neuholl. Neuholl. King. Georges S.

... tasmanicus Dall.

Dinocoris Brm.

Bandiem.

Dinidor Lap. - Empicoris Hhn. II. 55. t. 47. E-H. - Halys F. condition of the second second ... antennatus Dall. Para. = corrosus m. Parag. VI. 46. 732. = maculatus Lap. pl. 55. f. 1. - Stoll. 173. - Brm. m. VII. 44. 719. Brf. - variolosus F. - L. -? peregrinator. Sulz. Gesch. Brf. H. 56. 146. reliquos quaere sub Gen. Empicoris. Diplodus Serv. v. Euagoras. Diplonychus Brm. - Serv. - Lap. Sphaerodema Lap. - Serv. Belostoma Enc. aegyptius v. Appasus. annulatus F. v. Sphaerodema. anurus m. v. Zaitha boscii. fuscus Hop. v. rustic. = rusticus F. - fuscus Hop. VIII. 27. 801. 802. Brf. ... luridus Grm. Silb. ? plana (Nepa) Sulz. Gesch. Diplorhinus Serv. Phyllocephala m. = furcatus Serv. — Hop. — Dall. Phylloceph. distans. 2(fr. VII. 71. f. 740. Java. - valida Dall. pl. 10. f. 5. Silhet. Diploxys Serv. v. Dichelops. Discocephala Lap. Serv. — m. Sciocoris Brm. ... complanata Kl. — Brm Brf.

= araditormis m. (?)	Brf. V. 71. 516.
humilis Kl. — m. v. umbraculata	
latifrons Dall.	
= lusitanica Pz. 114. 7.	
= marmorea Lap. — Brm.	VII. 40. 717. Brf.
nubila Dall.	Brs.
= scissicollis Grm. (Peutat.)	ap. VII. 105. f. 770.
um braculata F. — Brm.	
humilis m.	VII. 39. 716. Cap. V. 26. — VII. 107.
capensis Lap.	Cap.
laticornis Blanch. d'Orb.	;
— ochrocyanea Lap. — Stoll. f.	
Discogaster Brm. — Serv. —	t. 185. C. D.
Coreocoris Blanch.	
circularis Brm.	Rio.
=luteus m.	VI. 26. 584. Mer.
= rhomboideus Kl Serv. pl.	4. f. 6.
1 M 1 M 1	VI. 15. 571. Brs.
rubronotatus d'Orb. Voy.	
Discomerus Lap. v. Cydnus.	
Dismegistus Serv. v. Cydnus.	
Doryderes Serv.	VIII. 85.
Diroderes Spin.	
Acanth. umbrac. F Pz. 3	
	Gur.
Dorypleura Serv.	
— hubalus (Edessa trabeata Brm.)	,
Dryptocephala Lap. — Brm. — Sei	
= brullei Serv. pl. 54. f. 4. Brm.	
livida Pert. Storthia m. VII.	42. 718. Brs.

punctata Serv.	-Brf.
pertyi White Ent. Tr. III.	w – de de Brf.
Dyroderes Spin. v. Doryderes.	
Dysdercus Serv.	THE PERSON NAMED IN COLUMN 1
Pyrrhocoris Brm. — m	- Lyg. F Wolff.
Astemma Blanch.	Add strong .
= annulus F. — Hbn.	II. 13. 123. Brf.
= carnifex (scutellaris m.) (Ly	g. F.)
(A)	II. 118. 199. Cap.
cingulatus F.	Austrl.
- haematideus Stoll. 124.	Ind. or.
hypogastricus m.	IX. 177. 979. Jav.
= koenigii F.	II. 12. 122.
Wolff. 28. — Stoll. 5.	Ind. or.
— — capensis Wolff. 181.	Cap.
⇒ obliquus m.	Mer. VII. 19. 701.
olivaceus F. R. (Lyg.)	Ind. or.
= philippinus m.	IX. 176. 980. Philip.
= poecilus (Pyrrhoc.)	VII. 17. 699. Jav.
= pyrrhomelas m.	Jav. VII. 19. 702.
rubiginosus F. — Brm.	Cap.
= ruficeps	III. 95. 319. Brf.
ruficollis F. — Brm.	Brs.
scutellaris m. v. carnifex	
= solenis Esch. (Pyrrh.)	Manila. VII. 18. 700.
superstitiosus F.	Um. VII. 17. 698.
= suturalis F. — Wolff. 129.	(Pyrrhoc.) Um. m.
= suturellus m. (Pyrrh.)	VI. 76. 645. Um. m.
Duadicus Dall.	2) 0 ==0
— pallidus Dall. pl. 9. f. 6.	Renholl.
Durganda Serv.	
Opinus Lap.	

rubra Lap. Java.
Dysodius Spiu. — Lap. — Brm. — Serv. — m.
Aradus F. — Wolff. VIII. 117.
= flaviventris Brm. Brf. IX. 140. 957.
= furcatus Germ. Cap. VIII. 120. 885.
= lun atus F. — Wolff. 162. — Stoll. 84.
2(m. ág. VIII. 119. 484.
membranaceus F. v. Brachyth.
= orientalis Lap. Sav. VIII. 123. 890.
= parvulus m. 2(m. bor, IX. 139, 956.
= tremulae Büttn. Eur. bor. VIII. 121, 886.
= truncatus m. Jav. VIII. 123. 891.
Ectatops Serv.
limbatus Serv. Jav.
rubiaceus Serv. Jav.
Ectenus Dall.
— spectabilis Brm. Nov. Act. t. 51. 5. Philip.
Ectinoderus Westw. Proc. Lond. p. 74 Erichs. Ber.
1843. p. 70.
Pristhevarma Serv.
- bipunctatus Serv. pl. 6. f. 5.
longimanus Westw. Singap.
philippensis Westw. Philip.
Ectinopus Dall.
holomelas Dall. — Brm. Gotumb.
Ectrichodia Serv. v. Ectrychotes.
Ectry chotes Brm.
Ectrichodia Lap. — Serv.
Reduvius F.
Physorynchus Serv.
albomarginatus F. v. erythroceph.

	barbicornis F. — Dru	ry III. 45. 1. Sierra.
==	bicolor m	21m. spt. VIII. 53. 822.
. T ==	crux Thb Stoll.	1, 11 1. 30. 20. Cap. Sierra.
W.	crudelis F.	Trang.
	erythrocephalus Wolf	
	14 11111 - 1511	de Mel Guin.
=	gigasim.	Guin. VIII. 54. f. 824.
		Boliv.
	haematogaster Brm. N	Nov. act. XVI. t. 51. f. 9.
	hirticornis F Coq.	t. 19. f. 12 analis Palis.
ned	121 .1117 .121	Brf.
Die.	imperialis Westw. Pro	ced. 1843. Guin.
	lucida Lep. — Lap.	Geneg:
76.	lugens F.	Anderson Ann. M.
_ 0	maculatus F.	r rldn==2ffr.
	pilicornis F.	tiell er Trang.
	with a Court of 7 f 7	
-	rubra Serv, pr	in - Ar Jav.
		(?) VII. 53. f. 823.
. ===	tricolor m. a	
.	tricolor m. violaceus (Loric.) Hhn.	(?) VII. 53. f. 823.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F.	(?) VII, 53. f. 823. I. 32. 21. Jav.
= = E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33.	(?) VII, 53. f. 823. I. 32. 21. Jav.
= = E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod.	(?) VII. 53. f. 823. I. 32. 21. Jav.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan.	(?) VII, 53. f. 823. I. 32. 21. Jav.
E des	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. —	(?) VII, 53. f. 823. I. 32. 21. Jav.
E des	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. — arabs L. Mus. U. — S.	(?) VII, 53. f. 823. I. 32. 21. Jav. Brf. bison. Enc. X. p. 55. Cay.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. — arabs L. Mus. U. — Saurantia et aurantiaca v.	(?) VII, 53. f. 823. I. 32. 21. Jav. Brf. bison. Enc. X. p. 55. Cay.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. — arabs L. Mus. U. — Saurantia et aurantiaca v.	(?) VII. 53. f. 823. I. 32. 21. Jav. Brf. bison. Enc. X. p. 55. Cay. R. Catacanthus. v. I. p. 36. Buenes.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. — arabs L. Mus. U. — S. aurantia et aurantiaca v. bifida Lap. Silberm. Re	(?) VII, 53. f. 823. I. 32. 21. Jav. Brf. bison. Enc. X. p. 55. Cay. R. Catacanthus. v. I. p. 36. Buenos.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. — arabs L. Mus. U. — S. aurantia et aurantiaca v. bifida Lap. Silberm. Re bison Enc. — Dall. n.	(?) VII, 53. f. 823. I. 32. 21. Jav. Brf. bison. Enc. X. p. 55. Cay. R. Catacanthus. v. I. p. 36. Buenos. 3.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. — arabs L. Mus. U. — Saurantia et aurantiaca v. bifida Lap. Silberm. Re bisou Enc. — Dall. n. brevicornis F. v. Amaurus	(?) VII. 53. f. 823. I. 32. 21. Jav. Brf. bison. Enc. X. p. 55. Cay. R. Catacanthus. v. I. p. 36. Buenos. 3.
E d e s	tricolor m. violaceus (Loric.) Hhn. sa F. affinis Dall. n. 33. albirenis v. Aceratod. amethystina v. Pycan. antilope F. — Coq. — arabs L. Mus. U. — S. aurantia ct aurantiaca v. bifida Lap. Silberm. Re bisou Enc. — Dall. n. brevicornis F. v. Amaurus brunnipes F. v. Pygoda.	(?) VII, 53. f. 823. I. 32. 21. Jav. Brf. bison. Enc. X. p. 55. Cap. R. Catacanthus. v. I. p. 36. Buenos. 3. ?

===	castanea m. ?
	cerea Grm. Silb. v. Platacanth.
-	cervus F Stoll. 199.
	bubalus Enc virens Drur. Brf. IV. 19. 366.
	circumscripta Kl. v. Brachysthet. marg.
	collaris Dall. n. 25. Brf.
	cornuta Brm. Dall. n. 1. v. Aceratod.
	cribrum F. Brachysth.
	cruenta F. v. Acerat.
	dama F. v. Placostern. taurus.
	dentata Dall. Para.
	dispina Pert. Brf.
	dolichocera v. Pygodes.
	elegans m. v. Pygod.
	fasciata Dall. n. 35. Brf.
	flavida Hop. Brf.
	furcata Palis. Brf.
	fulvicornis F. Am. m.
	gazella F. cf. Hypoxys.
	geniculata F. cf. Aceratodes.
-	glandulosa W. 170. Nov. gen.
? ફ	glauca F. gen. dub.
===	grossa m. Brf. IV. 117. 364.
	guineensis F. gen. dub.
	guttata F. cf. Erthesina.
Š	guttatopunctata F. gen. dub. 21m. m.
	hamata F. v. Rhynchocor.
	haematopoda Brm. v. Pygodes Aceratodus ict.
	icterica v. Aceratod. Hhn Dall, n. 30. v. Acerat.
	inconspicua m. v. Acer.
	irrorata Dall. n. 28. Columb.

iserti F. cf. Pentat.	
janus v. Aspongop.	
= jugata Hop.	Brf.
leucocera Dall. n. 20.	Col.
leucographa Pert.	Brf.
lineata Hop.	Brf.
loxdalii Hop. — Dall., n. 36. v. Hypox.	
lurida Dall. n. 22.	Para.
lutea Hop. — Dall. n. 19.	Brf.
luteicornis Enc. — Dall. v. Hypox. quadridens.	
macraspis Pert. v. marginat.	
mactans F. v. Cyclopelta.	
maculata Dall. n. 8.	Brf.
marginata Palis.	
macraspis Pert.	
- F. v. Doryderes.	
? marmorea F. gen. dub.	.Ind.
meditabunda F. v. Aceratod.	
melacantha Dall. n. 17.	Para.
merianae v. Oncomerus.	
? mixta F. gen. dub.	Cay.
- modesta Wolff. 172. nov. gen. c. glandulosa.	1
nervosa Brm. v. Pygodes polita.	
nigridens F. v. Pygod.	
nigripes F. v. Catacanthus.	
nigrispina Dall. n. 16.	Mer.
nodifera Hop.	Brf.
notața Kl. v. Peromatus.	
obscura Dall. n. 13.	Brs.
obscura W. v. Aspongop.	
obtusa Dall. n. 9.	. (?)
obsoleta v. Acerat.	

	ovina Dall. n. 12.	Guian.
	pallida Dall. n. 34.	Rio.
	papillosa F. v. Tesseratoma.	
	parvula Dall. n. 32.	Rio.
	perspicua F. v. Pentat.	
	phoenicopus Dall. n. 10.	Hondur.
ś	picus F. gen. dub.	Ind. or.
	peronea Dall. n. 6.	(;)
	piperita Hop. v. Aceratod.	
	polita Enc Dall. n. 27. v. Pygoda ner	vosa Brm.
	punctum F. v. Catacanthus.	
	quadridens F Dall. n. 24 Stoll. 137	. v. Hypoxys.
==	recurva m.	Brs.
	reticulata Dall. n. 13.	Mer.
	rubens F. cf. Pycanum jaspideum.	
	rutilans F Stoll. 122. cf. Pycanum.	
	schaefferi H. v. Hypox. quadridens.	
	scutellata m. v. Pygod.	
?	sepulchralis F. gen. dub.	Um. m.
	sexdens F. v. Hypoxys.	
-	simplex m. — Dall. n. 15. V. 103.	. 554. Brf.
	subulata Thb.	St. Vinc.
Ş	tarandus F.	\$
	taurus F. v. Placostern.	
	thoracia Dall. n. 29.	Columb.
	trabeata Brm. v. Dorypleura.	
Ş	triptera F. gen. dub.	Can.
	triangularis Dall.	Columb.
	vacca F.	Guadel.
=	versicolor m.	Brs.
	vicina Hop.	St. Vinc.
	viduata F. v. Aspongop. melanopt.	

```
virens Drur. v. cervus.
  = vitellina m.
                                                   Brf.
  ... vitulus F. - Dall.
                                                21m. m.
Elvisura Spin.
  ... irrorata Spin.
                                                 Seneg.
Emesa F. — Brm. — Spin. — Serv. — B. IX. t. 303.
  E-L
  ... filum F.
                                                Ind. or.
  ... juncea Erichs. Wiegm. Arch. 1842.
                                            Ban. Diem.
                                                   21m.
  ... longipes F. — Deg.
  ... mantis F.
                                               Um. spt.
  = pia Serv.
                                2lm. spt. IX. 114. 937.
  ... precatoria F. — Brm. — Servillei Spin.
Emesodema Spin.
        Ploiaria Scop. — t. 303. A-D.
  — domestica Scop. Delic. I. t. 24. A. 1. 2.
        Costa. Cent. II. 19. 11.
                                            . Eur. m.
  = carolina Grm.
                                Um. bor. IX. 115. 936.
Empicoris Hhn. cf. Antiteuchus u. Dinocor.
         Cataulax Spin. - Serv. VII. 122. t. 93. I-M.
 = annulatus m.
                       Brf. III. 66. 279. v. Antiteuchus.
                       Parag. VII. 46. 732. v. Dinocoris.
 = corresus m.
     maculatus m. v. Dinocoris.
     macraspis Pert. del. pl. 23. 7.
                                       Brf. v. Cataulax.
                                  Parag. VII. 45. 733.
  = renggerii m.
     variolosus L. v. Dinocoris.
Enithares Spin.
        Bothronotus Fieb.
                                                  Braf.
  ... brasiliensis Spin. Ess. p. 60.
                                       Brf. IX. 42. 901.
  = grandis Grm.
  ... indicus Spin. Ess. 1.
                                                Ind. or.
Enoplops Serv.
```

Coreus F. - Wolff. etc.

Suromastus Brm. Centrocoris Kol. Mel. = cornutus Hffgg. - Pz. sub E. scapha. Lusit. - pallescens Kol. Melet. t. 7. f. 3. Rauf. = scapha F. - Wolff. 66. Germ. II. 103. 186. rostratus L. sec. Wolff. = spiniger F. R. - Rossi. - Pr. 127. 5. Gur. merib. - variegatus Kol. mel. t. 7. f. 2. Rauf. - westwoodii Kol. mel. II. p. 45. Centrocoris Kol. Rauf. VII. 90. — Epipedus Spin. ... histrio Spin. — Dall. Brf. Elasmognatus Fieb. IX. t. 311. L-0. - helferi Fieb. t. 7. f. 33-41. Ind. or. ... suturata Dall. n. 11. Guian.

Epipolops Grm. - frondosus Grm.

(?) IX. 202. 984.

Erthesina Spin.

Halys F. etc.

... brasiliensis Lep. (Diplodus).

Edessa F.

... acuminata Dall.

Mordind.

= fullo Thb.

mucorea F. - Wolff. 179. - Brm. etc. - guttatus F. China.

Euagoras Brm. - Serv. - Reduv. Lep. etc. mit Darbanus, Diplodus, Isocondylus n. Passaleutus VIII. p. 43. t. 263, A. B.

... armillatus Lep. (Diplodus). Brf.

= aurantius m. cf. Pleogaster Brf. VIII. 35. 809.

Brf.

= elongatus Lep. Arilus pungens m. (Isocondylus) cf.

Montina.	Brs.	VIII.	37. S14.
geniculatns Lep. (Passaleutus	(;)		Um. m.
= guttifer m. cf. Pleogaster.	Brs.	VIII.	36. 810.
— laticornis m. (Darbanus) t. 30	09. C.		Brs.
nigrigenu Serv.			Java.
= nigrispinus Serv.	Brs.	VIII.	47. 816.
nigrolineatus Serv. (Darbanu	ıs).		Manila.
= pallens m.	Brs.	VIII.	46. 819.
pungens m. v. elongatus.			
= rubidus Lep. (speciosus Brm.)		50	m. centr.
= speciosus Brm.	Mer.	VIII.	45. 818.
stollii Hgb. — Brm.			Java.
= tricolor m.	Mer.	VIII.	45. 817.
= versicolor m.	Brs.	VIII.	46. 820.
Eucerocoris White Trans. Ent. Soc.	III.		
westwoodii White.			Sierra.
Eucorysses v. Calliphara.			
Eulyes Serv.			
Reduv Guér.			
= amoena Guér. Ic. pl. 6. f. 10.	Arilus	Hhn.	
	Ja	v. VI.	91. 662.
Eumecopus Dall.			
— armatus F.— C. tibialis Thb.	t. 2. f	. 58.	Neuholl.
longicornis Dall.			Neuholl.
nigriventris Dall. pl. 5. f. 4			Neuholl.
Eumentous Westw.			
obscura Westw. Ent. trans. IV	. pl. 18	8. f. 4	. (;)
Euoplitus Serv.		0	
Arvelius Spin. — m.			
= laciniatus Spin. Brf.			

Eurydema Lap. — m. VII. 83. t. 242. A.

Strachia Hhn. 1. p. 181. t. 49. Cimex L. — F. — Brm.

Pentatoma Spin. -

- ... acroleuca Pert. del. pl. 33. f. 1. Brm. Serv. Dall. (Strach.) Brf. alienata F. Dall. (Strach.) variegata Kl.
- ... bicolor Dall. (Strach.) Phil.
- = bifasciata m. Dall. (Strach.) Brf. III. 96. 321.
- ... concinna Dall. (Strach.) Sam. cruciatum m. v. Pentat.
- = crucigera Hhn. (Strach.) 3av. I. 184. 95.
- = decoratum m. Dtschl. Ins. 116. 14. Eur. m. - Dall. (Strach.) Brf.
- = dominulus m. Dtschl. Ins. 112. 16. Grm.
- ... elegans Don. Souths. pl. 3. f. 7. Dall. (Strach.) Meuholl.
- -- gebleri Kol. Mel. t. 15. f. 10. Dall. Strach.

 sexpunctatus Gbl. Mem.

gloriosa Hop. v. musiva.

hebraicus Grm. Silb. v. hilaris.

- = herbaceum m. Dischl. Ins. 115. 12. Lusit.
- Hahn. v. festiva. hebraicum Grm. v. hilaris.
- = hilaris Brm. Dall. (Strach.) jucundus Kl. Symb. t. 44. f. 6. — hebraicus Grm. Silb. — pictus m.

V. 74. 508. Cap.

= histrionica Hhn. - Dall. (Strach.)

Mer. II. 116. 196.

jucundus Kl. Symb. v. hilaris.

```
= limbata F. - Brm. - m. - (Strach.).
                                     Java. IV. 91. 430.
  ... mactans F. R. v. Asopus.
  ... munda Dall. (Strach.)
                                                 Columb.
  = musiva Grm. Silb. - m.
                                       VII. 84. 751. Cap.
         gloriosa Hop. - Dall. (Strach.)
  ... nigrorubra Dall. (Strach.)
                                                 Columb.
  = oleraceum L. etc. (Strach.)
                                         Gur. I. 182. 94.
  = ornatum L. - Dall. (Strach.) mit festiv. dominul, herb.
                                      Gur.
                                             III. 13. 238.
  ... picta F. - Wolff. 17. Dall. (Strach.)
                                                    Ind.
     pictum m. V. 64. 508. v. hilaris.
  = pictum m.
                                  Eur. mer.
                                             H. 15. 240.
  ... poecila Dall. (Strach.)
                                                  Subafr.
  ... pulchra Hop. - Dall. (Strach.)
                                                     Jav.
  ... rufifrons Dall. (Strach.)
                                                     Brf.
     sexpunctatus Gbl. v. gebleri.
 ... speciosa Dall. (Strach.)
  - spectabilis Drur. Ins. pl. 46. 4. - Dall. (Strach.)
                                                     Brf.
  = stolidum Friv.
                                    Turc.
                                           IV. 101. 448.
  = ? vesiculosum m.
                                            ? V. 65, 509,
  ... violascens Dall. (Strach.)
                                                        ŝ
Europus Dall.
  ... grossipes Dall.
                                                  Uffam.
  - validus Dall. pl. 11. f. 2.
                                                   China.
Eurus Dall.
  - rotundatus Dall. pl. 7. f. 2.
                                                    Cap.
Eurygaster Lap. - Hop. - Spin. - Tetyra F. -
  - Bellocoris Hhn, - Odontotarsus Spin.
  ... acuminatus Dall.
                                                 Meuholl.
```

alternatus Say. t. 43. 3. Grm. Z.	Um. mer. bor.
cog natus Hop.	Ind. or.
? costatus F. E. S. Cim.	Ins. Rotterd.
= hottentotus F maurus Hhn. II.	14. 139. — Wolff.
129. c. d. — Tet. cucullata Schri	k. — Tet. nigra
F Cim. maurus var. Wolff.	
= maroccana Dtschl. Ins.	
? Stell. 202. 210.	Lusit. Berb.
= maurus L Wolff. 129. a. b	Stoll. 204.
var. pictus. Hhn. II. 45. f. 140.	Eur.
obliquus Kol. Mel. IV. 12. 132.	Ungt.
orientalis Hop.	Ind. or.
Euryophthalmus Lap. v. Largus.	
Eurypleura Serv. — Dall.	
Tesseratoma Lep.	
bicornis Lep. — Enc. — Dall.	Java.
Eysarcoris Spin. — Hhn. — Kol. v. Po	entatoma.
Euschistus Dall.	
Pentat Palis Cimex L F.	
acutus Dall.	Brf.
apicalis Dall.	Brf.
atrox Hop. — Dall.	Uni. ág.
bifibula Palis. pl. 10. f. 5. — Dal	l. — Hondur.
= convergens m Dall.	Brf. VI. 94. 665.
cognatus Dall.	Brf.
cornutus Dall.	Brf.
crassus Dall.	Flor.
crocipes Hop.	Um. m.
= ictericus L. — Dall	VI. 71. 639.
pustulata Palis. pl. 11. f. 2.	Florid.
inconspectus Hop. — Dall.	Florid.

- luridus Dall. pl. 7. f. 6. 2fm. fpt.
obscurus Dall. 2(m. ag.
pallipes Dall. Sam.
proximus Dall. Columb.
perditor F.
= punctipes Say Journ Dall. 2(m. bor.
rubiginosus Dall. Brf.
= sordidus m. Um. spt. VI. 10. 637.
thoracicus Dall. (?)
= tristigma m. 2(m. fpt. VII. 95. 767.
Eusthenes Lap.
Tesseratoma Lep. — Enc. — m.
cupreus Hop Dall. Nordind.
= robustus Lap. — Enc. — Tess. scutellaris. m.
Silhet. IV. 81. f. 410.
Galeatus Curt Spin. v. Tingis.
uneturns out. Spin 1. zingis.
Galedanta Serv. — Dall.
Galedanta Serv. — Dall.
Galedanta Serv. — Dall bituberculata Serv. Brf.
Galedanta Serv. — Dall bituberculata Serv collaris Hop.
Galedanta Serv. — Dall. bituberculata Serv.
Galedanta Serv. — Dall. bituberculata Serv.
Galedanta Serv. — Dall. bituberculata Serv. — Brf. collaris Hop. = dimidiatus Hag. — Columb. VI. 66. 629. fascifera Pal. pl. 10. f. 9. Galgulus Ltr. etc. IX. 24. t. 291. A. — V. 87. t. 174.
Galedanta Serv. — Dall. bituberculata Serv. — Brf. collaris Hop. = dimidiatus Hag. — Columb. VI. 66. 629. fascifera Pal. pl. 10. f. 9. Galgulus Ltr. etc. IX. 24. t. 291. A. — V. 87. t. 174. Naucoris F.
Galedanta Serv. — Dall. bituberculata Serv.

Geocoris Fall. v. Ophthalmicus.

Gerris F. — Brm.

Plocaria Scop. - Ltr. Cimex L. — Deg.

erraticus Kl. — Brm.

Gur. culiciformis Deg. pl. 17. 1-8.

= vagabundus L. - Wolff. 197. - Schell. t. S.

Cur. IX. 117. 941.

Gerris Ltr. - Duf. - Schumm. - F. - Serv. v. Hydrometra.

clavipes et tipular. v. Berutus. denticollis et pallipes v. Pygolamp. varicornis F. - Wolff v. Leptocoris.

Globiceps Ltr. - Serv. v. Capsus.

Globocoris Hhn. v. Chlaenocoris et Coptosoma.

Glypsus Dall. - Grm. - m.

... conspicuus Hop.

Subafr.

... javanus Dall.

Jav.

... luridus Dall.

Corea.

= moestus Grm. Silb. (Asopus). Cap. VII. 113. 778. ... vigil Grm. Silb.

Golema Serv. rubromaculata v. Crinocerus.

Gonocerus Ltr. - Brm. - Cor. F. - Wolff.

abbreviatus v. Paryphes. affinis v. Paryph.

andreae Brm. v. Paryph.

bipunctat. v. Par.

capitulatus Dalm. v. Par.

chlorodicus Duf. v. insidiator.

diabolicus d'Orb. vov. v. Par.

= dubius m.

VI. 9. 565. Afr.

fenestrat. Brm. v. Par.

... insidiator F. - Cog. - Ramb. - chloroticus Duf. Gur. m. humeralis Kl. v. Par. = juniperi Dhl. Eur. m. IV. 99. 445. laetus F. - Stoll. v. Par. ... ? leprosus Brm. Cap. = latus m. 2m. m. IX. 263, 996. marginellus v. Paryph. megaera Kl. - Stoll. v. Par. miniaceus d'Orb. v. Par. obsoletus v. Paryph. ochraceus v. Paryph. puncticornis m. v. Anasa. rugator v. Homoeocerus. ... triquetricornis Ramb. Undal. ...? tuberculatus Brm. Mer. = venator F. - Wolff. 21. - Dtschl. Ins. 116. 15. Gur. = versicolor m. (?) VI. 58. 619. Gonopsis Serv. ... denticulata Serv. Geneg. Graphosoma Lap. - Grm. - Scutellera Ltr. - Hhn. Trigonosoma Brm. = flavolineatum F. - Coq. - Wolff. 166. - Dtschl. Ins. 135. 1. T. strigata. Gur. m. ... interruptum White Mag. Zeneviff. = lineatum L. nigrolineatus Ross. - F. - Fall. I. 173, 90. Eur. schangini Gbl. mem. ... rubrolineatum Hop. Grm. Z. Corca. = semipunctatum F. - var. Wilsoni White. Eur. m. I. 175. 91. ... trilineatum Grm. — Stoll. 156.?

```
= wilsoni White Erichs. Ber. 1839. pg. 100. v. semip.
                                                    Derf.
Gynencia Dall.
  - marginella Dall, pl. 6. f. 4.
                                                     (\S)
Halobates Eschs. — Lap. — Brm. — Serv.
                                        VIII. 108, t. 286.
  ... albinervus Serv.
                                                     Brf.
  - flaviventris Eschs. t. 2. 15.
                                    VIII. 110. Atl. Meer.
  - micans Eschs. t. 2. f. 3.
                                    VIII. 110. Att., Meer.
  = pictus Germ.
                          VIII. 111. 882. 883. Utt. Meer.
  = sericeus Eschs. Entomogr. VIII. 110. 880. 881. Cap.
Halticus v. Capsus.
Halys F. - m. - Serv. - Pentatoma Palis.
  ... alternans Hop.
                                                 Bengal.
     amygdali Grm. v. Apodiph. hellenica.
     annulata F. v. Brochymena.
  ... apicalis Hop.
                                                  Mustrl.
  ... armata F.
                                                  Mustrl.
  ... assimilis Hop.
                                                 Ind. or.
  - australasiae Brm. v. Poecilometis.
                                     Huftel. V. 76. 521.
  ... carolinensis Hop.
                                                   Carol.
     cincta m. v. Ateloc.
  ... clavata F. v. Dalpada.
  ... concinna Hop. v. Dalpada clav.
  = dentata F. - Stoll. 47. - Wolff. 48. - sulcatus
       Thb.
                                  3nd. or. VII. 60. 724.
  ... depressa F.
     erosa m. v. Brachym.
     exsculpta Brm. v. Apodiphyia hell.
     flavopunctata Guer. Coq. v. Poccilometis.
```

furcata F. v. Diplorhinus.	
frondosa v. Brochym.	
gravis Hop.	Austri.
hellenica Lef. v. Apodiphyia.	
humeralis Hop.	Brf.
— insubida Grm. — Coenomorpha Da	ll. VII. 59. 727.
	Cap.
lata Hop.	Sierra.
latipes Hop.	Jav.
lineata Hop.	Austrl.
lineolata v. Brochym.	
mucorea v. Erthesina.	
nebulosa v. Apodiph. — Coenomorpha	Dall.
nigricollis Hop. v. Dalpada.	
nubila F. v. Agonoscelis.	
= obscura m. V.	. 68. 513. Mer.
— Hop. v. Dalpada nigric.	
oculata F. v. Dalpada.	
parvula Hop.	Inf. Melv.
plana v. Sciocoris.	
pupillata m. v. Brochymena.	
reticulata Hop. v. Spudaeus.	
rufescens Hop.	Austrl.
servata F. v. Brachym.	
serricollis Hop.	Gogo.
serrigera Hop.	Cuna.
spinosula Lef. v. Mustha.	
strigata Hop.	Austrl.
timorensis Hop.	Timor.
variolosa F. — Hop. v. Dinidor.	
variegata Pal. pl. 7. f. 3. — Dall	. Alfr.

versicolor m. v. Dalpada.

Hammatocerus Burm. — Hammacerus Lap. — Cimex Drur. — Homalocoris Pert.

= conspicillaris Drur. III. 45. f. 8.

Can. VIII. 50. 821.

= furcis Drur. III. 45. 4. — nycthem. Ill. — Brm. Um. fpt. VI. 104. 675.

nycthemerus Ill. v. furcis.

varius Pert. t. 34. f. 16. v. furcis.

Brs.

Harmostes Bym.

= dorsalis Brm. Meg. IX. 270, 992.

Harpactor Lap. — Spin. — Brm. — Serv. — Reduv.
F. — Wolff. etc. — Amphibolus. Kl. VIII. 80. t. 275.
C. D.

= aegyptius F. - Wolff. 80. - murinus Ramb.

Heg. VI. 107. 678.

... ? albipes F. Rossi.

Ital.

= annulatus L. - W. 78. - Germ. H. 22. 128.

... ? bipustulatus F. Surin.

... capensis Serv.

= moestus m.

Cap.

= cinctus F. Um. spt. VIII. 83. 853.

... corallinus Lep. Enc.

Ind. or.

cim. iracundus Scop.

= disciventris m. Ufr. VIII. 86. 856.

... fasciatus Palis. pl. 2. f. 5.

(?) Eur. m. VI. 110. 677.

= griseus F. - Ross. Eur. m. VI. 110. 677. = haemorrhoidalis F. Eur. m. VII. 13. 690. 691.

= milthinus Dalm. Jav. VIII. 82. 850.

melanocephalus m. v. milthinus.

Parag. VIII. 87. 857.

murinus Ramb. v. aegyptius.

= niger m.	Hung. VII. 14. 693.
= pedestris Wolff. 199. —	Brm. — Costa. cent. n. 20.
- Cim. subapterus Deg	. t. 15. f. 10. — Collioco-
ris griseus Hhn. — Cora	anus subapt. Curt.
1100 150	Grm. II. 25. 129.
pentatoma m.	Austri. IX. 124. —
- pictus Kl. Symb. t. 19. f.	. 12. Aleg.
= poecilus m.	Parag. VIII. 85. 854.
= punctiventris m.	Parag. VIII. 85. 855.
spinipes m. v. Sinea.	
subarmatus m. v. Sinea sex	•
= tropicus m.	Sierra. VIII. 84. 815.
venator Kl. (Amphilobus).	
Hebecerus Kol.	
— caucasicus Kol. 30. t. 8.	
— persicus Kol. 29. t. 8. f.	
Hebrus Westw. — Curt. — B	
gaeus Lap. — Lygaeus Fll.	
- erythrocephalus m.	Boruss. IX. — —
= pusillus Fll. — Curt. —	
Ent. III. pl. 6. f. 6. —	
min	Eur. VI. 39. 596.
Helonotus Serv.	1 10 6 12 00 (0
tuberculatus Guér. Voy.	•
Henestaris Spin. — Ramb Curt. — m.	- tosta Heterogaster
genei Spin.	Marfeille.
hiananua Ramh	
hispanus Ramb.	Undal.
— laticeps Curt. pl. 597.	Andal. Angl.
— laticeps Curt. pl. 597. — spinolae Cost. Corr. Zool.	Andal. Angl.
— laticeps Curt. pl. 597.	Undal. Ungl. c. icone. Reap.

Herega Serv.

... rubrolimbata Serv.

Um. fpt.

Heterocrates Serv. - Dall.

Plataspis White.

... coracinus White Mag. 1839, 24. — 10. f. 3. c. f.

Java.

Heterogaster Schill.

I. 72.

= affinis m.

Grm. IV. 76. 404.

= artemisiae m. Dtschl. Ins. bicolor Kol. v. artemisiae.

Grm.

Rauf.

claviculus Schill. v. Cymus.

... coronillae Kol.

costatus m. v. Stenogaster. ericae Schill. v. Cymus.

laticeps Curt. v. Henestaris.

punctipennis m. v. Cymus.

rufescens m. v. artemisiae. reticulatus m. v. Cymus.

= salviae Schill. - Pz. 135. 16. Lyg.

Germ.

... semipunctatus Grm. Silb. thymi Wolff. v. Cymus. Cap.

= urticae Schil.

Germ. 1. 73. 43.

... waltlii Kol.

Rauf.

Heteropus Spin.

VII. 112. -

Heteroscelis Serv. v. Phyllochirus.

Heterotoma Ltr. - Brm. - Serv. v. Capsus.

Heza Serv. — Reduv Lep.

... binotata Lep.

Brf.

= punctiger m.

? IX. 120. —

Hiranetis Spin. v. Myocoris.

Hiverus Serv.

... hirtus Serv.

Geneg.

Holoptilus Lep. - Lap. - Brm. - Wstw. Trans. II. 248. - Serv. basalis Westw. v. Orthocnemis. — ursus Lep. — Lap. pl. 54. 1. Cav. Holotrichius Brm. — Serv. — Costa. — VIII. t. 262. A-D. cyrilli Costa v. maurus. ... lividus Burm. (Reduv.) Caffr. VIII. 3. -= maurus m. Ital. VII. 14. 692. cyrilli Costa etc. ... tenebrosus Brm. Corfu. VIII. 39. --= testaceus m. Rrim. VIII. 39. f. 812. Homaemus Dall. Pachycoris Grm. - m. = exilis Grm. - m. 21m. bor. IV. 5. 346. = parvulus Grm. - m. Storida. IV. 54. 501. Homalocoris Pert, v. Hammatocerus. Homococerus Brm. — Serv. — Coreus Brm. — Oriterus Hhn. I. p. 8. t. 1. f. 2. — Chondrocera Lap. destructor Hhn. v. rugator. ... magnicornis Kl. Cap. ... minimus Serv. Java. ... nigripes Kl. — Brm. Cap. ... puncticornis Brm. Act. leop. 419. 20. Cor. Manila. punctiventris cf. nigripes. = rugator F. - Orit. destructor. Hhn. I. 8. 2. Um. bor. Hoplistodera Westw. — Dall. ... convexa Dall. Philip. ... testacea Hop. Jav. ... trimaculata Enc. X. 411. 5. Jav. ... virescens Dall. Mordind.

Hotea Serv.

-- triangularis Serv. pl. 4. f. 7.

Seneg.

= curculionoides Dall. —

HI. 106. 331.

punctulatus Grm. Z.

China.

Hoploxys Dall.

... coeruleus Dall.

Congo.

Hyalymenus Serv.

Alydus F. - Pert. - Brm.

- -- dentatus F. -- Brm. -- Serv. pl. 5. f. 2. Cap.
- vespiformis F, Pert. Alyd. pallidus Griff. anim.
 kingd. XV. pl. 92. f. 5.

Hydroessa Brm.

Velia Duf. — Microvelia Westw. — Serv. IX. — 78. — VI. 87. t. 193. A—F.

= reticulata Brm. — Vel. pygm. Duf. Ann. Soc. Ent. II. pl. 5. f. 6. III. pl. 6. f. 5. a — h. Microv. pulchella Westw. Ann. III. pl. 5, f. 6. — Curt. f. 681. VI. 37, 595. Gur.

Hydrometra F. — Brm. — Ramb. — m.

Gerris F. — Ltr. — Duf. — Schumm. — Serv. — Aquarius Schell. — Cimex L. — Rossi. — IX. 66. t. 298. A—C. t. 299. A—DD.

- ... abbreviata F. (Pyren) Larve. apicalis Curt. v. lacustris.
- = aptera Wimm. Schmm. IX. 69.925. t. 299. K-M. Gur.
 - F. v. Velia.
- = argentata Schmm. IX. 74. 932. t. 299. CC.
 DD. Gur.
- canalium Duf. pl. 5. f. 59. Dej. pl. 16. 8. 9. Eur.
- = costae m. IX. 71. 927. t. 299. N-P. Eur.

currens F. v. Velia. ... cursitans F. R. Muftel. ... erythropus m. IX. 68. 923. Brf. = gibbifera Schmm. Gur. ... fluviorum F. Trang. = fossarum F. R. Ind. or. fossularum F. v. Micrelytra. = gibbifera Schmm. Gur. IX. 72. 929. 2fm. m. ... hvalina F. R. = lacustris L. - IX. 73. 930. - t. 299. T-V. ? apicalis Curt. IX. - f. 922. - najus Deg. lateralis Schmm. IX. 74. 299. W-Y. = odontogaster Zett. IX. 73. 931. - t. 299. Q-S. = paludum F. - Ltr. - IX. 70. 926. - t. 299. A-J. Gur. rivulorum F. v. Velia. = rufoscutellata Ltr. - Stoll. 108. - IX. 69. 924. t. 299. G-J. Germ. stagnorum v. Limnobates. = thoracica Schmm. - IX. 71. 928. - t. 299. Z. AA. Gur. Hydrometra F. - Brm. - Ltr. etc. v. Limnobates. Hylophila Westw. v. Anthocoris. Hymenarcys Serv. ... aeruginosa Serv. Um. spt. = cryptorhynchus Grm. Silb. - m. Cap. VII. 74. 742. Um. spt. ... perpunctata Serv.

Hymenophora Serv. v. Crinocerus.

Tesseratoma Enc. - Brm.

Hypencha Serv.

apicalis Enc. — Brm.	Jav.
Hypoxys Serv.	10
Edessa Serv.	
= quadridens F. — Brm. — E	d. luteicornis Lep. —
Stoll. 137. — Ed. schaefferi H	•
loxdalii Hop.	Demar.
nigridens F.	Um. m.
sexdens F.	Um. m.
Hypselonotus Hhn. t. 30. A-D	- Brm Serv
Lyg. F. — Wolff.	
= annulatus Brm.	Bahia.
dimidiat. Hhn. v. striatul.	
= interruptus Hhn.	I. 187. 96. Brs.
linea F.	Um. m.
= pulchellus m.	Brf. VII. 10. 686.
scriptus Hhn. v. Anisoscelis.	
= striatulus F Wolff. 103.	- venosus Blanch.
dimidiatus	H. I. 189. 97. Can.
— subterpunctatus Serv. pl. 5.	f. 2. (?)
trigonus Thunb. — Brm.	Bengal.
Hypselopus Erichs. — Brm. cf. Melo	za.
gigas Brm.	Cap.
in carnatus Er.	Van Diem.
spinosus Kl. — Brm.	Dongol.
Jalla Hhn. — Dall.	
Asopus Brm. etc.	
Arma Hhn. v. Picromerus.	
= bidens L. etc.	I. 92. 51. Grm.
= dumosus L. etc. I.	101. 54. 55. Grm.
Irochrotus Serv. v. Odontoscelis.	
Isodermus Erichs. Wiegm. Arch. 184	
planus Er.	Van Diem.

Isocondylus Serv. - Reduv. Lep. Enc. v. Euagoras. Kleidocerus Westw. v. Cymus. Labops Brm. v. Capsus. Laccometopus Fieb.

Tingis F. etc. — Eurycera m.

= clavicornis L. - P. 23. 20. - IV. 53. 400. Eur. ... kollari Fieb. Inf. Maur.

Largus Hhn. - Brm.

Euryophthalmus Lap. Lygaeus Pert. Acinocoris Hhu.

... bicolor m.

Brf. VI. 7. -

= calidus Hhn.

2fm. m. H. 114, 194.

= cinctus m.

Mer. VI, 6. 683.

... cornutus Lep. (Acinoc.)

Can.

... ? excavatus F.

... fasciatus d'Orb. vov.

... globicollis Brm. Handb. p. 282.

Brf. IX. 182. 981.

= interruptus m.

Can. IX. 18. 978.

= lineola L.

= incisus m.

humilis m.

Brf. I. 13. 6.

Cim. punctatus Deg. Eur. puncticollis Lap. Lyg. mutilus Pert.

= lunulatus F. (Acinoc.) = marginellus m. Braf. IX. 179. 978.

Brf. IX. 182. 982.

- oculus cancri Deg. III. pl. 34, 24. Brf. ... ophthalmicus Brm. (Pyrrhoc.)

... pallidicornis m. ? IX. 181. -

= rufipennis Lap.

Brf. III. 67. 280.

... sanguinipennis m.

Brf. IX. 182. —

scapha Pert.	Brf.		
sexguttatus m.	? IX. 181. —		
= succinctus L.	Um. spt. VI. 78. 648.		
Laryngodus m.	IX. 211. t. 314. B.		
= australiae m.	Huftel, IX. 212. 967.		
Leptocoris Hhn. t. 32. E-F Brm.			
Pyrrhocoris Hhn. — Lyg. F. — Tynotoma			
Serv. — Myodochus	01. — Brm.		
= abdominalis F.	Sumatr. IX. 279. —		
augur F.	Ind. or.		
? chalcocephalus F. R.	į		
= coturnix Brm.	Brs.		
= haematideus Hhn.	Ind. er. 1. 9. 3.		
= haemateloma m.	Mer. VIII. 103. 873.		
linearis Lap. v. Stenocoris.			
rufomarginatus F.	Ind. or.		
= rufus Hbn.	Srf. II. 201, 102.		
tagalicus Brm. Act. Leop.			
vittata Serv.	Cap.		
Leptocoria Ltr. v. Stenocoria	Ş.		
Leptopus Ltr. — Duf. — Brm. I	X. t. 306. A-E.		
echinops Duf.	Sardin.		
- lanosus Duf Ann. Soc.	Ent. HI. pl. 5. A. f. 14. —		
Serv.	Gall. m.		
- litoralis Ltr Duf. l.	c. H. p. 6. B. f. 2. HI.		
p. 354. pl. 6. f. 4.	Gall.		
= preyssleri Fieb.	Germ. IX. 133. 942.		
Leptoscelis Lap. — Serv.			
Lygaeus F Wolff Coreus Lep Ani-			
soscelis Brm. — Rhabdocoris Kol. —			

Rauf.

Alydus F.
— arcuata Kol. t. 8. f. 1.

? claviger Goeze Drur. I. t. 45. 5. Untiqua.

= crenulatus F. - Drur. I. t. 45. f. 1. divisa. m. 23 rf. VII. 9. 685. divisa m. v. crenulata. = fastuosa m. Brf. VII. 8. 684. = flavipes Brm. Brf. IX. 276, 993. = guttula m. Brf. IX. 276. 994. - haemorrhous L. - F. - Stoll. 83. - Wolff. 137. Cor. haemorrhoidalis Lep. Enc. - Brm. - Deg. III. t. 34. f. 10. - lunata F. R. - Stoll. 71. - Latr. in Humb. pl. 17. f. 9. = pulverulenta m. Mer. VII. 9. -Lestomerus Serv. - Peirates olim. ... affinis Serv. Jav. ... spinipes Serv. Seneg. Libyssa Dall. v. Callidea. Limnobates Brm. IX. t. 304. = stagnorum L. - Ross. Cim. acus Deg. Cim. lineola Sulz. Gesch. Germ. IX. 118, 938, 939. Lobostoma Serv. Text. - Dall. v. Prolobodes. Lohita Serv. Macrocheraia Lef. - Guer. - Macroceraea Spin. — Lyyaens Gray. — Astemma Brull. = grandis Gray. anim. k. XV. pl. 32.3. - Guér. iconpl. 56. Bengal. longicornis Spin. Lophocephala Lap. — Brm. — Serv.

Bengal.

... guerini Lap. — Brm.

Š ... incerta Serv. Lopus Hhn. I. 143. — III. 45. — IX. t. 312. E. F. Miris F. Grm. I. 140. 72. = albomarginatus F. albostriatus Brm. = carinatus m. Grm. VI. 49. 609. chrysanthemi Hhn. v. Caps. = dolabratus L. Grm. III. 95, 261, 262. Mir. lateralis F. Rh. Mir. abbreviatus Wolff. f. 109. 110. = ferrugatus Fall. Grm. III. 46. 263. Mir. dolabr. F. Rh. = gothicus L. Grm. I. 12. 5. superciliosus L. hieracii Hhn. v. Caps. thunbergi. = rubrostriatus m. Sifp. III. 45. 206. = tunicatus F. - Grm. fn. 5. 23. Loricerus Hhn. v. Ectrychotes. Loxa Serv. - Dall. Pentatoma Palis. - m. ... affinis Dall. Para. = flavicollis Drur. pl. 36. f. 4. - Serv. albicollis F. - m. VI. 68. 634. virescens Serv. viridis Palis. pl. 8. f. 1. Brf. Stoll. f. 196, 198, 200, - haematica m. Brf. Vl. 70, 636. = transversalis m. Sur. VI. 66. 630. Lyctocoris Hhn. v. Xylocoris et Anthocoris. Lygaeus F. (* thorace spinoso non lunjus generis.). -Wolff. - Brm. - Serv. etc. abdominalis F. v. Leptocoris.

abbreviatus F. vix huj. gen.

- Thb. v. Pachylis.

abietis L. v. Pachym.

acantharis F. (non L.) vix huj. gen.

aegypticus F. H. 10. huj. operis v. Pyrrhocoris.

— affinis Wolff 104.

Ind. or.

agilis F. v. Caps, histrion.

agrestis Fall. I. 25. v. Pachym.

albicornis F. cf. Odontopus.

albofasciatus F. cf. Dysdercus.

albomarginatus v. Lopus.

albostriatus F. v. Pachym.

alni F. v. Caps.

= alternans m.

Mer. VII. 20. 704.

amboinensis F. v. Dysdercus.

annulus F. II. 13. v. Dysderc.

apterus F. I. 20. v. Pyrrhoc.

arbustorum F. v. Caps.

arenarius F. I. 53. cf. Pachym. marginepunct.

? argentatus F.

Tranqueb. gen. dub.

argus v. Pentat.

armipes F. cf. Pachym.

Rauf.

ater F. v. Caps.

aterrimus Wolff v. Pachym.

- asiaticus kol, 36. t. 8. f. 12.

auctus F. v. Anisoscelis.

augur F. v. Leptocoris.

= aulicus F.

26m. VI. 76, 646.

australis F. v. Anisoscelis.

austriacus F. I. 109. v. Anthocoris.

balteatus F. v. Anisosc.

bellicosus F. v. Nematop.

biclavatus F. v. Spathohpora.

bicolor m.
bifasciatus F. v. Caps.

Brf. IX. 195. —

... biguttatus F.

Meuholl.

bilineatus F. R. v. Diactor.
bimaculatus Zett. v. Pachym. var.
bimarginatus m. v. pulchellus.
bipunctatus F. v. Caps.

.. bipunctulus m.

Brf. IX. 195. -

bistriguttatus F. v. Caps. boerhaviae F. v. Mictis.

- F. R. v. Pyrrhoc.

binotatus F. I. 203. v. Caps.

brevipennis Ltr. v. Pachym.

calcar F. v. Physomerus.

calcaratus F. E. S. - Wolff, v. Alydus.

calidus F. v. Largus.

- F. R. cf. Pachym.

campestris F. v. Caps. ferrugatus.

- Fall. v. Caps.

capitatus Wolff, v. Corizus.

caricis Fall. v. Cymus clavic.

carnifex F. v. Dysdercus.

chalcocephalus F. cf. Leptocoris.

chiragra F. I. 56. v. Pachymerus.

cingulatus F. v. Dysdercus.

— civilis F. — Wolff. 25.

Tranqueb.

claviculus Fall. I. 78. v. Cymus. clavimanus F. v. Pyrrhocoris. clavipes F. (non Lyg.) gen. dub.

collaris F. v. Pyrrhoc.

compressicornis F. R. v. Molchina.

compressipes F. R. v. Metopodus. contaminatus Fall. v. Caps. coqueberti F. I. v. Odontopus. coryli F. v. Caps. = costalis m. Mer. VII. 22. 706. crassicornis F. III. 3. v. Corizus. crassimanus F. v. Pachymerus. crassipes F. (non Lyg.) cf. Mictis. cruciger F. v. Machthima. sec. Burm. Chariesterus. = crudelis F. cruentus F. 88. v. Leptocoris haematideus. - F. 101. cf. Odontopus. curvipes F. (non Lyg.) gen. dub. danicus F. v. Caps. destructor Melsh. v. Homoeocerus. didymus Fall. v. Cymus resedae. dilatatus F. v. Nematopus. dispar F. (non Lyg.) gen. dub. echii Pz. v. Pachymerus aterr. elatus F. v. Petalops. - elegans Wolff. 106. Cap. - Serv. v. Petalops. = equestris L. - F. etc. I. 21. 12. speciosus Scop. Eur. - L. Mus. Ulr. errans F. v. Corizus. erraticus F. v. Pachymerus. excavatus F. v. Largus. faber F. (non Lyg.) gen. dub. Pulifantor. ... famelicus F. Ind. or.

familiaris F. — Kol. v. venustus.

femoratus F. v. Metopodus.
ferrugatus F. v. Caps.
festivus F. v. Odontopus.
filicis Fall. II. 87. v. Caps.
flavicollis F. v. Caps. ater.
flavicornis F. v. Nematopus.
flavomaculatus F. III. 10. v. Caps.
flavovarius F. v. Caps.
floralis F. v. Caps.
foliaceus F. v. Diactor.
forsteri F. v. Pyrrhocoris.
fraxini Fll. v. Caps. campestr.
fulvicornis F. I. 7. v. Mictis tenebr.

Guin

— furcatus F.
gallus F. v. Nematop. indus.
gibbus F. cf. Pachymerus.
gladiator F. (non Lyg.) gen. dub.
gonager F. v. Anisoscelis.
gothicus F. v. Lopus.

— Fall. III. 69. v. Caps. marginep.
graminis F. (non Lyg.) gen. dub.
grossipes F. v. Physomerus.

— F. R. v. Mictis tumidipes.
grylloides Fall. v. Ophthalmieus.
guineensis F. (non Lyg.) Guin. gen. dub.

gen. dub. Mer. VII. 20. 703.

= gutta m. Mer. VII. 20. 703. guttatus Ramb. v. punctato-guttatus. guttula F. Mm. inf. non Lyg. gen. dub. haematideus F. v. Leptocoris.

— F. cruentus corrigend. v. Leptocoris. haemorrhoidalis F. v. Leptoscelis haemorrhous.

= hamatus m. Mer. VII. 22. 707.

harpagon F. v. Anisoscelis.

hastatus F. R.

Jav. gen. dub.

heros F. v. Mictis.

= hospes F. — lanio m. Trang. VII. 21. 705. humilis Drur, v. Largus.

hyoscyami F. etc. v. Corizus.

= incomptus m.

Jav. VIII. 104. 875.

incubitor F. (non Lyg.)

Carol. gen. dub.

indus L. v. Nematopus.

inquinatus F. v. Caps.

irroratus Grav. Verz. v. Gonocerus rugator.

kermesinus L. — F. R. — Deg. t. 34. f. 15. cf. Anisoscelis.

koenigii F. II. 12. v. Dysdercus.

laetus F. v. Paryphes.

lanio m. v. hospes.

laticornis F. III. 63. v. Pachylis.

lavaterae F. v. Stenogaster.

leprosus F.

Um. gen. dub.

leucocephalus F. v. Caps.

leucurus F. R. cf. Dysdercus.

limbatus Fall. v. Caps.

linea v. Hypselonotus.

lineatellus F. non Lyg.

Um. m. gen. dub.

lineatus F. v. Caps.

lineola L. v. Largus.

— F. R. gen. dub.

litoralis Zett. - Fall. v. Pachymerus marginep.

lunatus F. v. Leptoscelis.

lunulatus F. v. Acinocoris.

luscus F. v. Pachymer.

- lusitanicus m.

Lufit. IX. 197. -

lynceus F. I. 45. v. Pachymer, mactans F. v. Asopus.

- maculicollis Grm. fn. 24. 16. Eur. m. IX. 199. malabaricus F. Malab. gen. dub. marginepunctatus Wolff. v. Pachymer. maroccanus F. v. Pachymer. maurus F. v. Caps.
- melanocephalus F. genus Arocatus Spin. Eur.
 ... melanurus Grm. Silb. Cap.
 meleagris F. Wolff. v. Nematopus.
 membranaceus. W. v. Anisoscelis.
- ... mendicus F.

Ind. or.

— militaris Rossi. — F. — Grm. fn. 12. 19.

pandurus Vil.

civilis Wolff. 105.

minutus Fall. v. Anthocoris.

modestus Fall. v. Stenogaster basalis.

mutabilis Fll. v. Caps.

- ... muticus Erichs. Wiegm. Arch. 1842. Ban. Diem.
 nassatus F. Fil. v. Caps.
 nebulosus Fll. v. Pachymer.
 nemoralis F. v. Caps. sexpunct.
 nemorum Fall. I. 106. v. Anthocoris.
- nerii Grm. fn. 24. 17.

 nubilus Fll. v. Pachymer.

 nugax F. v. Stenocephal.

 oblongipes F. (non Lyg.) gen. dub.

 oblongus F. v. Pachymer.

 olivaceus F. v. Dysdercus.

 pabulinus Fll. v. Caps.

 pallens F. non Lyg.

 pallicornis Fll. v. Caps.

pallipes Wolff. 141. v. Dysderc.
pandurus Vill. v. militaris.
pastinacae Fll. v. Caps.
pedestris Fll. — Pz. v. Pachymer.
pharaonis F. v. Pachylis.
phasianus F. v. Mictis.
phyllopus F. v. Anisoscelis.
pictor F. (non Lyg.) gen. dub.
pilifrons Fll. v. Pachymer. marginep.

Cap.

... pilosulus Grm. Silb.
pinastri Fll. v. Caps.
pini L. — Fabr. v. Pachymerus.
plebejus Fall. v. Pachym.
podagricus Fall. v. Pachym. pictus.
populi F. v. Caps.
pratensis Fabr. v. Caps.
profanus F. R. cf. Mictis crucifera.
pubicornis F. v. Caps.

= pulchellus F.

St. Cruz.

bimarginatus m.

VIII. 105, 877.

... pulcher F.
pulicarius Fll. v. Caps.

Um. m.

- punctatoguttatus F. Pz. 118. 8. Grm.
- punctum F. Geoff. Pz. 118. 11. Wolff. 70. Grm. auftr.

pusillus Fll. v. Hebrus. pustulatus F. v. Sephina. quadratus F. v. Pachymer.

- Pz. I. 48. v. Pachym. luscus.
- Coq. v. Verlusia.

... quadriguttatus F. quadripunctatus F. cf. Caps. chenopodii.

Monhall

resedae Pz. v. Cymus. revestitus Fll. v. Caps. ... rivularis Grm. Silb. Cap. ... roeselii Schill. IX. 199. -rolandri F. v. Pachymerus. roseomaculatus Deg. v. Caps. ferrug. roseus F. v. Caps. rostratus vix Lyg. Ufr. ag. gen. dub. rubricatus Fll. v. Caps. ruficeps m. III. 95. 319. v. Dysderc. ruficollis F. v. Dysdercus. rufomarginatus F. v. Leptocoris. rusticus Fall. v. Pachymer. sabuleti Fll. v. Pachymer. ... saevus Grm. Silb. sahlbergi Fll. v. Pachymer. saltatorius F. - Wolff, v. Salda. sanctus F. v. Crinocerus. sanguineus F. v. Caps. sanguinolentus F. cf. Odontopus. = saxatilis F. - Wolff. 26. Germ. II. 619. ... scabrosus F. Imer. scapha Pert. v. Largus. schlangenbuschii F. v. Pyrrhocoris. = schummelii Schill. Grm. IX. 199. 985. scriptus F. R. 15. v. Caps. strigatus. scutellaris F. v. Caps. semislavus Fll. v. Caps. ... septus Grm. Silb. Cap. serratus F. cf. Mustha. serripes F. gen. dub.

... servus F.

sexguttatus F. v. Caps. sexpunctatus F. v. Caps. sexpustulatus F. cf. Pyrrhocoris. silvaticus Fll. v. Pachymer. solenis m. v. Dysderc. koenigii var. sordidus F. cf. Pachymer. striatellus F. R. 164. - Fll. v. Caps. - Pz. v. Caps. striatulus F. v. Hypselonotus. succinctus F. v. Largus. superstitiosus F. cf. Dysdercus. suturalis F. v. Dysderc. sylvaticus Pz. v. Pachym. agrest. - F. v. Pachymer. sylvestris Pz. v. Pachymer. - L. - F. cf. Pach. luniger. tenebrosus F. v. Mictis. tenellus Fll. v. Caps. thymi Fll. v. Cymus. tiliae F. v. Phytocoris populi. tragus F. v. Mictis. transversalis F. I. 213. v. Caps. pastinacae. tricolor F. cf. Caps.

trilineatus F. Sr tripustulatus F. v. Caps. tristator F. v. Mictis phasianus.

Ind. or.

Ind. or. IX. 196. —

... tristriatus m.
.q. tumidipes F. v. Mictis.
tunicatus F. v. Lopus.

... turcicus F.

Am. spt.

typhoeus F. E. S. v. Crinoc. acridioides.

triguttetus F. R. v. Caps.

umbellatarum Pz. v. Caps. umbilicatus F. v. Mictis.

= unifasciatus F. II. 7. 120.

- var.

Brf. VIII. 105. 876.

urticae F. - Fll. - I. 74. v. Heterogaster. valgus F. v. Mictis.

variabilis Fll. v. Caps. unifasc.

... varicolor F.

Ins. Trinit.

varicornis F. vix Lyg. cf. Odontopus. varius Wolff. v. Pachymer. venosus F. (non Lyg.) gen. dub.

- ventralis Kol. 39. t. 9. f. 13. Rauf.

= venustus Boeb.

familiaris Rossi - Pz. 79. 20. Cimex. Grm.

verbasci F. cf. Heterogast. salv.

viridulus Fll. v. Caps. vividus F. v. Caps.

= xanthostaurus m.

Brf. VIII. 104. 874.

Lygus Hahn. v. Capsus. Lyramorpha Hop.

... rosea (et pallida) Hop.

Machtima Serv.

Lygaeus F.

Chariesterus Brm.

... cruciger F. - Stoll. 175. Dierher wohl mehrere unter Chariesterus aufgeführte Arten.

Macraulax Dall.

Pachycoris m.

= bipunctatus m.

Muftri. IV. 87. 420.

Macrina Serv.

Gonopsis Serv.

Dichelops m. Aelia Brm. Megarhynchus Hop. = acanthura Hop. Dich. fissus Samb. VII. 72. 743. ... angularis Dall. Ufr. mer. ... furcata F. Jav. ... juvencus Brm. Megarh. coenos. White. Ent. tr. III. 91. Congo. ... marginella Hop. furcata Serv. pl. 2. f. 8. Samb. ... quadrispinosus Hop. (Megarh.) Samb. Macrocephalus Swed. — Burm. — Serv. — Westw. Trans. ent. Soc. III. p. 18, t. 2. - VIII. 106. Syrtis Brm. ... affinis Guer. = cimicoides Swed. manicata F. Um. m. VIII. 107. 878. - crassimanus F. - Serv. pl. 6. f. 2. Ind. or. ... leucographus Kl. Ind. occ. ... macilentus Westw. Columb. manicatus F. v. cimicoid. ... notatus Westw. ... obscurus Westw. ... pallidus Westw. = prchensilis F. Um. bor. VIII. 108, 879. ... pulchellus Kl. Ind. occ ... tuberosus Kl. Brf. Macroceroea Spin. - Lef. v. Lohita. Macromalus Dall.

- nervosus Dall. pl. 7. f. 5.

Macrops Brm. - Serv.

```
Macrophthalmus Lap. - t. 270. B. C.
  = pallens Lap. - Serv.
                                  Brf. VIII. 68. 836.
Macropygium Spin.
        Oxyrhinus Serv.
        Ochlerus m.
  ... atrum Spin. - bifida Hop.
                                                 Brf.
  ... coenosum (Aelia) White.
                                              Gamb.
  = incisum m.
                                   Brf. IV. 93. 434.
 - subsulcatum Serv. pl. 12. f. 2.
                                                Cap.
Macrorhaphis Dall.
  ... acuta Dall.
  = leprosa Grm. Silb. - Dall. pl. 2. f. 1.
                                 Cap. VII. 113. 708.
Maotys Serv.
                                     IX. t. 307, E. F.
        Ptilocerus Gray. - Ptilocnemus Wstw.
 = fuecus Gray. - Westw. Trans. pl. 22. 8. - Serv.
pl. 6. 4.
                                 IX. 134. 946. Java.
Massocephalus Dall.
- maculatus Dall. pl. 9. f. 1.
Mattiphus Serv.
... laticollis Hop. - carrenoi Serv.
 ... oblongus Dall.
                                           . Nordind.
  ... reflexus Dall.
                                              Philip.
Mazium Dall.
        Platycoris Guér. Coq.
  - bipunctatum Guer. Coq. pl. 12. f. 2. - Dall. pl. 4.
                                             Meuholl.
... rotundatum Dall.
                                            Rangaroo.
Mecidea Dall.
  - indica Dall. pl. 3. f. 3.
                                              Bengal.
  ... linearis Dall.
                                                   ş
Medistorhinus Dall.
```

- rufescens Dall. pl. 4. f. 5.	Para.
Mecocephala Dall.	
— acuminata Dall. pl. 6. f. 3.	Montevid.
Mecosoma Dall.	
Raphigaster m.	
= mensor Grm. Silb. — m. VIII. 7	. 713. Gamb.
Meganodus Lap. v. Pyrrhocoris.	
Megarhynchus Lap Serv.	•
Aelia Brm.	
Lygaeus F.	
acanthurus Hop. v. Macrina.	
caenosus White v. Macrina.	
?capensis Dall.	Cap.
crenatus Le Guill.	(;)
elongatus F. v. hastatus.	
gambiensis Dall.	Gamb.
gracilis White Ent. Trans. III. 91.	Congo.
hastatus F. R.	
elongutus Lap.	Jav.
?lanceolatus F.	Afr. ág.
= limatus Grm.	IX. 203. 998.
? truncatus Hop.	Ussam.
marginellus Hop. v. Macrina.	
merata le Guill.	Š.
quadrispiuosus Hop. v. Macrina.	
= rostratus F. elongatus Lap. IX. 203.	999. Ind. or.
testaceus Serv.	China.
truncatus Hop. cf. limatus.	Java.
Megymenum Guér. Voy. Coq. 1830. — Se	rv. — Dall.
Cimex F.	
Edessa F. R.	
Amaurus Brm. Nov. Act. 1834	- m.

Platy dius Westw. Zool. Jour. 1835.		
brevicorne F. E. S. — Brm. China.		
crenatum le Guill. — Guer. Rev. Port Effingt.		
= cupreum Guér. Coq. — Serv. pl. 3. f. 10.		
V. 61. 505. Jav. Philip.		
dentatum Guér. Coq. pl. 12. f. 1. — Astrol. pl. 2.		
f. 11. — Serv. — Brm. China.		
gracilicorne Dall. China.		
= inerme m. V. t. 164. f. G. H. Bengal.		
insulare Hop. Inf. Mata.		
merratii le Guil. Rev. Timor.		
spinosum Brm. Nov. act. t. 41. f. 7. Philip.		
- serratum Grm. Silb. Cap. VII. 75. 748.		
purpurascens Westw. Sav.		
Meloza Serv. (cf. Hypselopus.)		
villosipes Serv. Isle de Fr.		
Melucha Serv.		
lineicollis Serv. Brs.		
Menaccarus Serv.		
piceus Serv.		
Menenotus Lap. — Serv.		
Coreus Pert.		
Spartocerus Brm.		
= lunatus Lap. — Brm. — Cor. cornut. Pert. t. 33.		
f. 15. $\mathfrak{Br}_{\tilde{1}}$. VI. 74 f. 642.		
Menipha Serv. v. Ochlerus.		
Merarchus m.		
Archimerus m. olim.		
= acutangulus m. VI. 82. 653. Brf.		
Merocoris Pert. — Serv. — Harmostes Brm.		
rugosus Serv. Carol.		
— tristis Pert. del. pl. 34. 2. — Serv. pl. 5. 1. Cap.		

Merocoris Hhn. v. Coreus.		
Meropachys Serv.		
Meropachus Lap. — Brm.		
gracilis Brm. Rio.		
= granosus m. VI. 84. 654. Brf.		
integer Brm. Rio.		
- nigricans Lap. pl. 53. 1 Serv. pl. 5. f. 15. Rio.		
variolosus Brm. Brf.		
Metastemma Serv. — Nabis Ol. — Reduv. F. Pz. — Pro-		
stemma Lap. — Brm. — Curt. — m. — Postemma		
Duf. II. t. 91. f. 130. D-F. — VIII. 57. t. 268. D. E.		
- brachelytrum Duf. Ann. Soc. Ent. III. pl. 5. B. Gall.		
= buessii m. Helv. VI. 91. 661.		
= guttula F. — Hhn. Germ. II. 28. 130.		
lucidulum Costa Cent. nr. 23. Meapel.		
staphylinus Duf. Gall. m.		
Metopodus Serv.		
Metapodius Westw. — Cim. Drur. — Lyg.		
F. — Diactor Brm. — m.		
ş alatus Brm. Mer.		
= latipes Drur Stoll. f. 14. Lyg. compressipes F		
Diact. compr. Brm. m. — Brs. III. 93. 317.		
= badius m. IX. 258. 997. Brf.		
= elatus Stoll. f. 55.		
Petalops elegans Serv. Can.		
compressipes v. latipes.		
femoratus F. Ind. or.		
fulvitarsus m. IX. 258. — Can.		
= suratus Brm. III. 94. 318. Brf.		
Mezira Serv.		
granulata Serv Gall. m.		
Micrauchenus Serv. — Reduv. F.		

= lineola F.

Can.

Apiomerus morbillos. VI. 104. 674. Para.

Micrelytra Lap. — Serv. — Micrelytrum Ramb. —

Hydrometra F. — Actorus Brm. — VI. 99. t. 213.

A—C.

= fossularum F. — Serv. pl. 5. f. 4. — VI. 101. f. 672.

Alydus apt. Leon. D. Gur. m.

Microdeuterus Dall.

Acanthosoma m.

= megacephalus m.

VIII. 5. 783.

Dall. pl. 10. f. 4.

Morbind.

Microphysa. Westw.

... myrmecobia Märk. Germ. Zeitschr. Grm. V. pg. 262.

= pselaphoides Brm. — Westw. Ann. Soc. Ent. III. pl. 6. f. 3. Grm. IX. 185. 970. pselaphiformis v. pselaphoides.

... testacea m. cf. Anthocoris rufescens Costa.

Grm. IX. 187. -

Micropus Spin. v. Pachymerus decurtatus.

Microvelia Westw. — Serv. v. Hydroessa.

Mictis Leach. — Westw. — Serv. — Lyg. F. — Cerbus Hhn. — Brm.

... affinis m.

Cap. VI. 29. F.

= boerhaviae F. VI. 85. f. 655. Guin. nach Brm. eine Pyrrhocoris.

= crucifera m. VI. 60. f. 622.—? L. profanus F. (Amboin.) Austri.

- dentipes Serv. pl. 4. f. 10.

Jav.

... fuliginosa Klug.

Seneg.

... beros F.

Ind. or.

- phasianus F. R. - Wolff. 69. mas. tristator F.

Gierra L.

== protractus m. IX. Ind. or. ? a... scriptus Brm. Stoll. 161. - = tenebrosus F. - Brm. - Foem. Lyg. fulvicornis F. -Cerbus Hhn. I. 7. 1. - Stoll. t. 190. C. Ind. or. foem, VI, 62, f. 624. e I. 7. f. 1. mas. VI. 22, f. 578. il e ni = tragus F. - Wolff. 188. China. VI. 73. f. 641. = tumidipes F. VI. 54. f. 614. (grossipes im Tert.) 1 min 1 1 1 1 1 1 = umbilicatus F. - t. 190. A. VI. 51. f. 611. China. = valgus L. - F. - Hhn. - Stoll. 52. 53. San I. 14. 7. - VI. 28. 586. Cap. Miris F. — Hhn. — Wolff. — Fll. — Brm. spec. Wolffii quaere sub Capsis. abbreviatus Wolff v. Lopus dolabratus. abietis F. v. Pachymerus. = albidus Hhn. Grm. II. 77. 162. = calcaratus Fll. III. 39. dentata Hhn. Grm. I. 15. 8. 2 calens F. Ind. gen. dub. - caucasica Kol. Rauf. decrepitus F. Dan. cf. Caps. pinastr. dentatus Hhn. v. calcaratus. dolobratus L. v. Lopus. - F. v. Lop. ferrugatus. = erraticus L. - Fll. II. 78. 163. 164. hortorum Wolff 154. to the latter of ferrugatus Fll. v. Lopus. ferus F. v. Nabis.

Germ. III. 41. 256.

== holsatus F.

hortorum Wolff v. erraticus.

= laevigatus L.

Grm. - III. 43. 259.

testaceus Scop.

virens Hhn. (exclus. cit.) II. 79. 165.

- Hhn. v. virens.

lateralis Wolff. — F. v. Lopus dolobr.

= longicornis Fll.

Germ. III. 43. 258.

- Wolff v. Phythoc. ulmi.

marginellus F. v. Caps.

pabulinus F. v. Caps.

pallens F. v. Caps. revestit. pulchellus Hhn. v. ruficornis.

= ruficornis Fll. pulchellus Hhn. II. 119, 200.

Grm. III. 40. -

- Hhn. v. virens.

semiflavus Wolff v. Caps. unifasc.

striatellus Wolff v. Caps.

striatus F. v. Caps.

ulmi F. v. Phytocoris.

vagans F. v. Nabis ferus.

= virens L.

Germ. III. 42, 257.

laevigatus Hhn.

II. 76. 161.

ruficornis Hhn.

II. 135. 220.

- Hhn. v. laevigatus.

Molchina Serv

Lygaeus F. - Pachylis Pert.

... compressicornis F. (Lyg.) Coq. t. 10. f. 10. — Pach. Hopei Pert. del. t. 34. f. 3.

Monalonion m. t. 312. A.

= parviventre m. Brf. IX. 168. 958.

Monanthia Lep. — Serv. — Fieb.

Tingis F. - Fll. etc.

... acuminata m. IV. 63. —

gracilis Fieb.

= albida m.

Grm. IV. 54. 396.

schaefferi Fieb. p. 78. t. 6. f. 31-35.

= ampliata Fieb. t. 5. f. 10. Grm. IV. 62. 397. A. a.

- = angustata Fieb. t. 5. f. 16-18. Grm. IV. 61. 397.
- = angusticollis m. Grm. III. 72. 289. pilosa Fieb. p. 89. t. 8. f. 36. 37.
- auriculata (Catoplatus) Costa nr. 4. t. 3. f. 3. Stal. brunnea Grm. v. Orthosteira. capucina Grm. v. setulosa.
- = cardui L. Fieb. p. 61. t. 5. f. 1-8.

Grm. IV. 61. t. 127. A.

cassidea Fll. v. Ortbosteira.

cervina Grm. v. Orthosteira.

ciliata Fieb. v. reticulata.

convergens Kl. - m. v. humuli.

corticea m. Dtschl. Ins. v. quadrimac.

= costata F. Grm. III. 55. 390. D-G.

- m. v. vesiculifera.

= crispata m. - Fieb. p. 66. t. 5. f. 28-30.

Grm. IV. 72. 399.

- . dentata Fieb. p. 71. t. 6. f. 2-4.
 - = dumetorum m. Fieb. p. 82. t. 7. f. 4-6.

Grm. IV. 57. 391. A-E.

= echii F. - Brm.

rotundata m. Grm. IV. 52. 392. F. G.

- Wolff. - m. v. wolffii. echinopsidis Fieb. v. testacea.

- erosa Fieb. p. 71. t. 6. f. 5-9. Grm.

- fasciata Fieb. p. 84. t. 7. f. 13-16. Grm.

... fracta m. Grm.

- geniculata Fieb. p. 75. t. 6. f. 19-21. Grm.

- gibba Fieb. p. 83. t. 7. f. 7-12. Grm. gracilis m. v. setulosa. 11 11 11 11 - Fieb. v. acuminata. - grisea Grm. - Fieb. p. 64. t. 5. f. 25-27. Grm. = humuli F. - Fieb. t. 7. f. 17. 18. convergens Kl. - m. Grm. IV. 15. 361. - Fall. - Brm. v. wolfii. - liturata Fieb. p. 74. t. 6. f. 16-18. Grm. = lupuli Kunz. - Fieb. p. 85. t. 7. f. 19-21. Grm. IV. 58. 359. Grm. IV. 56, 389. = maculata m. stachydis Fieb. p. 73. t. 6. f. 13-15. = melanocephala Panz 100. 21. - Fieb. p. 77. t. 6. f. 26 - 30. Grm. III. 51. — = nigrina Fll. - Dtschl. Ins. 118. 16. - Fieb. p. 63. t. 5. f. 23. 24. Grm. IV. 62. t. 125. G. obscura m. v. Orthosteira. ... parallela Costa. cent. nr. 123. Reap. ... parvula Fll. - Fieb. p. 66. pilosa Fieb. v. angusticollis. pusilla Fll. m. IV. 24. 373. v. Orthosteira. - Brm. v. Orthost. obscura. = quadrimaculata Wolff. - Fieb. p. 81. t.7. f. 1-3. Grm. IV. 58. t. 125. A. corticea m. Pz. 118. 22. = reticulata m. Grm. III. 72. 288. ciliata Fieb. p. 65. t. 5. f. 31-33. Ramb. - Fieb. p. 90. - ? rotundata m. v. echii. = sacchari F. 2(m. inf. VI. 85. 532.

6 L

scapularis Fieb. v. simplex.

= setulosa Fieb. p. 68. t. 5. f. 31-38. capucina Grm. gracilis m. Dtschl. Ins. 118. 20. = simplex m. IV. 59. scapularis Fieb. p. 80. t. 6. f. 38-40. = sinuata Fieb. p. 60. t. 5. f. 12-15. cardui var. m. t. 127. B. stachydis Fieb. v. maculata. = tabida m. - Fieb. 170. t. 6. f. 1. V. 86, 535. = testacea m. Pz. 118. 23. Grm. echinopsis Fieb. p. 62. t. 5. f. 19-22. -- variolosa (Catoplatus) Costa. cent. nr. 124. t. 3. f. 3. Ital. verna Fll. v. Campylosteira. = vesiculifera Fieb. p. 87. t. 7. f. 25. 26. costata m. IV. 15. 362. = wolffii Fieb. p. 86. t. 7. f. 22-24. echii Wolff. 124. - m. t. 124. c. Fig. 360. humuli Fall. Brm. Mononychus Guér. ... fuscipes Guér. ... laticollis Guer. Reuguin. Mononyx Lap. - Brm. - Serv. Naucoris F. - Desj. Galgulus Lep. IX. 25. t. 291. B-G. = badius m. IX. 27. 894. Mer. ... fuscipes Guer. Rev. Zool. 1843. ... grandicollis Grm. Mm. ... laticollis Guer. ibid. Neuguin. = raninus Kl. Columb. IX. 28. 896. Brf. IX. 27. 895. = raptorius F.

rugosus Desj. Guér. Rev. Erichs. Ber. 1843. p. 79. v. Peltophorus.

= sordidus Grm.

Guin. IX. 26, 893.

... suberosus Erichs. Wiegm. Arch. 1842. Ban Diem. Montina Serv.

Reduv. Lep.

= pungens m. cf. Euagoras.

Brf. VIII. 37. 814.

... sinuosa Lep. Enc.

Brf.

Mormydea Serv. - Dall. v. Pentatoma.

Mozaena Serv.

= lunata Brm.

Mer. VI. 24. 580. 581.

... spinicrus Serv.

Mer. Mer. VI. 26. 582. 583.

= brunnicornis m. = mutica m.

Mer. VI. 52. 612.

Mucanum Serv.

Tesseratoma Enc.

... canaliculatum Lep. Enc.

Jav. Phil.

Mustha Serv. - Dall.

Halys Lef.

Apodiphus Spin.

... serrata F. - L. Mus. Ulr. - S. N. Guin.

= spinosula Lef. - Stoll. 169. 446. Ueg. Grac. serrata Serv. - hellenica Spin.

Myocoris Brm. transact. of the Ent. Soc. 10 Urten. -Hiranetis Spin.

- braconiformis Brm. - Stoll. 147.

= membranaceus Spin. Brf.

VIII. 43. 811.

... nigripes Brm. ... rubrithorax Serv. Bahia.

Myodocha Ltr. - Serv. - m. t. 314. A.

Myodochus Oliv.

= serripes Oliv. - Serv. Seneg. IX. 213. 966.

Myodochus Brm. v. Stenocoris. Myrmus Hhn. v. Corizus. Myrochea Serv. Dichelops m. aerea m. v. Aegius. = comma Thb. Cap. VII. 73. 711. Seneg. ... vittata Serv. Nabis Ltr. - Oliv. - Duf. - Burm. - I. f. 6. - III. t. 83. — VIII. t. 278. A—D. Miris F. - Wolff. = aptera F. - Coq. t. 21. f. 8. - Wolff. f. 200. Grm. .. = brevipenis Hahn III. f. 253. - Scholz. Grm. = brevis Scholz. cinerea Ol. v. ferus. ... dorsalis Duf. pl. 5. f. 55. Gall, m. = ericetorum Scholz. = ferus L. -III. 31, 252. Grm. Miris vagans F. - Wolff, f. 153, - Scholz. Nabis cinerea Oliv. Cim. testaceus Scop. - flavomarginatus Scholz. Grm. ... geniculata Erichs. Wiegm. Arch. 1842. Ban. Diem. guttula Ltr. II. f. 130. v. Metastemma. - longipennis Costa tab. 2. f. 10. Meap. ... punctatus Costa. Meap. subapterus Deg. VI. 679. Aptus apterus Hhn. I. 35, 24. v. Harpactor. vagans B. m. v. ferus. . - viridulus Costa t. 2. f. 11. Calabr. Naeogaeus. Spin. v. Hebrus.

... transvirgatus Serv. Surin.

Namacus Serv.

Naucoris L. etc.	t. 293. A-F.	
	Bombay.	
aestivalis Coq. 1. 38. t. 10. f. 4. F.		
= bipunctulus m. IX.		
= cimicoides L. — Panz. — Sulz.		
	Riel.	
	39. 899. Gall.	
	Um. m.	
	Guin.	
•	Bomb.	
oculata F. v. Galgulus.		
raptoria F. v. Mononyx.		
•		
Neides Ltr. v. Berytus.		
Nematopus Ltr. — Lap. — Brm. —		
-		
Lygaeus F. — Wolff.		
angustatus m. Aspathus.		
bellicosus F. R.	Ufr. aq.	
= brevicornis m. Brf.	IX. 261. 995.	
	ata. VI. 97. —	
- dilatatus F Stoll. 284.	Can.	
elegans Serv. Mag. v. Petalops.		
gallus F Brm. v. indus.		
= indus L F		
gallus F Wolff. 100 Brm.	- Stoll. 73.	
VII.	14. 682. Cap.	
= meleagris F Wolff. 23 Sto	11. 213. 278.	
VI. 79. 650	. Trang. China.	
— nervosus Lap. — Stoll. 255.	Cap.	
= rusicrus Pert. Para. III. 61. 272. VI. 78. 649.		
Nepa L. etc. VIII. 19. t. 255. A-E. 1X. 29. t. 290. G.		

```
annulata F. v. Diplonych.
                              Nage of the second
... annulipes Lap. Silb.
                              Isle de Fr.
 . ? atra L. S. N.
cimicoides L. fn. v. Naucoris.
= cinerea L. fn.
                             VIII. 21. 796. Eur.
fusca L. Mus. L. U. - F.
grandis L. Mus. L. U. v. Belostoma.
... grossa F. - Serv.
linearis L. fn. — Sulz. v. Ranatra.
maculata F.
                            Ind. or.
                       Suin.
  ... nigra F.
    plana Sulz. Gesch. v. Diplon.
  = rubra L. Mus. Ulr. - F. - Stoll. pl. VII. f. V.
                         rotherd Ind. or.
    rustica F. v. Diplonych.
Neuroscia Serv. v. Agonoscelis.
Nezara Serv. v. Rhaphigaster.
Niesthrea Spin. v. Corizus.
Notins Dall.
- depressus Dall. pl. 4. f. 1. Neuholl.
Notocyrtus Hffgg. - Brm. - m. IX. pg. 33. t. 307.
A -- C.
       Saccoderes Spin. - Serv. - Reduv. Pert.
  ... clavipes F. — Brm.
  - inflatus Pert. pl. 34. f. 12. - Serv. pl. 7. f. 1.
                   11 4
                                         Can.
 = sexfoveolatus Spin.
                          Um. m. IX. 124. 944.
  - vesiculosus Pert. pl. 34. f. 11. - Serv. pl. 7. f. 2.
failed the state of the
                                         Braf.
                 15 /hor - col 0101110
Notonecta L. etc.
= americana F.
                             . Um. IX. 44. 902.
... bifasciata Guer.
```

ciliata F.	Ind or.
furcata Coq. v. glauca.	
= glauca L Pz. 3. 20.	
var. furcata Coq. t. 10). f. 2.
- maculata F. Coq.	f. 1. Eur. VIII. 23. 797.
grandis Grm. v. Enithares.	
indica F.	Sumatr.
lutea Müll. Zool. D. 1170	6. Eur.
maculata F. v. glauca.	
marmorea F. cf. glauca.	
= mexicana Am. pl. 8. f.	7. Mer. IX. 43. 903.
minutissima v. Ploa.	
nivea F. — Costa Cent. n.	. 6. v. Anisops.
pallipes F.	Иm.
triangularis Guer.	Ind. or.
undulata Say.	Um. spt.
Nyttum Spin. cf. Homoeocerus.	
Ochetopus Hhn. v. Pygolam	pis.
ochlerus Spin. — m. — VII.	63. t. 236. A. B.
Menipha Serv.	
- brunneus Serv. pl. 12. f	% 1. Brf.
cinctus Spin.	Mer.
= coriaceus Grm.	Columb. VII. 64. 734.
incisus VII. pg. 63. v. Ma	cropygium.
= flavicinctus (Am.)	II. 94. 435. Brf.
= lutosus Grm.	Brf. VII. 65. 735.
obscurus Dall.	Brs.
punctatus Dall.	Columb.
rufoscutatus Hop.	Columb.
= sordidus Grm. — m.	Columb. VII. 65. 736.
Ochterus Ltr. v. Pelogonus	
Odontopus Lap. — Serv.	

```
Pyrrhocoris m.
                    Jav. VI. 27. 585.
  = bicolor m.
                    VI. 77. 647. 3nd. or.
  = coqueberti F.
  ... discoidalis Brm.
... maculicollis Brm, in litt.
                                Ind. or.
                           Manil.
  ... nigripes Brm.
                            Bengal.
... sanguinolens Lap.
... sexpunctatus Lap. Seneg.
                    IX. 178. 969. Bengal.
  = versicolor
Odontoscelis Lap. (Hope et Grm. v. Coreomelas.)
Pachycoris Cost.
      Cimex L. etc.
      Tetyra F.
      Scutellera Ltc.
Ursocoris Hhn.
Arctocoris Grm. — m.
    albipennis Esch. — Grm. v. Coreom.
    basalis Grm. v. Coreomel.
  = dors alis F. - Dall. ' Meg.
      plagiatus Grm. - m.
                     V. 38. 487.
= fuliginosus L.
                     II. 49. 142. Gur.
                           _ _ 144.
      var. dorsalis F.
lituratus F.
                           — — 143.
      carbonaria Tet. Zett. - Fall.
= hirta Costa Ann. Soc. Ent. X. pl. 6. f. 10.
Pachycoris maculiventris Grm. fn.
                       Eur. m. V. 89, 489.
      villosus m.
= lanata F. - Pall. - Stoll. 61.
```

Irochrotus Serv. — Dall. Sibir. V. 39. 490.

lateralis F. v. Coreom.

nitiduloides Wolff. - Grm. v. Coreom.

plagiatus Grm. v. dorsalis. pulicarius Grm. v. Coreom. scarabaeoides Brm. v. Coreomelas. schulzii F. v. Coreom. signatipennis v. Coreom. - silphoides Thb. - Dall. stigma F. - Brm. - Stoll. f. 21. smidtii F. v. Coreom. = tomentosus Grm. Dongola. V. 38. 488. unicolor Grm. v. Coreom. - Pal. v. Coreom. villosus m. v. hirta. vinculatus Grm. v. Coreom. daldorf. Odontotarsus Lap. - Spin. - Serv. Cimex L. - Tetyra F. - Wolff. - Bellocoris Hhn. - Pachycoris Brm. - m. -= caudatus Kl. - productus Spin. Gur. m. VI. 28. 378. ... circumductus Grm. Silb. = grammicus L. - Wolff. 166. - F. C. purpureolin. Rossi Hahn. Eur. m. II. 43. 138. Súbafr. ... obscurus Dall. productus Spin. v. caudatus. Oedancala Serv. = dorsilinea Serv. pl. 12. f. 6. Um. fpt. Ufr. Oncocephalus Kl. - Brm. - Serv. -Reduv. Ross. VIII. 92. t. 282. A-I. Cap. IX. 125. 950. = armipes Grm. Can. ... desiccatus Serv. ... notatus Kl. Meg. - obsoletus Kl. Symb. t. 19, f. 2. Meg.

```
= squalidus Ross. - Costa Cent. I. p. 12. - Klug.
       Symb. t. 19. f. 1. Eur. m. VIII. 93. 861 et 862.
Oncomerus (- is) Lap. - Brm. - Merocoris Burm. olim.
                           VII. 123.
  ... flavicornis Guér. Voy. Coq. pl. 12. f. 2. — Astrol.
       = merianae F. - Stoll. 141. Jav. IV. 81. 411.
Oncoscelis Westw.
-- australasiae Westw. Ent. Tr. II. pl. 2. f. 5.
                              Neuholl.
Ocedosoma Serv.
        Pentatoma Pert. — Cimex Brm.
  -- acroleucum Pert. del. pl. 33. 11.
        (non marginat. m. f. 320.) Brf.
Ophthalmicus Schill. — Brm. — m. — Serv. — Hhn. —
  Salda F. — Lep. — Geocoris Fll. — I. 85. t. 117. A—F.
  = albipennis F. - Fll. - Fieb. t. 10. f. 4. IV. 22. 370.
       megacephalus Cim. Ross.
                                        Eur. m.
 - angulatus Fieb. t. 10. f. 1. - Kol.
        siculus Fieb. foem. t. 9. f. 27. Sicil.
  = ater F. - Schill. - Fieb. t. 10. f. 5.
ent of . I do . I
                              I. 88. 49. 50. Eur.
                         Ind. or.
- colon Fieb. t. 10. f. 2.
  = dispar Waga Ann. Soc. VIII. pl. 18. 1.
                         Polon. VII. 16. 696. 697.
  = erythrocephalus Lep. - Costa. - Fieb. t. 9. f. 24.
                      Eur. m. IV. 23. 371.
       frontalis m.
  - figuratus Serv. pl. 5. f. 9. Seneg.
                             Luzon.
  ... flaviceps Brm.
frontalis Friv. — m. v. erythroceph.
= grylloides L. - Schill. - Fieb. t. 10. f. 7.
```

I. 86. 48. Eur.

lapponicus Zett.	Lapp.
- line ola Costa nr. 138. t. 3. f. 7.	Meap.
— lituratus Fieb. t. 9. f. 25.	Ind. or.
lonicerae Schill. v. Aphanus.	
luridus Fieb. t. 9. f. 23.	Euphrat.
- ochropterus Fieb. t. 9. f. 26.	Ind. or.
pallidipennis Costa. — Duf. — Serv.	Meap.
phaeopterus Grm. m. Silb.	Cap.
— plagiatus Fieb. t. 10. f. 3.	Ind. or.
ruficeps Grm. m. in Silb.	Cap.
siculus Fieb. foem. ad angularis.	
steveni Lep. — Serv.	Gall.
ullrichii Fieb. t. 10. f. 6.	Destr.
Opinus Lap. — Serv.	
Tapeinus Lap.	
Platymeris m. VIII. p. 54. t. 26	7. A—D.
discolor m. v. rubropict.	
discolor m. v. rubropict. = inconspicuus m	57 . 826.
	56. 825.
= inconspicuus m. Jav. VIII.	
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII proximus Serv. = rubropictus Serv.	56. 8 25. Iav.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII proximus Serv. = rubropictus Serv. discolor m. VIII	56. 825. Jav. Jav. 31. 80.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII. proximus Serv. = rubropictus Serv.	56. 825. Fav. Fav. 31. 80. — Brm.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII proximus Serv. = rubropictus Serv. discolor m. VIII	56. 825. Jav. Jav. 31. 80.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII proximus Serv. = rubropictus Serv. discolor m. VIII	56. 825. Fav. Fav. 31. 80. — Brm.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII. proximus Serv. = rubropictus Serv. discolor m. VIII. - rufus Lap. — (Durganda) Serv. pl. 7. f. 3.	56. 825. Fav. Fav. 31. 80. — Brm.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII. proximus Serv. = rubropictus Serv. discolor m. VIII. - rufus Lap. — (Durganda) Serv. pl. 7. f. 3.	56. 825. Fav. Fav. 31. 80. — Brm.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII. proximus Serv. = rubropictus Serv. discolor m. VIII. - rufus Lap. — (Durganda) Serv. pl. 7. f. 3. O plomus Spin. — Dall. Catostyrax Serv. Asopus Brm. Platynopus m.	56. 825. Fav. Fav. 31. 80. — Brm.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII. proximus Serv. = rubropictus Serv. discolor m. VIII. - rufus Lap. — (Durganda) Serv. pl. 7. f. 3. Oplomus Spin. — Dall. Catostyrax Serv. Asopus Brm. Platynopus m. - catena Drur. ins. III. pl. 46. 1. — Serv.	56. 825. Sav. Sav. 31. 80. — Brm. Sava.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII. proximus Serv. = rubropictus Serv. discolor m. VIII. — rufus Lap. — (Durganda) Serv. pl. 7. f. 3. Oplomus Spin. — Dall. Catostyrax Serv. Asopus Brm. Platynopus m. — catena Drur. ins. III. pl. 46. 1. — Serv. quadrimaculata (Pent.) Enc. Brf. IX. 3.	56. 825.
= inconspicuus m. Jav. VIII. = pictus Lap. — Brm. Jav. VIII. proximus Serv. = rubropictus Serv. discolor m. VIII. - rufus Lap. — (Durganda) Serv. pl. 7. f. 3. Oplomus Spin. — Dall. Catostyrax Serv. Asopus Brm. Platynopus m. - catena Drur. ins. III. pl. 46. 1. — Serv.	56. 825.

marginalis Hop. v. ebulinus.
nigripennis Dall. Mer.
pulcher Dall. Mer.
rutilus Dall. Columb.
salamandra Brm. db. Columb.
tripustulatus F. R. Columb.
ventralis Dall. (?)
violaceus Dall. Columb.
Oplomus Spin. — Kl. v. Reduvius VIII. 14.
Opsicoetus Kl. v. Reduvius.
Oriterus Hhn. v. Homoeocerus.
Orthochemis Westw.
(subgenus Holoptili.)
basalis Westw. Huftral.
Orthonotus Westw. v. Capsus.
Orthosteira Fieb. p. 46. t. 3. f. 39-45. t. 4. f. 1-25.
IV. 53. Abth. II.
IV. 53. Abth. II.
IV. 53. 26th. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44.
IV. 53. Abth. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374.
IV. 53. Abth. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4, f. 10. Grm.
IV. 53. Abth. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42.
IV. 53. Abth. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. Grm.
IV. 53. Abth. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. — cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G.
IV. 53. Abth. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. — cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G. IV. 26. 375. Grm.
IV. 53. 26th. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. = cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G. IV. 26. 375. Grm. — cinerea Fieb. t. 4. f. 11—14.
IV. 53. 26th. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. — cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G. IV. 26. 375. Grm. — cinerea Fieb. t. 4. f. 11—14. ? Ac. marg. Wolff. 126.
IV. 53. 26th. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. — cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G. IV. 26. 375. Grm. — cinerea Fieb. t. 4. f. 11—14. ? Ac. marg. Wolff. 126. — gracilis Fieb. t. 4. f. 19—21. Grm.
IV. 53. 26th. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. — cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G. IV. 26. 375. Grm. — cinerea Fieb. t. 4. f. 11—14. ? Ac. marg. Wolff. 126. — gracilis Fieb. t. 4. f. 19—21. — macrophthalma Fieb. t. 4. f. 4—7.
IV. 53. 26th. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. — cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G. IV. 26. 375. Grm. — cinerea Fieb. t. 4. f. 11—14. ? Ac. marg. Wolff. 126. — gracilis Fieb. t. 4. f. 19—21. — macrophthalma Fieb. t. 4. f. 4—7. pusilla m. IV. 24. 373. t. 129. C. F.
IV. 53. 26th. II. Monanthia m. etc. = brunnea Grm. fn. 18. 23. — Fieb. t. 3. f. 43. 44. Grm. IV. 25. 374. — carinata Pz. — Fieb. t. 4. f. 10. — cassidea Fall. — Fieb. t. 3. f. 39—42. Cim. musci Schr. — cervina Grm. — Fieb. t. 4. f. 1—3. t. 129. G. IV. 26. 375. Grm. — cinerea Fieb. t. 4. f. 11—14. ? Ac. marg. Wolff. 126. — gracilis Fieb. t. 4. f. 19—21. — macrophthalma Fieb. t. 4. f. 4—7.

= obscura m. Fieb. t. 4. f. 22-25. IV. 23. 272. ? pusilla Brm. Grm. = platycheila Fieb. t. 4. f. 15-18. Grm. pusilla Fll. - Fieb. t. 4. f. 9. v. macrophth. ? quadricornis (Canthacader) Serv. Oxynotus Lap. — Hop. — Hhn. — Grm. Tetyra F. Podops Brm. V. 36. — VII. 27. Brf. II. 28. 250. = gibbus F. etc. - horridus Grm. - Stoll. 278. Surin. = laceratus m. Brf. III. 108. 334. - monstrosus Grm. - Stoll. 279. Surin. ... trigonus Grm. Oxyrhinus Serv. v. Macropygium. Oxythyreus Westw. ... cylindricornis Westw. Trans. III. pl. 11. f. 7. (?) Pachycoris Brm. — etc. Tetyra F. Scutellera Palis. affinis F. v. arcuata. afra m. v. Zophoessa. angularis Grm. Z. v. guttula. annularis Hop. v. Sphaeroc. annulus. annulus F. - Drur. v. Sphaer. ... apicalis Hop. aquila m. v. klugii. ... arcuatus F. Um. m. = atomarius Grm. Brf. V. 10. 468. attenuata Hop. v. Solenosthed. Dall. aulicus Grm. v. Choerocoris. Columb. ... bigatus Grm. bipunctatus Sturm. - m. v. Macraulax.

boscii Palis. t. 5. B. f. 5. 6. — Coq. — F. caffer Grm. v. guttula.

... castaneus Dall.

Boliv

= chrysorrhoea F.

Carol. V. 6. 460.

circumductus Grm. Silb. v. Odontotars.

... confusa Hop.

fabricii Wolff. - Palis.

= conicus Grm.
cordigera Palis. v. irrorata.
curculionoides m. v. Hotea.

Brf. V. 55. 492.

= deplanatus m.

Brf. IV. 3. 344.

dicbrous Pert. t. 33. 2. Brf. v. Agonosoma. exilis m. v. Homaemus.

- = fabrici L. F. Brm. Benez. III. 27. 240.

 var. decorata Pert. del. t. 33. f. 1.
 - m. v. schusboei.
 - Wolff. Palis. v. confusa.

farctus Grm. v. nitens.

... flavescens Hop.

St. Vinc.

= flavicinctus m. Mer. IV. 8. 351. flavolineatus Grm. v. Agonosoma.

... flavonotatus Dall. (Sphaerocor.)

Congo.

... gambiae Hop.

Gamb.

-- gibbosa Palis. t. 5. B. f. 3. grammicus v. Odontoscelis.

guttula Grm. — m. v. nitens.

Um. spt. IV. 4. 345.

hebraica Palis. t. 7. f. 1.
 hirta Cost. v. Odontoscelis.

= hirtipes m.

Brf. III. 97. 322.

	piperata Hop.	
	illustris F. E	ap.
	impluviatus Grm. v. Sphaeroc.	
=	incarnatus Grm. Brf. V. 9. 40	56 .
	irroratus F. — Grm. v. Symphilus.	
=	klugii Grm. — Brm. — m. 1V. 5. 347. 3	1 8.
	aquila m. 21m. ág. V. 7. 4	63.
• • •	knochii Grm.	3rs.
	lanatus Grm. v. Irochrotus.	
=	leucopterus Grm. Brf. V. 11. 40	6 9 .
	lineatus m. v. Agonosoma flavolin.	
• • •	lineola F. ©	ap.
	lineolatus Dall. Colur	nb.
• • •	linnei Hop.	drs.
	lobata Hop. Bi	1. ?
=	luminosa Grm. Mer. V. 6. 40	61.
	maculiventris Grm. v. Odontoscelis.	
• • •	marginellus Dall.	(?)
=	mexicanus m. Mer. IV. 3. 3	1 3.
- -	nebulosa Palis. t. 5. f. 4.	(?)
	nepalensis m. v. Poecilicoris.	
=	nitens Dall. — Hop.	
	fabricii Wolff. f. 87 Palis. pl. 5. f. 1 et 2.	
	pumila Hop.	
	guttula Grm. — m. IV. 7. 38	50 .
	farctus Grm. St. Do	m.
=	obliquus Grm. Columb. V. 54. 49)1.
=	obscuratus m. 2(m. m. IV. 86. 4)	19.
	obscurus Dall. Cotun	ab.
• • •	ocellatus Kl. — Brm. — Dall.	
	Sphaer. annulus Serv. 2(b)	off.

ornatus Grm. Silb. v. Choerocoris aulicus. parvulus Grm. — m. v. Homaemus. = pinguis Grm. Brf. V. 7. 462. piperitia Hop. v. hirtipes. porosus Grm. v. Zophoessa. pumila Grm. Z. v. guttula. -- punctatissimus Palis. t. 5. f. 3. - Dall. Mer. punctulatus Wied. Grm. v. Hotea. quadrinotatus v. Sphaerocoris. = rubrocinctus m. Mer. IV. 9. 352. - rufilabris Grm. t. 1. f. 2. Natal. = schusboei F. - Grm. - Brm. - fabricii. m. 2(m. m. IV. 6. 349. — ... sticticus Dall. Hondur. stigma Brm. - Stoll. f. 21. v. Odontotars. ... unicolor Dall. (Sphaerocor.) Congo. = variabilis m. - Grm. - Dall. IV. 9. 353. 354. Mer. variegatus Grm. — m. v. Symphilus. virgatus Kl. Grm. v. Agonosoma. ... wolffii F. 2(m. m. ... velutinus Dall. Pachylis Lep. — Brm. — m. — II. 62. A. 92. A-F. Lygaeus F. ... abbreviata Thb. Ind. or. biclavata F. — Brm. v. Spathophorus. ... gigas Kl. - Brm. Mer. hospes Pert. v. Molchina compressic. = laticornis F. Brf. II. 63. 276. 277.

= pharaonis F. - Stoll. etc.. Can. 1X. 259. 987.

Pachymeria Lap. v. Archimerus.

Pachymerus Schill.

inclus. Polyacanthus, Rhyparochromus, Beosus Serv. - Platygaster Schill. = abietis L. - Pz. 99. 22. (Platygaster Schill.) Grm. affinis Schill. I. 139. - v. pictus. = agrestis Fll. sylvaticus Pz. 93. 16. ... albostriatus F. - Brm. Guin. - anomalus Kol. t. 9. f. 14. Rauf. = antennatus Schill. - Pz. 120. 7. - 1. 58. 35. Grm. arenarius Hhn. v. Aphanus rust. ... armipes F. R. (Lyg.) Um. inf. = bidentulus m. Grm. VI. 31. 588. = brevipennis Schill. — Hhn. I. 59. 36. cf. biden-Grm. tulus ... brunnipennis Grm. Silb. Cap. ... ? calidus F. R. 130. (Lyg.) 2(m. m. = chiragra F. - Schill. - Pz. 122. 8. I. 56. 34. var. tibialis Hhn. ... consutus Grm. Silb. = contractus m. Grm. IV. 97. 440. ... crassimanus F. R. (Lyg.) decoratus Hhn. I. 139. 71. v. pictus. = decurtatus (Micropus Gen.) IV. 10. 355. parallelus Costa Ann. Soc. Ent. etc. p. 290. pl. 6. f. 5. a-d. = dilatatus m. Grm. VI. 33. 591. - ditomoides Cost. cent. nr. 150. t. 3. f. 8. = echii F. - Schill. - Pz. 72. 22. I. 137. 70. Cim. carbonarius Rossi. Lyg. aterrimus Wolff. enervis m. VI. 37. 618. v. Aphanus.

```
- erraticus F. (non L.) - Pz. 121. 21. Grm.
= fenestratus m. Sung. IV. 95. 437.
 = ferrugineus L. - (Platygast. Schill.)
                         Grm. II. - 254.
 = fracticollis Schill. (Plociomerus Serv.) I. 66. 40.
Lyg. sylvestris Fll. — L. Grm.
geniculatus Hhn. I. 68. 41. v. nubilus.
 ...? gibbus F. R. (Lyg.) Um. m.
hemipterus Schill. — Scholtz v. pallidipennis.
 ... hirsutulus Schill.
                                        Schles.
 = hirticollis m.
                                         Corf.
... holosericeus Scholtz 1845. p. 53. Schles.
 - ibericus Kol. t. 9. f. 13. (cf. pulcher.) Rauf.
 ... lacertosus Er. Arch. 1842. Ban. Diem.
= luniger Schill. - Pz. 121. 1.
       sylvestris F. — ? sahlbergi Fll. Grm.
= luridus Hhn. Monogr.
      ? sabuleti Fll. - m.
                             IV. 11. 356. Grm.
= luscus F. - Schill.
Wolff. 139.
      L.quadrat. Pz. 92. 11.
= lynceus Schill. - Pz. 118. 10. I. 44. 28.
                                         Grm.
... maculatus (Plociomerus) Serv.
                                        Can.
- maculipennis (Rhypar.) Curt. 1. 612. Ungl.
- marginatus Kolen. (Platygaster).
 = marginepunctatus Schill.
Wolff. 144. — Pz. 118. 7.
griseus Wolff. 107.
pilifrons Fll.
       arenarius F. E. S.
 ... maroccanus F. R. (Lyg.) Marocco.
    modestus Fll. hem. v. Stenogaster basalis.
```

=	nebulosus Fll. — Schill. —	Pz. 121. 7.	111100
		I. 46.	29. Grm.
٠,	. nigroaeneus Erichs. Arch. 18		
	= nitidulus m.	Hung. 1	V. 96. 439.
=	= nubilus Fll. — Pz. 121. 5.		
	geniculatus Hhn.	Grm.	I. 68. 41.
٠.	. oblongus F. R. (Lyg.)		Um. m.
٠.	. oculatus Grm. Silb.		Cap.
=	pallidipennis m.		
	hemipterus Schill.		
			Eur. m.
	pallipes v. Aphanus.		
	parallelus Costa Ann. Soc. Ent.	X. pl. 6.	f. 5. v. de-
	curtatus.		
=	pedestris Pz. 92. 14. — Sch	ill. I. 62.	38. Grm.
	- Fll. v. Aphanus sabulosus.		
***	phoeniceus m. Pz. 118. 15.		Grm
	picipes m.		Turc.
=	= pictus Schill. — Pz. 120. 5.		I. 64. 39.
	podagricus Fll.		
	var.? decoratus.	X. 139.	71. Grm.
	. 00	Lusit. I'	v. 95. 438.
-	pini L. — Schill.		I. 38. 25.
	*		Grm.
=	= plebejus Fll.		
	sylvestris Pz. — Schill.		
			33. Grm.
	podagricus F Fll. v. pictus.		
	= praetextatus m. Pz.		
	- pulcher m. (cf. ibericus Kol.)	IV. 13. 35	8. Eur. m.

Siles.

... pusillus Scholtz.

= quadratus F Schill Pz. 118. 9.
I. 50. 31. Grm.
rhombimacula Costa Cent. nr. 145. Neap-
= rolandri L Pz. 118. 3. Grm.
rufipes Wolff. — Scholtz. v. Aphanus.
rusticus Fll Schill. v. Aphanus.
= sabuleti Hhn Scholtz. Grm. II. 120. 201.
- m. f. 356. v. luridus.
sabulosus Fll Schill I. 224. 117. v. Aphanus.
sahlbergi Fll. cf. luniger.
= saturninus Ross Pz. Grm.
sordidus (Lyg.) F. R. Tranq.
= staphyliniformis Schill Pz. 121. 4. I. 61. 37.
Grm. I. 226. 118.
- subaeneus m. Grm. VI. 36. 594.
= sylvaticus F Schill Pz. 120. I. 221. 115.
? Cim. ferrugineus Scop. Grm.
— Hhn. f. 33. v. plebejus.
= sylvestris L Schill Pz.
plebejus Fll. — Scholtz. Grm.
- F. v. luniger.
tibialis I. 23. 14. v. chiragra.
— tineodes Kl. — Stoll. 146. 13 Brs.
torquatus Erichs. Arch. 1842. Ban. Diem.
= varius Wolff. 123 Schill. I. 69. 42.
bimaculatus Fil. Grm.
= vulgaris Schill. I. 41. 26.
pini Wolff. 71. Grm.
Pachynomus Klug.
· fi brunneus.

— picipes Kl. Symbol. t. 9. f. 9.	Mfr.
Pachytoma Costa v. Capsus.	
Paracoris Hhn. v. Phloea.	
Paryphes Brm.	
Coreus Lep Lyg. F.	
andreae Brm.	Sierr.
diabolicus d'Orb.	lm. m.
fenestratus Brm.	Brf.
humeralis Kl.	Bah.
- lactus F Stoll. 13.	Para.
cinctus (Cor.) Euc.	
— megaera Kl. — Stoll. 130.	Para.
miniaceus d'Orb. voy.	lm. m.
Passaleutus Serv Reduv. Lep. v. Euagoras.	
Pelogonus Ltr. — Lep. — Duf. — Brm. — Acar	nthia et
Ochterus Ltr. IX. 23. t. 290. A-F.	
indicus Guér,	Milgh.
= marginatus Ltr. Eur. m. IX. 2	4. 892.
perboscii Guér. Ca	mpeche.
Peltasticus Dall.	
— punctatus Dall. pl. 6. f. 5.	Súdafr.
Peltophora Brm.	
Scutiphor. Duperr. Guér. Voy Lap.	
= rubromaculata Brm. (foem. cruenta.) III. 10	1. 326.
corallifera Hop. 101.	
picta Leach. — Serv. — Dall.	
Scutiphora picta Guer. — Lap. — Dall.	
Scutell. pedicellata Kirb.	
	lustral.
Peltophorus Guér.	
Naucoris Desj.	

P

Mononyx Guér. Erichs. Ber. 1843. p. 79.
rugosa Desj.
entatoma Palis. — Lep. — Hhn. — m. — Serv. —
Sahlb.
Carpocoris Kol.
Mormidea Sahlb.
= aberrans Grm. — Silb. — Dall.
Cap. VII. 104. 715.
acinorum Grm. I. 105. 769. v. Agonoscelis versicolor.
acroleucum Pert. v. Vulsirea.
adspersa F. R. (Myrochea). VI. 69. 635. Guin.
aegyptiaca. def. v. Schizops.
n ae ola Dall. Neuholl.
aerea m. v. Aegius.
affinis Dall. Qustrl.
— Dall. (Eysarc.)
aggressor F. R. Austri.
aglaeopus Dall. (Mormyd.) Brs.
albopunctata Palis. v. Proox. victor.
? alienata F. R. Guinca.
anchora Thb. Dall. China.
aparines Duf. v. Doryderes margin.
= apicalis m Dall. Cap. VI. 95. 666.
armata Dall. (Mormyd.)
atrox Hop. v. Euschistus.
= baccarum F. etc. Eur. II. 63. 152
verbasci Deg. — Dall.
confusa Westw.
depressa Hop.
baccarum L. sec. Dall. nigricornis autt.
basalis Dall. China.

	bifubula Palis. v. Euschistus.	
	bilimulata Kol. v. eryngii.	
١	? binotata F. R.	Ind. or.
=	binotata Hhn.	Eur. III. 130. 212.
	bison Enc. X. cf. Edessa.	
	bifasciatum m. v. Eurydema.	
=	bipunctatum F.	Eur. m. II. 68. 156.
	boxura Dall.	Am. spt.
	bubalus Lep. v. Dorypleura.	
	bovillus Dall.	M. Philip.
	? calens F. R.	Guin.
١	? calidus F. R.	Sierra.
	camatula Dall.	Neuholl.
	carnifex F. R. — Dall. (E	ysarc.)
	. 10	Um. spt. II. 117. 197.
٠	cephalus Dall.	Jav.
=	cervinum Grm. Silb.	Cap. VII. 99. 764.
=	chilense m.	IX. 322. — Chite.
	? coelebs F.	Uustrl.
	coeruleum v. Arma.	
• • •	collaris Dall. (Mormyd.)	
	Hop. v. Euschist. perditor.	
14.	coloratum (Cim.) Klug.	Umbukoht.
	confusa Westw. v. baccarum.	
-	conjungens Grm. Silb. —	Dall. (Mormyd.) m.
		Cap. VII. 99, 763.
	conspicillaris (Eysarc. Da	
	0	
=	corticinum Grm. Silb. —	Cap. VII. 98. 761.
) 1 (01)(11)
	crenatum F.	Um. spt.
		4.4

* * *	. crossota Dall.	Bengal.
	crocipes Hop. Euschistus.	B archaedtd
=	croceipes m. — Dall. (Mormyd.)	VII. 97. 759. Hondlur.
=	cruciatum F. — Stoll. 157. —	Wolff. 59.
	2	Bengak V. 63. 506.
	cruenta Palis. pl. 10. f. 4.	3113111
1	- cruentum Enc. X. Stoll. f. 113.	alite of the state of Brs.
119	. cubrosa Dall.	Welt 6 ~ Jam.
=	custator F. R. — m. Ca	col. VIII. 106. 771.
	. curtana Dall. (Mormyd.)	11.1 19 71 Sierra.
=	e debellator F. — m. — Dall. (Mormyd.)
	VI	. 63. 625. Westafr.
	decoratum (Eysarc. Dall.)	H. 117, 198. Mer.
	deplanatum f. 633. v. Thelima.	1 /9}(J)
E		n. bor. V. 64. 507.
	•	enholle V. 74. 518.
	depressa Hop. cf. baccarum.	
VIIIT.	didyma Palis. v. Arma.	17 3 11 15 12
==	depressum m.	Cap. VI. 67. 631.
	dimidiatum m. v. Euschist. perdite	
	. discoideus F. R.	
	discolor Palis. v. Canthecona.	
=	dissimile F. — Pz. 33. 13. —	
	prasinus Deg Wolff. f. 49	
• • •	. distactus Dall. (Eysarc.) 1 1 1 1	
	divisum m.	2(fr. V. 62. 504.
	dubia Dall.	
	. dubius Dall. (Eysarc.)	In 1947 Eenass.
		Nov. Cambr.
	. ?? elector F. R.	
	. elongata Dall.	13 let Nordind.
	:k-I	

? emeritus F.	Austrl.
= eryngii Ahr. fn. Pz. 126. 20. II.	59. 148. Eur. m.
- sec. Dall. var. nigricornis.	
bilunulata Kol. Mel. t. 16. f. 35-	—37 .
faceta Grm. Silb. v. variegata.	
? fasciator F. R.	China.
fascifera Pal. v. Euschist. perditor.	
= fimbriatum F. Bengal.	. VII. 102. 768.
= fimbriolatum F. Chi	ina. V. 63. 505.
? flavescens F. R.	Ind. or.
gladiator Palis Enc. v. Arvelius.	
- F. v. hastator.	
goniodes Dall.	Súdafr.
grisea Dall.	Um. spt.
grisea Enc. 54. v. Acanthosoma.	
gutta Dall.	China.
hastator F. — Dall. (Mormyd.)	Sierra.
gladiator et jaculator F.	
birtipes Palis. v. Cydnus.	
guttigerus Thb. — Dall. (Eysarc.)
nepalensis et punctipes Hop.	Ostind.
humeralis Dall. (Eysarc.)	(?)
humersa Dall.	(?)
ictericum L. v. Euschistus.	
impressum Grm. v. Aclia.	
inconspectum Hop. v. Euschistus.	
inconspicuum Dall.	Ś
= inconspicuum m.	Sicil.
in ermis Dall. (Mormyd.)	Honduras.
inflexum Hhn. v. Aelia.	
= intermedium W. 134. Grr	
= irroratum m. Dall. (Mormyd.) M	er. IV. 19. 367.
	44 B M

insularis Dall. (Eysarc.)	Sandwich Ins.
jaculator F. v. hastator.	
janus Enc. X. v. Aspongopus.	
jucundum Kl. Symb.	Alrab. def.
= juniperinum L. etc.	Eur. II. 61. 150.
latipes Dall.	Ind.
= leporinum Panz.	Grm.
linea (Cim.) Klug.	Spr.
lobulatus Ramb. v. lunatus.	
longirostris Dall.	Philip.
= lugens F Wolff. f. 180. 2(1	n. bor. VII. 96. 510.
albipes F.	
punctipes Palis. pl. 8. f. 6.	Um. spt.
= lunatum m. — Dall. (Eysarc.)	Grm. II. 127. 208.
lobulatus Ramb.	
lunula F. v. nigricornis.	
luteicornis Enc. X. — Stoll.	137.
= lynx Pz. 113. 8.	Hung.
maculata Dall. (Mormyd.)	Súbafr.
maculata Dall. (Mormyd.)	Columb.
maculatus Cydn. Wolff 183. cf. c	ruciat.
maculicollis Dall.	Mordind.
marginale m. v. Vulsirea.	
= marginella Hop.	Neuholl.
= melanocephalum (Cydn.) F	- Pz. 25. 24.
	Grm. II, 130. 211
- Wolff. v. perlatum.	1 1 1
miliaris (Cim.) Kl.	Ambuk.
mucronatum Palis Enc. v. Pic	
natalensis Dall. (Eysarc.)	Port Nat.
neglectum v. intermedium.	1 - 11 - 1
nepalensis Hop. v. guttigerus.	0.00010000

= nigricorne F. etc. II. 58, 1	47 et 148.
— sec. Dall. = baccarum L.	
notia Dall.	Meuholl.
= notulatum m Dall. (Mormyd.)	
Meg. VII.	100. 765.
obsoleta Dall.	Java.
orbitalis Hop. v. variegata.	
= ornatulum IV. 93. 664	1. Alegypt.
orthacantha Palis. v. typhoeus.	
pallida Dall.	Nordind.
pallipes Dall.	Neuholl.
parvula Dall.	Ostind.
pavoninum Hop. v. Coryssorhaphis.	
? perditor F. R.	Um. m.
= perlatum Wolff. — Dall. (Eysarc.)	i. 67. 155.
aeneus Scop. — Kol.	
fucatus Ross. nr. 1311.	
melanocephalus Wolff.	Grm
= perspicua F.— Dall. — m.	
St. Thom. IV	. 91. 429.
sexpunctata L. (non cit. a Dall.)	
— persicum Kol.	Perf.
petitii Le Guill. v. Agonoscelis nubil.	
phymatophora Palis. v. Canthecona.	
picea Dall.	huds. Bay.
- Palis. p. v. Antiteuchus.	
= pictum m. Eur. m. III	14. 240.
pilipes Dall.	Florida.
plinthacra Grm. Silb.	Cap.
poecila Stoll. f. 118. — Dall. (Mormyd.)	Nordam.
poecilum Kl. (Cim.)	Urab. des.
- politum Stoll. 194.	Surin.

= prasinum L. etc. Eur. II. 60. 149. ... prominula Dall. (Mormyd.) Columb. ... proxima Dall. Jav. = pugillator F. R. - m. VI. 64. 627. Gierra. = pugnax Grm. Silb. - Dall. (Mormyd.) Cap. VII. 163. 712. ... pulchra Dall. Ditind. punctatus L. v. Arma. -- punctata Palis. pl. 7. f. 6. - Dall. (Mormyd.) -- punctipes Palis. pl. 8. f. 6. - Say. v. Euschistus. - Hop. v. guttigerus. ... punctulatum Hop. (Rhaphig.?) Um. bor. punctulata Palis. pl. 11. f. 9. v. Proox. purpuripennis v. Rhaphigaster. II. 62. 151. == pusillum Pz. 115. 9. Grm. pustulata Palis. v. Euschistus icter. = pyrrhocerus m. . VI. 71. 638. Um. fpt. quadrimaculata Enc. X. v. catena. = regularis m. IX. 322. — Turc. Cur. II. 54. 145. = rufipes L. — Hhn. Tropicoris Dall. rufiventre Grm. Silb. - m. -VII. 96. 757 et 758. Cap. = rufocinctum m. Mer. IV. 94. 436. - rutilans Hop. - Stoll. 122. rutilus F. cf. tetrastigma. = scabricorne m. Brf. II. 98. 762. = scissicolle (cf. Discocephala) Neuholl. VII. 105. 770.

Congo.

... scoruba Dall.

= semivittatum m 21m. fpt. V	VH. 101. 766.
17 maculatum Enc. X. Palis.	Ufr.
sordidum m. v. Euschist. punctipes.	-
= sphacelatum Pz. 134. 17	Grm.
— F. — Wolff. 95. — Ramb. — Kol.	- Dall.
Cim. albipes F.	
— spectabilis Drur. III. 46. 4.	Bras.
spinipes m. v. Prooxys.	
splendida Dall.	Columb.
- stolli Enc Stoll. 229.	
taeniola Dall.	Um. ág.
taprobanensis Dall.	Cent.
tarsatum (Cim.) Kl.	Sinai.
tenebrarium Palis. v. Piezosternum.	
- tessellatum Serv. pl. 3. f. 5.	Brs.
testacea Dall.	Um. mer.
= tetrastigma m.	IX. 322. —
timorensis Hop.	Cent.
= tomentiventre Grm. — Silb. — Dall.	(Morm.)
VII. 103	. 714. Cap.
transversalis m. v. Euschist. perditor.	
= triangulator m. VI. 95. 60	67. Um. m.
trimaculata Hop. v. Dalpada.	
= trinotatum m.	
trisignatum Jav.	VI. 64, 626.
= trisignatum Grm Dall. (Cap.) Jav.	VII. 97. 760.
- m. f. 626. v. trinotatum.	
tristigma m. v. Euschistus.	
= typhoeus F. — Wolff. 174. — Dall. (1	Mormyd.)
VI. 65. 62	8. Um. spt.
orthacantha Palis. pl. 9. f. 9 viti	ripennis Brm.
= varicorne m.	

-- variolare Palis. pl. 10. f. 6. ... variegata Thb. — Dall. orbitalis Hop. facetus Grm. Silb. varius F. v. nigricorne. ... ventralis Dall. Š verbasci Deg. - Dall. v. baccarum. = vernale Wolff. Grm. II. 64. 153. verrucosum Westw. v. Cazira. versicolor F. v. Agonoscelis. acinorum Grm. vesiculosum cf. Strachia. victor v. Proox. ... virgata Dall. Neuholl. violaceum F. - Stoll. 133. v. Rhaphig. ... virens (Cim.) Klug. Sinai. - viridis pensylvanicus Deg. t. 34. f. 5. Pensylv. ... viridicollis Hop. vitripennis Brm. v. typhoeus. wilkinsonii Hop. nigricornis. wolffii Guer. Coq. v. Agonoscel. rutila. yolofa. v. Cathecona. = ypsilon L. - F. - Dall. (Mormyd.) IV. 20. 368. upsilon aeneus Deg. Pephricus Serv. Cimex Sparm. — Coreus F. — Phyllomorphus Brm. - Phyllomorpha Guér. - Westw. ... capicola Westw. ... paradoxus Sparm. Peromatus Serv. - Dall. Edessa Brm.

nodifera Hop.	Brs.
= notatus Kl. (Edess.) Stoll. 128.	11/2
Brf. IV. 17.	363.
validus Dall.	Brs.
Petalochirus Brm. — Palis.	
rubiginosus Pal. pl. 1. f. 2.	Ufr.
variegatus Pal. pl. 1. f. 1.	Ufr.
Petalops Serv.	
Diactor Brm. — Lyg. F.	
azureus Brm. (Diactor.)	Brs.
elatus F Brm. et elegans Serv. Guér. Mug. p	1.27.
Stoll. 55.	Can.
Phatnoma Fieb. IX. t. 311. A. B.	
= laciniata Fieb. IX. 149. 952. In	o. or.
Philia Schioedte v. Calliphara et Callidea.	
Phimodera Grm. —	
Podops Brm. — m. — Tetyra Dalm.	
= galgulina Grm. Eur. m. IV. 29.	379.
humeralis Dalm. Anal Grm. (Suec. Ruff.	m.)
= nodicollis Brm. — Grm. t. 1. f. 7. Bar	naul.
Phlaea Lep. — Serv.	
Phloeocoris Brm.	
Paracoris Hhn.	
Cimex Drur.	
= corticata Drur. — Sulz. Gesch.	
cassidioides Enc.	
paradoxus Hhn. II. 93.	178.
corticinus Brm.	Brs.
longirostris Spin.	Brf.
subquadrata Spin.	Brs.
Phloeocoris v. Phloea.	
Phricodes Spin.	

hystrix Guer. Mag. 1840. pl. 48.	Cap.
Phyllocephala Láp. — Dall	1 ==
Aelia Brm.	
Schyzops Spin.	7 -
Phyllocephala, Dalsira el Schizops	Serv.
— et Basicryptus m. 4	
Edessa F. R.	
= aegyptiaca Lef. — Brm. — Serv.	LEAST
VII. 69. 739. Ueg.	,
albivittis Grm. v. Dalsira.	
antica Dall.	Congo.
congesta Grm. v. senegalensis.	
= costalis Grm. Silb m. VII. 82. 749.	
distans m. v. Diplorhinus furc.	
foveata Dall.	
furcata m. v. Tetroda.	
— gibbosa Dall.	öndafr.
— glandulosa Wolff. 170. — Brm.	
histeroides F. v. Tetroda.	
interrupta (et rugicollis) Hop.	
irrorata Hop.	
juvencus Brm.	Ufr.
	öüdafr.
··· a cut a built	Gamb.
= senegalensis Lap. Seneg. VII. 68	. 741.
congecta arm	a v
signata F. — Dall. strigosa Kl. — Brm.	Gamb.
Phyllocheirus Spin.	,
Heteroscelis Ltr.	
servillei Serv. — Lap.	
Phyllocoris Costa. cim. regn. Neap. Cent. II.	
and it of the contract of the real of the contract of the cont	

cf. Anthocoris albipennis m.
Phyllomorpha Lap. — Serv. etc.
Coreus F. — Wolff.
Syromastes Ltr.
Craspedum Ramb. Hbn. t. 214. A. B.
algirica Guér. Dict. 2019.
capicola Westw. Arc. t. 2. f. 2.
= erinaceus m. Balkan. VI. 107. 673.
lacerata m. Nomel. p. 41. Piemont.
laciniata Vill. Sall. nr.
latreillii Guér. dict. v. Craspedum. — Westw. Arc. t. 2.
f. 3.
— paradoxa Sparrm. — Westw. Arc. t. 2. f. 1. Cap.
— m. v. laciniata.
pellicula Westw. arc. add.
persica Westw. Arc. t. 2. f. 4. Perf.
Phyllonthocheila Fieb. p. 59.
Subgenus Monanthiae.
Phymata Ltr. etc. v. Syrtis.
Phylus Hhn. v. Capsus.
Physatocheila Fieb. v. Monanthia.
Physomerus Brm. — Cimex Drur. — Lyg. F.
= calcar F Wolff. 191. VI. 60. 621. Bengal.
— grossipes F.
? Cim. umbrosus Drur. III. pl. 45. 7. Sav.
terminalis Brm. Qfr.
Physopelta Serv.
affinis Serv. Jav.
erythrocephala Serv. Sav.
Physorhynchus Serv. v. Ectrich.
Phytocoris m. — Meyer.
Capsus autt.
= divergens Meyer. t. 1. f.1. Grm.

... meridionalis m. Nomcl. Gur. m. = populi L. - etc. Meyer. tiliae F. Grm. tiliae F. v. populi. = ulmi L. etc. III. 9. 234. longicornis Wolff. 149. Eur. = ustulatus m. Nmct. Grm. auftr. Picromerus Serv. v. Arma bidens. Piesma Lap. v. Agramma. Piesma Lep. - Serv. v. Zosmenus. quadricorne Lep. v. Cantacader. Piestosoma Lap. — Serv. v. Aradus. Piezogaster Serv. -Cerbus Brm. — m. Archimerus m. ... albonotatus Serv. 2(m. fpt. = squalus Brm. 2(m. fpt. VI. 24. 579. = umbrinus Kl. - Brm. Para. VI. 61. 623. Piezopleura Serv. Reduv. Lep. — Arilus Hhn. — Brm. = angulosa Lep. Enc. - Hhn. Arch. quadr. III. 21. 245. Brf. Piezosternum Serv. — Dall. Pentatoma Palis. — Lep. Edessa F. -- mucronatum Palis, pl. 6. f. 5. - Serv. Brf. vicina Hop. ... subulatum Thb. nov. sp. vacca F. — Coq. 21m. inf. Pilophorus Hhn. v. Capsus. Pirates Serv. - Brm. - m. - III. t. 102, VIII. t. 268. F. G. Reduv. F.

= abdominalis m. Um. spt. VIII. 63. 832.
affinis Serv. (Lestomera). Sav.
- bimaculatus Serv. pl. 7. f. 6. Seneg.
brevipennis Serv. (Catamiarus). Ind.
carinatus F. — Coq. (Rasahus). Um. spt.
ephippiger White in Dieffenb. Trav. II. p. 283.
- fenestratus Klug. Symb. t. 19. 7. Umbuf.
fuliginosus Erichs, Arch. 1842. Ban Diem.
= fulvoguttatus m. VI. 105. 676. Hifp.
- luridus Klug. Symb. t. 9. f. 8. Umbuf.
maculipennis Lepell. — Serv. \mathfrak{Brf} .
= mutillarius F. Mer. VIII. 61. 829.
= picipes m. VIII. 62. 831. Um. spt.
= pictus m. VIII. 63. 827. (?)
quadrimaculatus Serv. Seneg.
= roseus m. Brf. VIII. 61. 830.
rufus Serv. Cap.
= spheginus m. VIII. 61. 828. Brf.
spinipes Serv. (Lestom.) Seneg.
= stridulus F. — III. 89. 313.
Cim. hybridus Scop. Grm.
sulcicollis Serv. (Rasah.) Can.
- ululans Rossi. nr. 1360. t. 7. f. 5. 3tal.
= unicolor m. Hil. 90, 314.
Placosternum Serv. — Dall.
(Edessa F.)
= taurus F. Stoll. IX. 305. 1002. Java, Gilhet.
Platacantha m. VII. 124.
= cerea Grm. Silb. Cap. VII. 124. 750.
lutea Dall. — Hop.
transversalis Hop. Ufr.

Plataspis Westw. Hop. — Scutellera Guér. — Cano-
pus Lap. — Thyreocoris Brm. — Grm.
bucephala White Erichs. Ber. 1841. p. 114. v. Cerato-
coris.
chinensis Dall. China.
caenosa Westw. v. Cantharodes.
cocciformis Hopely. coccinell.
- coceinelloides Lap. pl. 55. 5. Serv. (Thyreoc.)
madagaseariens. Guér. Dict. pl. 72. f. 3. (Platy-
ceph.) e
cocciformis Hop. (Platasp.) Germ. (Thyreoc.)
= deplanatus Eschs. Brm. (Manif.) V. 14. 475.
coracina White Erichs. Ber. 1839. p. 100. v. Hetero-
(1) Crates. july
flaviceps Hop. — Grm. v. Brachypl.
nigrita Hop. v. Thyreoc.
manil.
hemisphericus Hop. — Grm. Brf.?
ufr.
metallicus Grm. (?)
nitens Dall. Nordind.
nitidus Hop. — Grm Ind. or.
nigriventris Hop. v. Brachypl.
papua Guer. Voy. — Grm. v. Brachypl. vahlii.
punctata (Canopus) Leach. — Gray Kingd. pl. 92.2.
Fantee.
rusiceps Dall. 662 1 me 1 con ex Tenass.
scipio White v. Brachypl. compl.
silphoides F., v. Brachypl.
— Brm. v. Brachypl. vahlii.
subaenea Hop. v. Brachypl. with the state of

```
vahlii F.; - Wolff. 90. - v. Brachypl.
subaenea Hop, v. Brachypl.
... variegata Guér. Dict. (Platyceph.). - Dall.
      Thyreoc. punctat. Serv. Westafr.
   xanthogramma White v. Brachypl.
                         Platistus m. t. 168. A-E.
= spiniceps m.
                          V. 72. 517. Brf.
Platycephala Lap. Spin. v. Thyreocoris, Plataspis
 Coptosoma, Brachyplatys.
Platychyria m. IX. f. 745. D.
 = umbrosa Grm. IX. 126. 945. Ufr.
Platy coris: Guér. Coq. Serv.
                          Tan Meuholl.
affinis Dall.
... immarginatus Dalt. Reuholl.
-- rubromarginatus Guér. Coq. pl. 11, f., 16.
                                Neuholl.
Platygaster Hhn. v. Pachymerus.
Platymerus Serv.
- is Lap. - Spin.
                         . e VIII. 29.
biguttata L. - Wolff. 79. - Stoll. 64. Geneg.
                       Jav. VIII. 31. 805.
= discolor m.
Guin.
                         Brf. VIII. 33. 808.
() = formicaria F.
= myrmecodes m.
                      Cuba. VIII. 32. 807.
                    Brf. VIII. 31. 806.
 = rubropicta m.
    umbrosus m. v. Platychiria.
                             on section 9
Asopus m. - Grm.
 = calens Germ. Suin. VII. 117. 709.
= catena Drur. III. 56. 1.
                        Brf. IX. 337. 1008.
                     Mer. IV. 89. 426.
= dichrous m.
leprosus Germ. in Silb. v. Macrorhaphis.
```

= militaris m.	W. IV 990 1004
= rhodomelas m.	
= sanguinipes F.	
Variegatus m. v. Stiretrus.	•
Platynotus Hhn. v. Pyrrhocoris	
•	(2)
• • • • • • • • • • • • • • • • • • •	-(?)
Plea Leach. v. Ploa.	
Ploa Leach. — Brm. — Serv. — IX	
- frontalis Fieb. t. 1. f. 36-3	
- liturata Fieb. t. 2. f. 1-6.	
= minutissima F. (Noton.) -	
Cent. nr. 7.	Eur.
- striola Fieb. t. 2. f. 1-3.	
Plociomerus Say Serv. v. Pa	chymerus Schill. —
Hahn.	
Ploearia Scop. v. Gerris:	
Ploearia Scop. v. Gerris:	T = 0 0 0 0 0 0 0
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv.	3 (1) = T
Ploearia Scop. v. Gerris: domestica Scop. v. Emesodema.	3 (1) = T
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m.	- viii. 35. 809.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m.	- viii. 35. 809.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m.	- viii. 35. 809.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. - m album Serv. pl. 6. f. 8. = guttifer m.	VIII. 35. 809. Brf.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. - m album Serv. pl. 6. f. 8. = guttifer m.	VIII. 35. 809. Brf. Born.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. — m album Serv. pl. 6. f. 8. = guttifer m. mammosus Serv. Ploiaria Ltr. v. Gerris.	VIII. 35. 809. Brf. Born. Brf. VIII. 36. 810. Cap.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. — m album Serv. pl. 6. f. 8. = guttifer m. mammosus Serv. Ploiaria Ltr. v. Gerris.	VIII. 35. 809. Brf. Born. Brf. VIII. 36. 810. Cay.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. — m album Serv. pl. 6. f. 8. = guttifer m. mammosus Serv. Ploiaria Ltr. v. Gerris. Podisus m.	VIII. 35. 809. Brf. Born. Brf. VIII. 36. 810. Cay.
Ploearia Scop. v. Gerris: domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. — m album Serv. pl. 6. f. 8. = guttifer m. mammosus Serv. Ploiaria Ltr. v. Gerris. Podisus m. Asopus et Rhaphigaste Arma Hhn. — Cermatus = albiseptus Grm. (Rhaphigast.	VIII. 35. 809. Brf. Born. Brf. VIII. 36. 810. Cay.
Ploearia Scop. v. Gerris: domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. — m album Serv. pl. 6. f. 8. = guttifer m. mammosus Serv. Ploiaria Ltr. v. Gerris. Podisus m. Asopus et Rhaphigaste Arma Hhn. — Cermatus	VIII. 35. 809. Brf. Born. Brf. VIII. 36. 810. Cay.
Ploearia Scop. v. Gerris: domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. — m album Serv. pl. 6. f. 8. = guttifer m. mammosus Serv. Ploiaria Ltr. v. Gerris. Podisus m. Asopus et Rhaphigaste Arma Hhn. — Cermatus = albiseptus Grm. (Rhaphigast.	VIII. 35. 809. Brf. Born. Brf. VIII. 36. 810. Cay.
Ploearia Scop. v. Gerris. domestica Scop. v. Emesodema. Ploeogaster Serv. Arilus m. = aurantiacus m. — m album Serv. pl. 6. f. 8. = guttifer m. mammosus Serv. Ploiaria Ltr. v. Gerris. Podisus m. Asopus et Rhaphigaste Arma Hhn. — Cermatus = albiseptus Grm. (Rhaphigast.	VIII. 35. 809. Brf. Born. Brf. VIII. 36. 810. Cay. r m. et al. Ius Dall. A in tab.) Brf. IX. 339. 1000. Brf. VII. 115. 781.

OF THE SHAPE SHOPE
= fucosus Grm. Cap. VII. 115. 780.
= luridus F. etc. Eur. 1. 97. 53.
= nummularis Erichs. VII. 114. 776.
Cermatulus nasalis Dall. pl. 2. f. 3.
Aelia Hop. Cat. Neuholl.
= pallipes m. Brf.
= punctipennis m. Mer.
= strigipes m. (?)
= vittipennis m. Brf.
Pododus Serv. v. Sciocoris.
Podops Lap. — Brm. — Grm. V. 44.
Scutellera Palis.
- Brm. v. Oxynotus.
— bispinosus F. E. S. — Dall. V. 45. 496.
C. coarctatus F. E. S. Trang.
cinereus Le Guill. Erichs. Ber. 1841. p. 115.
?lustral.
- curvidens Costa Cent. nr. 99. t. 2. f. 12. Meap.
= dubius Palis. (Scutell.) t. 5. f. 6. V. 41. 495.
26 1
Tet. cinctipes Say. Um. bor.
Tet. cinctipes Say. fibulatus Grm. — Dall. Gap. — Seneg.
fibulatus Grm. — Dall.
100. Concerped Say
fibulatus Grm. — Dall.
fibulatus Grm. — Dall. — Cap. — Seneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. = inunctus F. — Pz. 36. 24. — Wolff. 5. — Eur.
fibulatus Grm. — Dall. — Cap. — Seneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. = inunctus F. — Pz. 36. 24. — Wolff. 5. — Eur. tangirus Grm. Zts. — siculus Cost. Ann Soc. X.
fibulatus Grm. — Dall. Gap. — Seneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. = inunctus F. — Pz. 36. 24. — Wolff. 5. Gur. tangirus Grm. Zts. — siculus Cost. Ann Soc. X.
fibulatus Grm. — Dall. — Eap. — Seneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. = inunctus F. — Pz. 36. 24. — Wolff. 5. — Eur. tangirus Grm. Zts. — siculus Cost. Ann Soc. X. pl. 6. f. 8.
fibulatus Grm. — Dall. — Cap. — Seneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. inunctus F. — Pz. 36. 24. — Wolff. 5. — Cur. tangirus Grm. Zts. — siculus Cost. Ann Soc. X. pl. 6. f. 8. — Eur. laceratus m. v. Oxynotus.
fibulatus Grm. — Dall. — Gap. — Geneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. = inunctus F. — Pz. 36. 24. — Wolff. 5. — Gur. tangirus Grm. Zts. — siculus Cost. Ann Soc. X. pl. 6. f. 8. — Gur. laceratus m. v. Oxynotus lapponicus Zett. Grm. — Lapponicus Zett. Grm. — Capp luridus Brm. act. leop. — Grm. — Dall. — China.
fibulatus Grm. — Dall. — Cap. — Seneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. = inunctus F. — Pz. 36. 24. — Wolff. 5. — Cur. tangirus Grm. Zts. — siculus Cost. Ann Soc. X. pl. 6. f. 8. — Eur. laceratus m. v. Oxynotus lapponicus Zett. Grm. — Capp luridus Brm. act. leop. — Grm. — Dall. — China. ? neglectus Rossi. — Grm. — Stal.
fibulatus Grm. — Dall. — Cap. — Seneg. galgulinus m. v. Phimodera. gibbus Burm. v. Oxynotus. = inunctus F. — Pz. 36. 24. — Wolff. 5. — Cur. tangirus Grm. Zts. — siculus Cost. Ann Soc. X. pl. 6. f. 8. — Gur. laceratus m. v. Oxynotus lapponicus Zett. Grm. — Lapp luridus Brm. act. leop. — Grm. — Dall. — China. ? neglectus Rossi. — Grm. — Stal.

pallipes Dall.	Sierra
rudis Grm. Zts. — Dall.	Neuhol
siculus Costa ann. Soc. ent. X. I	ol. 6. f. 8. v. inunctus
spinifer Hop.	Benga
tangirus F Grm. v. inunct.	
oechilochroma White trans. III. 8	4. v. Poecilocoris
oecilometis Dall. — Halys Brm.	
apicalis Hop.	Neuholl
= australasiae Don. Souths. pl.	3. f. 6. — Brm.
	V. 76. 521
flavopunctata Guér. Coq. pl.	11. f. 17. Neuholi
gravis F. — Hop.	Neuholl
lineatus Hop.	Neuholl
- strigatus Hop Dall. pl. 5.	· ·
oecilocoris Dall. Ent. Trans. 1848	· ·
Cimex F. E. S. — Tetyr	a F. S. R. — Scu
tellera Brm. — Grm. —	
chroma White Ent. Trans	
childrenii White Mag. et Ent.	
0	Nepal
dives Guer. Ic Dall.	Jav
- druraei Linn. Mant Drur.	
F Brm Grm Stoll.	
- Dall. Ent. Tr. V. v. obsolet.	
= hardwickii Hop Grm 1	Dall. Ent. Tr. V. 107
pl. 13. f. 8.	IV
nepalensis HS. 339.	Nepal.
= interruptus Hop. — Grm. V.	
- latus Dall. Ent. Tr. V. 101. 1.	
- longirostris Dall. Ent. Tr. V.	
nepalensis HS. v. hardtwickii.	2
obegus Dell p. 13	Mam

P

- obsoletus Dall. Ent. tr. 1848. druraei Dall.	Ent. Tr
V. 103. 4. pl. 13. f. 16.	Ind. or.
ornatus Dall. p. 15.	Mordind.
pinguis Grm. in Silb.	Cap.
- pulcher Dall. Ent. Tr. V. 105. 6. pl. 13.	f. 7.
	Malabar.
purpurascens Hop. — Grm. — Dall.	Repal.
rufigenis Dall. p. 14.	Uffam.
Poecilosoma.	
Poecilotoma Dall.	
centrolineata Hop.	Neuholl.
- grandicornis Dall. pl. 6. f. 2. Erichs. A	rch.
— spinosa Dall. pl. 6. f. 1.	Neuholl.
Polyacanthus Lap. — Serv. v. Pachymerus	/
Polymerus Hhn. v. Capsus.	•
Ponerobia Serv.	
rubronotata Serv.	Can.
Pothea Serv.	Chyv
Reduv. Lep.	
frontalis Lep. Enc.	Can.
mantalia Ion Fra	Can
Prionaca Dall.	eny.
lata Dall.	Silh.
	Only.
Prionotus Lap. — Serv. — Reduv. F. — Lep. — Arilus Hhn.	
= cristatus L,	
Cim. carinat. Drur. II. 36. 6.	1 99 90
Red. serrat. F. — Lep. Enc. — Hhn.	
Stoll. f. 6.	Brf.
Prismatocerus Serv.	
Spartocerus Brm. t. 205.	

- auritulus Serv. pl. 4. f. 3.

0

Seneg.

Brf. VI. 75, 643. = laticornis m. Pristhesancus Serv. Redur. Boisd. -- doricus Boisd. Astrol. pl. 2. f. 22. Nov. Guin. Pristevarma v. Ectinoderus. Probaenops White Trans, III. p. 84. - Erichs. Ber. 1842. p. 121. — Dall. ... dromedarius White. Prolobodes Serv. Synops. im Terte: Lobostoma. - Dall. Cydnus Brm. - giganteus Brm. - Serv. pl. 2. f. 6. Prooxys Spin. - Dall. - Serv. VII. 107. Cimex F. crenatus Serv. v. hastator. - delirator F. - Serv. pl. 3. f. 7. ... hastator F. crenatus Serv. -- punctulata Pal. pl. 11. f. 9. Columb. cepi Dall. Um. m.? VII. 94. 772. = spiniger m. cf. delirator. = victor F. - Stoll. 159. albopunctata Palis. pl. 9. f. 8. IV. 21. 369. 2(m. m. Prostemma Lap. etc. v. Metastemma. Psacasta Grm. - m. Tetyra F. — Brm. — etc. V. 46. Ventocoris Hhn. afra m. v. Zophoessa. - anthriboides Grm. - Wolff. 167. (cerinthe). Ufr.

= cerinthe F. — Grm. Z. — nigra Grm. Z. — m. Ufr. V. 47. 498. ... conspersa Grm. Ruff. m. = galii Wolff 91. - Grm. Gur. m. IV. 27. 376. nigra Grm. v. cerinthe. = neglecta m. Sung. IV. 27. 377. nodicollis Brm. v. Phimodera. = pedemontana F. — Hhn. II. 37. 134. allionii L. exanthematicus Scop. carn. Eur. = tuberculata F. - Rossi. - Pz. 35. 21. - m. V. 46. — Eur. m. Pseudophloeus Brm. Coreus Schill. Atractus Curt. Arenocoris Hhn.

dalmanni Schill, v. Atractus.

fallenii Schill, v. Coreus.

lituratus Curt. pl. 500. v. Atractus. lobatus v. Atractus.

... genei Costa cent. nr. 128. obscurus v. Coreus.

Pterotmetus Serv. v. Pachymerus m.

Ptilocerus Gray v. Ptilocnemus. Ptilocuemus Westw. - Serv.

... affinis

Java.

... fuscus

Mepal.

-- lemur Westw. trans. II. pl. 22. 7.

Hustral.

Ptilomera Serv.

Gerris Hardw.

IX. 65. t. 305.

- laticauda Hardw. Serv. pl. 8. f. 3.

Java. IX. 65. 940.

```
Pycanum Serv. — Dall.
      Eusthenes Hop.
   Edessa F.
Tesseratoma Lep.
      Aspongopus Brm. — m.
= amethystinum F.
       Tesser. alternata Enc. Java. IV. 85. 417.
= jaspideum m. -? Stoll. f. 29.
                                      Java.
       cf. Edessa rubens F. 2(ffam. IX. 308. 1009.
 ... laticollis Hop.
                                       Nava.
Pygoda Serv.
       Pentatoma Lep.
       Edessa Brm.
 - ? acantharis Sulz. Gesch.
                                    2(m. m.
  ...? brunnipes F.
                                     Um. m.
 — dolichocera Brm. Stoll. f. 208.
 = elegans m.
                           Brf. IV. 18. f. 365.
  ... haematopoda Brm.
  ... miniata (Edessa) Hop.
       cf. scutellata.
 nervosa Brm. Stoll. f. 174. v. polita.
  = nigridens F.
                          Brf. VII. 128. f. 775.
 - polita Lep. (nervosa Brm.) Stoll. 174. Braf.
 = scutellata m. Cay. V. 101. f. 552.
  = serrata m.
Pygolawpis Grm. — Brm. — Serv. — m. VIII. p. 850. —
  L. t. 28, f. 92.
       Gerris F. - Fll.
       Ochetopus Hhn.
 = denticulata F. sp. - Rossi fu.
```

Och. spinicollis Hhn. I. 177. 92.

bifurcata Grm. fn. 8. 22. ... foem. pallipes F. - Serv. Grm. VIII. 92. 860. Pygoplatys Dall. ... acutus Dall. (;) ... validus Dall. p. 11. f. 1. (?) Pyrrhocoris Fall. - Brm. Cimex L. Lygaeus F. - Wolff. Platynotus Schill. - Hhn. Astemma Brull. = aegyptius L. II. 101. 21. italicus Rossi. - Pz. 118. 14. Gur. m. annulus v. Dysdercus. Eur. I. 19. 11. = apterus L. etc. bicolor m. v. Odontopus. carnifex v. Dysdercus. Ufr. ag. VIII. 102. 871. = clavimanus F. coqueberti v. Odontopus. discoidalis Brm. v. Odontopus. = forsteri F. Cap. VIII. 102. 872. hacmatideus Hhn. v. Leptocoris. königii v. Dysdercus. nigripes Brm. v. Odontopus. obliquus v. Dysderc. poecilus m. v. Dysd. pvrrhomelas m. v. Dysd. scutellaris m. v. Dysdercus carnifex. solenis Esch. v. Dysd.

Cap.

suturellus F. v. Dysd.

- orbicularis Serv. pl. 12. f. 13.

Rachava Serv.

Ranatra F. IX. 30. t. 290. H-M. VIII. 21. t. 255. F-K. II. 29. t. 42.

= elongata F.

IX. t. 290. J. Tranqueb.

= filiformis F.

IX. t. 290. H. Tranqueb.

= linearis L. IX. t. 290. M. - II. 30. 131. Gur.

= macrophthalma m. IX. t. 290. K. Ind. or.?

= nigra m.

1X. t. 290. M. 2(m. spt.

Rasahus Serv. (olim Pirates).

Reduv. F. etc.

-- carinatus F. — Coq. t. 10. f. 15.

Um. spt.

... sulcicollis Serv.

Cay.

Reduvius Serv. VIII. p. 40. t. 262. E-J.

acantharis L. - F. - Wolff 115.

Um. inf.

vielleicht zu Yolinus Serv. oder Helonotus.

aegyptius F. v. Harpact. Wolff 80.

albipes F. die Beschreibung paßt zu keiner europ. Art; wohl ein Harpactor.

albomarginatus F. v. Ectrichotes.

amoenus Guér. Ic. v. Eulyes.

- Lep. Enc. v. Sphaeridops.

analis Pal. pl. 2. f. 34. v. Ectrichodia hirticornis.

angulatus Lep. Enc. v. Arilus.

angulosus Lep. Enc. v. Piezopleurus.

annulatus F. v. Harp. Wolff 78.

apterus Wolff 200. v. Nabis subapterus.

apterus F. v. I. 36. non Nabis subapt. sondern Wolff 200. Harpact. pedestris. Brm.

armillatus Lep. Enc. v. Diplodus.

ater Lep. Enc. v. Spiniger.

barbicornis F. v. Physorhynchus.

? bicolor F.

Alfr. ag.

bifidus F. Donov. v. Arilus.

biguttatus F. v. Platymerus Wolff. 79. binotatus Lep. Enc. v. Heza.

? bipunctatus F.

Ind. or.

bipustulatus F. cf. Harpactor.

brasiliensis Lep. v. Diplodus.

carinatus F. v. Rasahus Coq. pl. 10. f. 15.

chirargra F. v. Pirat.

cinctus F. v. Harpact.

clavipes F. cf. Notocyrt.

coracinus Lep. Euc. v. Harpact.

cordatus Wolff 157. v. Pirates.

crassipes F. v. Apiomerus.

crinipes F. v. Trichoscelis.

cruciatus Lep. v. Physorhynch. crux.

...? cruciger F.

Guin.

crudelis F. v. Echtrichotes.

cruentus F. v. Harpact. Wolff 38.

cylindripes F. v. Apiom.

dorsalis F. cf. Acanthaspis.

— Gray anim. K. pl. 91. 12. v. Notocyrtus. dorycus Boisd. Astrol. pl. 2. f. 22. v. Pristhesancus. eburneus Enc. v. Spiniger.

...? elegans F.

Buin.

elongatus Lep. Enc. v. Isocondylus.
erythrocephalus Wolff. 120. v. Ectrychotes.
fasciatus Palis. v. Harpactor.

...?flavicans F.

C ...

...?flavipes F.

2fm. m

tlavovarius Hhn. v. Acanthaspis sexgutt. formicarius F. v. Platymerus.

frontalis Lep. Enc. v. Pothea.

furcifer Hag. v. Arilus.

...? fuscipes F.

Ind. or.

geniculatus Lep. Enc. v. Passaleucus.

gibbus F. cf. Notocyrt.

gigas F. v. Conorhinus.

griseus Rossi F. v. Harpactor.

- m. Nomel. v. Harpact. pedest.

guttula F. v. Prostemma.

haematogaster Brm. Act. L. v. Ectrichotes.

haemorrhoidalis F. v. Harpactor.

hamatus F. v. Rahasus. cf. mutillar.

heros F. v. Arilus.

hirticornis F. v. Ectrichotes.

hirtipes F. v. Apiomerus.

- Deg. v. Apiomerus.

inflatus Pert. v. Notocyrtus.

iracundus F. v. Harp. Rossi. — Scop. — Schrk. v. cruentus.

lanipes F. v. Apiom.

lepturoides Wolff 150. v. Pirates.

...? leucocephalus F.

Guin.

limbatus Lep. Enc. v. Spiniger.

lineola F. v. Micrauchena.

Can.

... ? litura F. cf. Reduv. myrmecodes. longicollis Lep. Enc. v. Sycanus.

lugens F. v. Echtrichot.

lunatus F. v. Beharus.

luridus Klug. v. Pirates.

maculatus F. v. Ectrichotes.

maculipennis Lep. Enc. v. Pirates.

marginatus F. v. Harpactor.

marginellus F. v. Harpactor.

maurus F. v. Holotrichius. ...? miltosoma d'Orb. Voy. 2(m. m. minutus F. cf. Anthocoris. morbillosus F. v. Micrauch. mutillarius F. v. Pirates. = nebulosus Kl. Symb. t. 19. f. 5. Meg. = nigricans Kl. Symb. tab. 19. f. 6. Meg. nigripennis F. v. Ectrich. cf. bicolor. nigripes F. v. Apiom. nitidulus F. cf. Ectrich. nycthemerus Ill. v. Hammatoc. ... ? obsoletus d'Orb. Voy. Patag. - pallipes Kl. Symb. t. 19. f. 3. Ufr. pedestris Wolff 199. v. Harpact. = personatus F. - Wolff 16. Gur. H. 17. 125. pictus Kl. Symb. v. Arilus. pilicornis F. v. Ectrichotes. pilipes F. v. Apiom. plumicornis Grm. v. Oncocephalus squalidus. productus Hag v. Cimbus. pulchellus Lep. Enc. v. Euagoras. - Klug. v. Harp. pulcher v. Hov. v. Arilus. punctum F. cf. Pirates. ... ? pustula F. Geneg. ... ? quadridens F. Ufr. ag. quadriguttatus F. cf. Pirates. quadrinotatus F. cf. Pirates.

quiquespinosus Wolff 39. v. Tetroxia.

rubricus Grm. fn. v. Harp. cruentus

Buin.

rubidus Lep. v. Euagor.

...? rufipennis F.

rufipes F. v. Trichoscelis. sanctus F. Wolff 77. Stoll. 62. v. Pirat. sanguineus Rossi v. Prostemma Buessii. ? — F. gen. incerti. sanguinolentus Wolff 160. v. Harp. ...? scutellaris F. Can. serratus F. v. Prionotus. ...? serripes F. Am. m. sexguttatus F. v. Acanthaspis. sexspinosus Wolff 118. Sinea subarmata.. sinuosus Lep. Enc. v. Montina. spinidorsis Gray anim. K. v. Spiniger. squalidus Rossi Wolff 117. v. Oncoceph. stollii Enc. v. Heniartus. stria F. v. Micrauchenum. stridulus F. Rossi Wolff 119, v. Pirates. subapterus Fall. Deg. II. 25. v. Harpact. pedestr. -- tabidus Kl. Symb. t. 19. f. 4. Heg. thoracicus Enc. v. Spiniger. tibialis F. v. Harpactor. tuberculatus Guér. Voy. pl. 12. f. 17. v. Arilus. ululans Rossi Wolff 116. v. Pirates. umboniferus Hagb. v. Arilus. unifasciatus Wolff 158. v. Platymeris. variegatus Lep. Enc. v. Petalocheirus. ...? varius F. ventralis Lep. Enc. v. Pothea. vesiculosus Pert. v. Notocyrtus. villosus F. cher Harp. pedestr. als aegyptus. Resthenia Spin. ... scutata Spin. Brf. Rhabdocoris Klti.

arcuata Klti. 31. t. 8. f. 1.	Rauk.
Rhaphidisoma Serv.	
Lophocephala Brm.	
- burmeisteri Serv. pl. 12. f. 1.	Cap.
Rhaphigaster Lap m Kol et Neze	ara Serv.
Edessa F.	
abdominalis Hop.	Um. m.
acutus Dall.	Sierra.
alliacea Grm. v. purpureipennis.	
amyoti Dall.	Reufeel.
anticus Dall.	(?)
apicalis Dall.	Nordind.
armatus Dall.	deusübwal.
atomarius F. v. griseus.	
capicola Dall.	Cap.
== bicinctus Grm. Silb. Cap. VIII	i. 9. 785.
carrenoi le Guill. Rev. cf. Edessa punctum.	
catinus Dall.	Canada.
cinctus F. R.	Ind. or.
concinnus Dall.	;
	Um. aq.
discolor Dall.	Columb.
flavolineatus Hop.	Jav.
virescens Serv.	
flavovarius Dall.	Mordind.
fulvescens Dall.	(.)
geniculatus Dall. — Amyot. (aschoenia)	
= griseus F Pz. 33. 19 Wolff. f. 56	Enc.
Ramb. — Kol.	
stigmatica Palis. — atomarius F.	
punctipennis Brm. — Serv. — guildanii Hop.	Eur. m.

guinensis F. R. — Dall.	(?)
humeralis Dall.	Silhet.
= impluviatus Grm.	Cap. VIII. 9. 784.
lituratus Kl. v. purpureipennis.	0.000
? longitudinalis Hop.	Austrl.
= loriventris Grm.	Cap. VIII. 8. 782.
luteus Hop.	Cap.
= lythrodes Grm.	Cap. VIII. 10. 787.
macracanthus Dall.	Mordind.
macula Dall.	(?)
maculiventris Dall.	Westafr.
marginatus Pal.? pl. 10. f.	. 1 Serv.? Um. aq.
naspirus Dall.	Ufr.
mensor Grm. Silb. m. v. Mecon	soma.
monsoni Hop.	Cap.
neglectus Hop.	Eur.?
nigripes F. v. Catacanth.	
pallescens Grm.	Cap. VIII. 11. —
pallipes Dall.	<u>;</u>
parnisus Dall.	(?)
parvulus Dall.	(?)
poecilus Dall.	Súdafr.
= prasinus L Dall.	A STREET, STRE
torquatus F. — H. S. No	omel. IV. 100. 447.
viridissimus Wolff. f. 52.	
flavicollis Palis. pl. 11. f.	4.
smaragdulus F. — HS. N	omel. — Kolen.
viridulus L. — F.	9 - 2 - 4 1 1
hemichloris Grm. Silb.	Gur. Ufia. Ufrika.
prunasis Dall.	Cong.
punctipennis Fll. v. grisens.	Cong.

punctulatus Hop.	Um. bor.
= purpurcipennis Deg. — Ramb.	II. 62. 151.
incarnatus Grm. fn. 4. 23. —	Kol.
alliaceus Grm. fn. 9. 14.	
lituratus Brm.	
rinapsus Dall.	Sierra.
rugiventris Grm.	Zap. VIII. 11. —
runapsis Dall.	Guanaq.
sarpinus Dall.	Um. bor.
sparnius Dall.	Jam.
sparsus Grm. v. Anischys.	
spinosus Dall.	Philip.
spirans F. — Dall.	Mer.
sticticus Dall.	An. ga.
stigmaticus Palis. pl. 9. f. 3.	ş
subsericeus Hop. — Dall.	
chinensis Hop.	
? smaragdulus Wolff. 63.	
transversalis Hop.	Ufr. int.
validus Drur.	
tarandus F.	Afr. int.
varipennis Hop.	Ind. Jav.
varicornis Dall.	Sierra.
= violaceus F Stoll. 183.	Brs. IV. 89. 425.
virescens Hop.	Java.
Rhopalimorpha White. — Dall.	
obscura White Zool. Terror. et E	reb. Neuseel.
Rhynarius Hhn. v. Anthocoris.	
Rhynchocoris Westw. — Serv.	
(Edessa F.)	
Acanthosoma Brm.	1111111
aggressor F.	Ind. or.

australis Hop. Huftri.
defensor F. Unftrl.
hamata F. v. humeral.
humeralis Thb. — Dall.
hamata F. Brm. Dffind.
inquinata Hop.
ligata Erichs. Arch. VIII. 1. 275.
roei Hop. Swan Riv.
serratus Don. Ind. pl. 8. f. 2. — Serv. pl. 3. f. 2.
Java.
thoracica Hop. Meuholl.
unimaculata Hop. Meuholl.
Rhynocoris Hhn. v. Harpactor.
Rhyparochromus Serv. v. Pachymerus.
Saccoderes v. Notocyrtus.
Sachana Serv.
Ceriplatus White.
depressa White depressa White.
Saica Serv.
= rubella Serv. Cap.
Salda F. — Brm. — Serv.
Lygaeus F. — Wolff.
Acanthia Ltr. II. t. 55. — IX. t. 308, A—D.
albipennis F. v. Ophthalmicus.
atra F. v. Ophth.
— bicolor Costa t. 2. f. 7. Meap.
campestris F. cf. Anthocoris nemor.
•
= cincta m. Eur. VI. 41. 598.
= cincta m. Eur. VI. 41. 598.
= cincta m. Eur. VI. 41. 598. clavipes F. cf. Pachymerus. coriacea F. cf. saltatoria. = elegantula Fall. Eur. II. 84. 168.
= cincta m. Eur. VI. 41. 598. clavipes F. cf. Pachymerus. coriacea F. cf. saltatoria.

flaviceps Brm. v. Ophth. flavipes F. v. Sciodopterus. grylloides L. - F. v. Ophth. ... lateralis Fll. cf. cincta. = littoralis L. - Costa. - Wolff. 84. · VI. 41. 599. Acanth. maculata Ltr. A. zosterae F. - Ltr. - Fil. Grm. = luteipes m. Grm. VI. 40. 597. ? maculata F. Tranqueb. = marginella Fll. Grm. IX. 130. 943. nemoralis F. cf. Anthocoris austriaca. ocellata Costa t. 2. f. 5. v. pallipes. orsiniana Costa in litt. v. Ophthalmicus erythroceph. = pallipes F. - Costa t. 2. f. 7. VI. 43. 600. Grm. ocellata Cost. ... pilosa Fll. — Grm. fn. Grm. pratensis F. cf. Anthoc. austriaca. = pulchella Curt. Ungl. IX. 131. 947. _a = riparia F. — Costa t. 2. f. 4. II. 82. 166. variabilis m. Nomcl. II. 83, 167, = saltatoria F. ? coriacea F. S. R. n. 8. Grm. serratulae F. cf. Anthoc. austr. ... striata F. Cim. alpinus Scop. cf. pallipes. sylvestris F. cf. Anthoc. austr.

zosterae F. v. littoralis. Saliavata Serv. m. t. 306. K.

- variegata Serv. pl. 6. f. 6. Sastragala Serv.

variabilis m. Nomel. v. riparia.

= ferrugator L. F. etc. Grm. II. 72. 159.

bispinus Pz. 26. 23. — Wolff. 8. —	Fall. etc.
uniguttata Donov.	Ind. or.
Sastrapada Serv.	
flava Serv.	Jav.
— subspinosa Serv. pl. 7. f. 9.	Seneg.
Sava Serv.	1
coronata Serv.	Can.
Scaptocoris Pert Brm Serv.	
castaneus Perty. del. t. 33. f. 5.	Brs
Brf. IX.	341. 1003.
Schismatops Dall.	
— obscurus Dall.	Westafr.
Schizops Spin.	
Pentatoma Lef.	
Aelia Brm.	
Phyllocephalla m.	
= aegyptiaca Lef. 21eg. V	II. 69. 7 39.
Sciocoris Fall.	
= aradiformis Grm. ?	V. 71. 516.
atomarius Dall.	Súdafr.
ater Dall.	Sierra.
boris Dall.	3
conspurcatus Klug. Symb.	Heg.
cribrosus Klug. Symb.	Urab. def.
= ellipticus m. Sibir.	V. 79. 524.
europaeus Serv.	Eur. m.
humeralis Dall.	Neuholl.
indicus Dall.	Mordind.
= leucogrammus Grm. Silb Cap. VI	II. 88. 756.
= longulus Grm. Silb. — m. Cap. VI	I. 86. 753.
marginatus Brm. v. Doryderes.	
nigriventris Grm. Silb.	Cap.

marmoreus Brm. v. Discocephala.	
morio Dall.	Gamb.
obscurus Dall.	Ban Diem.
orbicularis Brm. v. Pododus.	
ovulus Dall.	Ufr. ?
nercivus Dall.	Ś
pallens Klug. Symb.	Merandr.
pallidus Dall.	Subafr.
philippinensis Dall.	Philip.
= planus F. Sú	dafr. V. 75. 519.
= — m.	ap. VII. 87. 755.
promus Dall.	Reuholl.
tibialis Dall.	Congo.
umbraculatus Brm. v. Discocephala.	
= umbrinus Wolff Pz. 93. 15.	— Fall. etc.
	I. 195. 100.
varicornis Dall.	Ostind.
= ventralis Grm. Silb m. @	ap. VII. 87. 754.
vittatus Dall.	Ufr.?
Sciodopterus Serv.	
Salda F.	
flavipes F.	Gall.
Scutellera Dall. v. Calliphara.	
fasciata, morgani, nobilis et ol	blonga.
- Lam Hop. v. Graphoso	ma.
- Brm. v. Tectocoris, Coeloglossa	et Calliphara.
— m. v. Tectocoris.	
Scutiphora Guér. Coq. — Lap. v. Pel	tophora.
Sehirus Serv Dall. v. Cydnus.	
Sephala Serv.	
— linearis Serv. pl. 12. f. 7.	Seneg.
Sephina Serv. — Lyg. F. — Spartoc	
	10*

C	89. 659. Um. m.
= pustulata F. (Lyg.) Brm. (Spar	
	Para. VI. 15. 569.
	7.111. VI. 19. 909.
Serenthia Spin. m. v. Agramma.	
Serinetha Spin. cf. Leptocoris.	
Sethenira Spin. cf. Gonocerus. Sinea Serv.	
	IV - 101
	IX. p. 101.
	. spt. IX. 83. 853.
javanensis Serv.	
— multispinosa Deg. III. pl. 35.	
	I I I I I I I I I I I I I I I I I I I
— pulchella Kl. Symb. t. 19. f. 1	
	Cay.
= sexspinosa Wolff. 118. — suba	
	fpt. VIII. 83. 852.
1 1 1 1 7	VIII. 82. 851. Brf.
Sigara F. — Leach. — Brm.	
assimilis Fieb.	
coleoptrata F. v. Corisa.	
ehrenbergii Fieb.	
— grisea Fieb. t. 1. f. 21.	
hyalinipennis F.	
leucocephal'a Spin.	
lineata Fieb. t. 1. f. 25.	
6	- 100000000
= minuta F Fieb. t. 1. f. 11-	
Not. minutiss. L.	Eur.
? nigripennis F.	
punctata Fieb. t. 1. f. 26.	Ind. or.

... scholtzii Fieb. - striata Fieb. t. 1. f. 22-24. Ind. or. - Pz. est Panzerii Fieb. Grm. Sirthenea Spin. v. Pirates. d/Solenosthe ium Spin. — Serv. v. Coeloglossa Grm. Sondarus Serv. - naeniator Serv. pl. 4. f. 9. Can. Spathophora Serv. Lygaeus F. Pachylis Brm. = biclavata F. - Brm. Cap. IX. 260. 986. = phyllocnemis Brm. VI. 55. 615. 616. Spartocera Serv. Spartocerus Brm. - m. Corecoris Hhn. Lygaeus Coq. Coreus F. II. 14. t. 38. A-C. t. 184. A-C. - batatas F. - Coq. t. 19. f. 10. bicolor m. v. Sephina. = cinnamomeus Hhn. (Coreocoris). Brf. II. 15. 124. ... dorsalis White Trans. E. S. III. ... erythromelas White Trans. Ent. Soc. Lond. III. p. 92. v. Sephina bicolor. — geniculatus Brm. — Serv. Can. VI. 89. 660. laticornis m. v. Prismatocerus. lunatus v. Menenotus. pustulatus F. v. Sephina. -- sculptus Pert. Braf.

Brf. VI. 12. 568.

- serrulatus Pert

Sphaerocoris Brm. — Dall.

Tetyra F.

annularis Hop. - Grm. v. annulus. = annulus F. - Stoll. f. 268. - Grm. Cim. argus Drur. III. t. 46. f. 9. — III. 105. 330. Voet. IV. t. 47. 9. Sph. annularis Hop. Sph. ocellatus m. Stoll. f. 268. Ufr. = argus F. - Brm. - Grm. multipunctatus Thb. simplex Grm. — m. III. 104. 329. impluviatus Grm. m. 2(fr. V. 49. 499. flavonotatus Dall. v. Pachyc. impluviatus Grm. v. argus. ... lateritius Hop. Ind. or. ... polysticta Hop. Cap. ocellatus Brm. Kl. Serv. v. Pachyc. ... poecilus Dall. Gamb. punctaria Hop. v. tigrinus. Cap. V. 8. f. 461. = quadrinotatus Hop. rusticus F. Stoll. f. 203, 202. Tranqueb. simplex m. v. impluviat. = tigrinus Grm. Stoll. f. 261. V. 8. f. 467. Ufr. punctaria Hop. unicolor Dall. p. 7. v. Pachyc. Sphaerodema Lap. Diplonychus Brm. Nepa F. = annulatus F. VIII. 25. 798. Ind. or. rotundata Lap. Spiniger Brm. - Hhn. - Serv. (cum Tetroxia).

Reduvius Lep. etc. III. 22. - VIII. 64. t. 270. A.

== ater Lep.	Brf. III. 66. 835.
= eburneus Lep. — Serv. pl. 6.	f. 7. Brf. 65. 833.
= flavovarius m.	Brf. III. 65. 834.
line atus Lep. Enc.	Can.
= limbatus Lep. — Brm.	
circumscriptus Hhn.	III. 23. 236.
spinifera Palis. pl. 1. f. 4.	Ufr. aq.
thoracius Lep.	Brf.
tricolor Lep.	Brs.
— quinquespinosus F. — Wolff	. 39. Ind. or.
Spudaeus Dall.	
reticulatus Hop.	Neuholl.
Stauralia Dall.	
— chloracantha Dall. pl. 10. f. 1	. Neuholl.
Stenocephalus Ltr. — Brm. etc. III	. 54.
Coreus F. — Schill.	
Lygaeus Wolff.	
Dicranomerus Hhn.	t. 89. A—F.
= neglectus m. ©	ır. m. III. 55. 272.
= mugax F.	
Cim. agilis Scop.	I. 22. 13. Grm.
Stenocoris Brm. Corrig.	
Leptocorisa Ltr. — Serv.	
Myodochus Brm. m. — t.	289. A—C.
Myodochus Brm. m. — t. Myodocha Ltr. — Stoll. f.	289. A—C. 162.
Myodochus Brm. m. — t. Myodochu Ltr. — Stoll. f. = costalis m.	289. A—C.
Myodochus Brm. m. — t. Myodochu Ltr. — Stoll. f. = costalis m linearis Lap.	289. A—C. 162. Jav. VIII. 96. 864.
Myodochus Brm. m. — t. Myodochus Ltr. — Stoll. f. = costalis m. linearis Lap. = tipuloides Deg. (Cim.) Oliv.	289. A—C. 162. Sav. VIII. 96. 864. Enc. VIII. 106. 2.
Myodochus Brm. m. — t. Myodochu Ltr. — Stoll. f. = costalis m linearis Lap. = tipuloides Deg. (Cim.) Oliv. Brm. — Deg. f. 18.	289. A—C. 162. Jav. VIII. 96. 864. ? Enc. VIII. 106. 2. Cay. u. Philad.
Myodochus Brm. m. — t. Myodochu Ltr. — Stoll. f. = costalis m linearis Lap. = tipuloides Deg. (Cim.) Oliv. Brm. — Deg. f. 18. = trinotatus m.	289. A—C. 162. Jav. VIII. 96. 864. Enc. VIII. 106. 2. Cay. u. Philad. Jav. VIII. 95. 863.
Myodochus Brm. m. — t. Myodochu Ltr. — Stoll. f. = costalis m linearis Lap. = tipuloides Deg. (Cim.) Oliv. Brm. — Deg. f. 18.	289. A—C. 162. Jav. VIII. 96. 864. Enc. VIII. 106. 2. Cay. u. Philad. Jav. VIII. 95. 863.

Stenocoris Ramb. nomen mutandu	ım.	
gracilis		Undal.
Stenogaster IX. 213. —		
annulipes Grm. in Silb.		Cap.
= basalis Dtschl. Ins. 135. 18.		
Lyg. modestus Fll. nr. 14	-	Eur. m.
cf. Schillingii Scholtz.		
= costalis m.	IX. 216. —	Eur. m.
= costatus m. V	I. 94, f. 592.	Gur. m.
= ditomoides Costa. Cim. Neap	o. II. t. 3. f. 8	j.
	Hung. IX.	216. 964.
= fasciatus Dtschl. Ins. 135.	19.	
insignis Costa Cim. Neap.	I. t. 1. f. 7.	Eur. m.
insignis Costa v. fasciatus.		
= lavaterae F Dtschl. Ins.	122. 8. —	ardus H.
	HI. 16. 141.	Eur. m.
= lineolatus Schill. — Dtschl	Ins. 121. 8.	Eur.
origani Kol. t. 10. f. 19.		Rauk.
= pallens m.	IX. 215. 90	33. 4 Ung.
rufiventris Grm. in Silb.		OF
i uli von tills dini. in Silv.		Cap.
schillingii Scholtz. cf. basal	lis.	Siles.
schillingii Scholtz. cf. basa	Sicil. IX.	Siles
schillingii Scholtz. cf. basal = siculus m.	Sicil. IX.	Siles. 217. — 79. A—D.
schillingii Scholtz. cf. basal = siculus m. Stenopoda Lap. — Brm. — Serv.	Sicil. IX.	Siles. 217. — 79. A—D.
schilling ii Scholtz. cf. basal = siculus m. Stenopoda Lap. — Brm. — Serv. — cinerea Lap. pl. 52, f. 2. — Br Sthienera Spin. Stibaropus Dall.	Sicil. IX.	Sites. 217. — 79. A—D. 1. 91. 859.
schilling ii Scholtz. cf. basal = siculus m. Stenopoda Lap. — Brm. — Serv. — cinerea Lap. pl. 52, f. 2. — Br Sthienera Spin.	Sicil. IX. VIII. 90. t. 27 m. Am. spt. VII.	Sites. 217. — 79. A—D. 1. 91. 859.
schilling ii Scholtz. cf. basal = siculus m. Stenopoda Lap. — Brm. — Serv. — cinerea Lap. pl. 52, f. 2. — Br Sthienera Spin. Stibaropus Dall.	Sicil. IX. VIII. 90. t. 27 m. Am. spt. VII.	Silef. 217. — 79. A—D. 1.91.859. ?
schilling ii Scholtz. cf. basal = siculus m. Stenopoda Lap. — Brm. — Serv. — cinerea Lap. pl. 52. f. 2. — Br Sthienera Spin. Stibaropus Dall. — brunneus Dall. t. 3. f. 1.	Sicil. IX. VIII. 90. t. 23 m. Am. fpt. VII.	©ilef. 217. — 79. A—D. 1.91.859. ? Rordind. rilineatus. VIII. 14.
schilling ii Scholtz. cf. basal = siculus m. Stenopoda Lap. — Brm. — Serv. — cinerea Lap. pl. 52. f. 2. — Br Sthienera Spin. Stibaropus Dall. — brunneus Dall. t. 3. f. 1. Stiretrosoma v. Stiretrus ery Stiretrus Lap abdominalis Grm. n. 6.	Sicil. IX. VIII. 90. t. 27 m. Am. fpt. VII. vtrocephalus et t V. 23.	©ilef. 217. — 79. A—D. 1.91.859. ? Rordind.
schilling ii Scholtz. cf. basal = siculus m. Stenopoda Lap. — Brm. — Serv. — cinerea Lap. pl. 52. f. 2. — Br Sthienera Spin. Stibaropus Dall. — brunneus Dall. t. 3. f. 1. Stiretrosoma v. Stiretrus ery Stiretrus Lap.	Sicil. IX. VIII. 90. t. 27 m. Am. fpt. VII. vtrocephalus et t V. 23.	©ilef. 217. — 79. A—D. 1.91.859. ? Rordind. rilineatus. VIII. 14.

= atricapillus Hop Grm. nr. 16. 28	rs. V. 4. 456.
caeruleus Dall.	Mer.
= chalybeus m. Grm. nr. 2. Brf.	III. 68. 283.
chamberti le Guill.	š.
chrysoprasinus m. v. smaragdulus.	
cinctellus Grm. nr. 18.	Brs.
coccineus F. — Grm. nr. 17.	Isle de Fr.
= — m	V. 88. f. 424.
= decemguttatus Lep. — Hop. — Enc	. — Grm. nr.
15. Brf. IV. 87. 421	. V. 3. 45 5.
decostigma m. 422. v. septemgutt.	
= dianae F Grm. nr. 19 Brm.	
anchorago F. E. S Dall Ho	р.
	. V. 3 . 454 .
erythrocephalus Enc. — Grm. nr. 7.	
Stiretrosoma Dall. 2	Braf. 5. 459.
eupus Perty (latipes Tert) delect. 53. 3.	— Grm. nr. 9.
	Amaz.
fimbriatus Say. amer. ent. t. 43. 1.	Pennsylv.
variegatus m.	IV. 90. 427.
gibbus Brm. — Grm. n. 4.	
Discocera cayennens. Lap.	Can.
latipes Perty Tert v. eupus.	
•	
- loratus Grm. nr. 10.	Brs.
- loratus Grm. nr. 10. = lythrodes Grm. n. 8.	Brs. V. 4. 457.
- loratus Grm. nr. 10. = lythrodes Grm. n. 8 ornatus Dall.	. V. 4. 457. Mer.
- loratus Grm. nr. 10. = lythrodes Grm. n. S. Stj ornatus Dall personatus Grm. nr. 12.	. V. 4. 457. Mer. Mer.
- loratus Grm. nr. 10. = lythrodes Grm. n. 8 ornatus Dall personatus Grm. nr. 12 quinquepunctatus Grm. nr. 20.	. V. 4. 457. Mer. Mer. Guin.
— loratus Grm. nr. 10. = lythrodes Grm. n. 8. Srf ornatus Dall personatus Grm. nr. 12 quinquepunctatus Grm. nr. 20. rubromaculatus Hop. — Dall. v. septemg	. V. 4. 457. Mer. Mer. Guin.
- loratus Grm. nr. 10. = lythrodes Grm. n. S. Drf ornatus Dall personatus Grm. nr. 12 quinquepunctatus Grm. nr. 20. rubromaculatus Hop. — Dall. v. septemgr ruficeps Dall.	. V. 4. 457. Mer. Mer. Guin.
 loratus Grm. nr. 10. lythrodes Grm. n. 8. ornatus Dall. personatus Grm. nr. 12. quinquepunctatus Grm. nr. 20. rubromaculatus Hop. — Dall. v. septemg. ruficeps Dall. ruficollis L. Mus. Ulr. 	. V. 4. 457. Mer. Mer. Guin.

= septemguttatus Grm. nr. 14.	Brs.
rubromacul. Hop.	
decastigma m.	V. 27. 422.
= smaragdulus Enc. — Grm. nr.	1. Brs.
chrysoprasinus m.	IV. 88. 423.
— trilineatus Grm. nr. 11.	Brs. V. 5. 458.
variegatus (Asopus) m. v. fimbriatu	18.
violaceus Say. — Grm. nr. 3.	Serv. pl. 1. f. 1.
	Florida.
Storthia livida v. Dryptocephala.	
Strachia Hhn. I. 180. mit Eurydema,	woselbst die übrigen
und Dallasischen Strachien zu suchen s	ïnd.
Strombosoma Serv.	
unipunctatum Serv.	Parag.
? pallipes F.	Cap.
Sundarus Serv.	
— neniator Serv. pl. 4. f. 9.	Can.
Sycanus Serv.	`
Zelus F Reduv. Lep	
= collaris L. — F.	China, Jap.
longicollis Lep. Enc Stoll.	
S	Brf. VIII. 37. 813.
Symphilus Dall.	
Pachycoris Grm. Z.	
Scutell. Palis.	
= irroratus F. — Grm. — m.	v. 55 . 500.
cordigera (Scut.) Pal. pl. 5.	
knochii Grm. Z. — Dall.	Brs.
obtusus Dall.	Col.
poecilus Dall.	Para.
	II. 106. 332. Jam.
Sympiezorhynchus Spin.	

- punctipes Dall. pl. 4. f. 2. Brf. VII. 47. — ... tristis Spin. Syromastes Ltr. — Serv. — Brm. Coreus F. - Wolff. - Coq. etc. - Brm. v. Verlusia. Coreus H. II. p. 101. t. 61. B-D. IV. 98. 444. Eur. m. = fundator Hffgg. VI. 14. 570. Mer. = inconspicuus m. III. 102. 185. = marginatus L. - Wolff. IV. 98. 443. auriculatus Deg. venator Coq. Gur. Stoll. 37. obscurus Grm. fn. v. Atractus lobat. quadrat. v. Verlusia. scapha Brm. v. Enoplops. sulcicornis v. Verlus. phyllomorpha Ltr. v. Craspedum. Syrtis F. ... carinata F. 21m. m. III. 55. crassimanus F. v. Macrocephalus. = crassipes F. - Pz. 23. 24. Eur. III. 58. — 2(m. m. VII. 15. 694. = erosa L. = fortificata Kl. Brf. VII. 15. 605. manicata v. Macroc. cim. ... marginata F. Um. inf. Lufit. III. 57. 273. = monstrosa F. prehensilis F. Macroceph. Ind. or. ... serrata F. Taphrostethus Fieb. IX. t. 311. C. D. - quinque costatus Fieb. Ind. or. IX. 149. 953. Tapinus Lap. VIII. 54. v. Opinus.

Tarisa Serv. — m. 1X. t. 324. A. B.

- flavescens Serv. pl. 12. f. 3.

Disp.

= virescens m.

Turc. IX. t. 324. A-C.

Taurocerus, Serv. - Dall.

= cinctus m.

Ind. or. ? IX. 316. 1001.

... edessoides Spin.

Brf.

Taurodes Dall.

boops Dall. pl. 8. f. 3.

Philip.

Tectocoris Hhn. — Dall.

Tetyra F.

Scutellera Lap. - Am.

= banksii Don. South. S. pl. 3. f. 1. — Guer. — Coq. HS. 341. 342. Grm. — Am. et Serv.

schönherri Eschsch. Brm. HS. 340.

tongae Boisd. Astr. Grm. Ind. or. Neuholl.

= cyanipes F. — Wolff. f. 165. Hahn. f. 132. — Brm. —

banksii foem. Grm. Stoll. f. 58. 94. 167.
diophthalmus Thb. nov. p. 30. t. 2. f. 45.

Java, Neuholl.

Teleia Fieb. IX. t. 311. F-K.

- coronata Fieb. IX. 149. 954.

Ind. or.

Tenecantha Dall.

- marginata Dall. pl. 2. f. 4.

Benez.

Tesseratoma Lep. — Brm. etc.

alternata Enc. v. Pycan. ame.

apicalis Lep. - Brm. v. Hypencha.

bicornis Lep. v. Eurypleura.

canaliculata Lep. v. Mucanum.

= chinensis Thb. — Dall.

papillosa F.

sonneratii Lep. - Guér. ic.

javana (foem.) Brm.	
cornuta Dall.	3
cuprea Hop.	Mepal.
flavicornis Guér. v. Oncomer.	
= javanica Thb. — Serv. — Stoll.	
papillosa Drur. — Hhn. II. 123.	204. Jav.
nigripes Dall,	3
obscura Lep. v. Cyclopelta.	
ossa cruenta Hop. v. papill.	
papillosa Drur. v. javan.	
picea Dall.	Jav.
proxima Hop.	Jav.
robusta Lep. v. Eusthenes.	
scutellaris Hag Hhn. v. Eusthenes.	
sonneratii Guer. v. chin.	
? taurus Hop.	China.
Tetrarthria Dall.	
variegata Dall.	Philip.
Tetroda Serv.	
Phyllocephala m.	
Aelia F.	
Acanthia F.	
africana Dall.	Ufr. m.
atomaria Dall.	Mordind.
= historoides F Serv Stoll. f. 197	(?)
Aelia furcata F. — Phylloc. furcata m	1.
VII. 70. 73	8. China.
— juvencus Brm.	20fr.
divaricata Dall.	Mepal.
nigripennis Dall.	Mordind.
obtusa Dall.	Mordind.

-- transversalis Westw. Royl. Hym. pl. 10. f. 7.

Mordind.

Tetroxia Serv.

Reduv. Pal. - Lep. v. Spiniger.

- quinquespinosa F. (Zelus.) Wolff. 39. Snb. or.

-- spinifera Pal. pl. 1. f. 4. αfr. åq. Tetyra F.

Die Urten ber Fabricischen Sammlung erläutert Schiodte in Kropers naturhift. Tideftr. IV. 279.

affinis F. v. Pachycor. irror.

albolineata F. v. Ancyros.

alternata Say. Am. Ent. t. 43. f. 3. v. Eurygast.

anchorago F. v. Stiretrus dianae.

annulus F. v. Pachyc.

arcuata F. R. v. Pachyc.

argus F. R. v. Sphaerocoris.

- var. v. Sphaer. impluv.

baro F. v. Callidea Dall.

bispinosa F. v. Podops.

boscii F. v. Pachycoris.

carbonaria Zett. v. Odontosc.

cerinthe Wolff. 167. v. Psacasta.

chrysorrhoea F. v. Pachyc.

cinctipes Say. v. Podops.

comes F. v. Scutell. Poeciloc. Dall.

costata F. v. Coleotichus.

cyanipes F. v. Scutell. Tector. Dall.

daldorffii F. v. Coreomelas.

-- Wolff. v. Tect. banksii.

desfontainii F. v. Trigonosoma.

dispar F. v. Cantao.

donovani Brm. v. Scutell.

dorsalis F. v. Odontosc.

druraei F. v. Scutell. Poeciloc. Dall.

duodecimpunctata F. v. Libyssa.

eques F. v. Galostha. Callidea Dall.

excellens Brm. v. Callid. praslin. Dall.

fabricii F. v. Pachyc.

flavipes F. R. v. Brachyplatys.

flavolineata Wolff. 166. v. Odontotars.

fuliginosa F. v. Odontosc.

furcifer F. v. Coeloglossa.

gibba F. v. Oxynotus.

grammica Wolff. 166. v. Odontotars.

helopioides Wolff. 168. v. Coreomelas unicolor.

hottentota F. v. Eurygaster.

humeralis Dall. v. Phimodera.

illustris F. R. v. Pachyc.

imperialis F. v. Callidea Dall.

impressa F. v. Pentat.

inuncta Brm. etc. v. Podops.

lapponica Zett. v. Podops.

lateralis Wolff. 169. v. Coreomelas.

lineola F. R. v. Pachyc.

litura F. v. Odontosc.

lundii F. v. Cyptocoris.

lurida Brm. Act. leop. v. Podops.

lyncea F. v. Coeloglossa.

maura F. v. Eurygaster.

mucorea Klug. Symb. v. Alphocoris.

neglecta m. v. Psacasta.

nigellae F. v. Trigonosoma.

nigra F. v. Eurygaster.

ocellata Kl. Symb. v. Sphaerocor. Dall. nigrolineata F. v. Graphosoma. nobilis F. v. Calliphara. pallipes F. v. Brachyplatys. pagana F. v. Chaerocoris. pedemontana F. v. Psacast. picta F. v. Eurygaster. punctata Wiedem. - Grm. v. Pachyc. rustica F. v. Sphaerocoris. scarabaeoides F. v. Coreomelas. schultzii F. v. Coreom. schusboei F. R. v. Pachyc. sehestedii Wolff. index 128. v. Coeloglossa. semipunctata F. v. Graphosoma. signata F. v. Libyssa. sexpunctata F. R. v. Augocoris gomes. silphoides F. v. Brachyplatys. schmidtii F. v. Coreom. stigma F. R. v. Pachyc. stockerus F. (non L.) v. Callidea purpurea.

tibialis F. v. Coreom.
tuberculata Pz. v. Psacasta.
vahlii F. v. Brachyplatys.
wolfii F. v. Pachyc.

Thelima Serv. v. Chlorocoris.

Theraneis Spin. cf. Largus.

Therapha Serv. v. Corizus.

Thyreocoris Grm. — Serv. v. Plataspis, Coptosoma, Brachyplatys — Schrk. v. Graphos.

adspersus Brm. v. Coptosoma bufo.

tangira F. v. Podops inunct.

atomarius Grm. v. Copt.
bipustulatus Grm. v. Copt.
bufo Eschsch. v. Copt.
circumscript. Grm. v. Copt.
cinctus Eschsch. v. Copt.
cocciformis Grm. — Hop. v. Plataspis coccinelloides.
coccinelloides Lap. pl. 55. 5. v. Plataspis.
complanatus Brm. — Grm. Act. Leop. t. 51. 3. v. Brachyplat.

cribrarius F. v. Copt. deplanatus Eschsch. v. Platasp. duodecimpunct, m. v. Copt. flaviceps Hop. - Grm. v. Brachyplatys. flavipes F. v. Brachypl. flavip. globus v. Copt. hemisphaericus Hop. Grm. v. Platasp. maculatus Grm. v. Copt. melolonthoides Brm. Grm. (Cap.) gen. nov.? metallicus Grm. v. Plat. nepalensis Grm. v. Copt. nigrita Hop. (Platasp.) Grm. nigriventr. Hop. Grm. v. Brach. nitidus Hop. Grm. v. Plat. nubilus Grm. v. Copt. pallipes F. - Grm. - v. Brachyplatys. papua Grm. v. Brachypl. vahlii. punctat. Serv. v. Plataspis. scarabaeoides Schrk. v. Coreomelas. seminulum Brm. v. Copt. cinctus. septus Grm. v. Brachypl. subaen. silphoides Grm. v. Brachyplat. - m. v. Br. nigriventr.

silphoides Brm. v. Br. vahlii.
sphaerula v. Coptosoma.
stigmaticus Grm. v. Copt.
silphoides Brm. v. Platasp.
transversus Grm. v. Copt.
vahlii F. etc. v. Brachypl.
variegatus m. v. Coptos. cinct.
— Guér. dict. v. Platasp. punctat.
vermiculatus Grm. v. Coptos.

Tiarodes Brm. - Serv.

IX. t. 309. B.

Cimbus Lap.
Cymbidus Spin.

= versicolor Lap.

Jav. IX. 128. 949.

Tingis F. — Brm.

= affinis m. - Fieb. p. 106. t. 9. t. 13-16.

III. 73. 290. - IV. 67. Grm.

alata F. Rh. v. Arad. depress.
antica Stph. v. Zosmenus.
brunnea Grm. v. Orthost.
capitata Wolff v. Zosmenus.
— var. β. Fall. v. Zosm. antic.
capucina Grm. v. Monanth. setul.
cardui F. v. Monanth.
carinata Pz. v. Orthosteira.
cassidea Fall. v. Orthost.
cervina Grm. v. Orth.
ciliata Fieb. v. Mon.
circumdata d'Orb. Voy.
clavicornis L. v. Laccometop.
collaris Zett. v. Zosmen. ant.
corticea m. v. Monanth. 4 mac.

costata F. v. Mon.

21 m. m.

crassicornis Fll. v. Dictyon. cristata Pz. v. Derephys. echii F. v. Mon. eryngii Ltr. v. Mon. melanoceph. erythrophthalma Grm. v. Dictyon. foliacea Fll. v. Derephys.

= gossypii F. gracilis v. Mon. grisea m. v. Mon. - Grm. v. Mon. humuli F. v. Mon.

- Fll. Brm, v. Mon. wolffii.

Um. bor. V. 84. 532. = hyalina Mus. Berol. laeta Fll. v. Agramma.

Ind. occ.

Grm.

V. 85. 534.

IV. 68. 393.

= maculata m. marginata Brm. (Piesm.) v. Dictyon. crass. melanocephala Pz. v. Mon. nigrina Fall. v. Mon. obscura Stph. v. Laccomet. parvula Fall. v. Mon. pedicularis m. v. Zosm. ant. pilicornis m. v. Dictyon. pusilla Fall. v. Orthost.

= pyri Geoff. - Fieb. t. 8. f. 34-36. III. 74. 395. t. 130. D. Germ.

- m. v. subglob. quadrimaculata Wolff. v. Mon. reticulata m. v. Mon. ciliata.

- rhomboptera Fieb. p. 103. t. 8. f. 37. 38.

Inf. Luzon.

rotundata m. v. Mon. echii. ruficornis Grm. v. Agramma.

```
sachari F. v. Mon.
                          2(m. m.
 ... sidae F.
    simplex v. Mon.
 = sinuata m. - Fieb. p. 108. t. 9. f. 22.
                          IV. 68. 395. Sung.
 - spinifrons Fall. - Fieb. t. 9. f. 6-12.
 ...? spinosa Rossi 1280.
 = subglobosa m. - Fieb. t. 9. f. 17. 20. III. 68.
      291. t. 130. A—C. G. H.
    testacea m. v. Mon.
                                  2(m. m.
 ... triangularis d'Orb. Voy.
    verna Fll. v. Campylost.
                          that an all Im. m.
 ... ? virescens F.
                         1X. 274. —
Trach'elium m.
= bicolor m.
                              Brf. 1X. 274. 989.
                                  Brf. 275. 999.
 = fulvipes m.
Trachyops Dall.
 - australis Dall. pl. 7. f. 1.
Trichoscelis Serv.
       Heniartes Spin. — m.
       Apiomerus Brm.
       Reduv. F. - Lep. t. 275. A. B.
 = annulatus Spin.
                                   VIII. 79. 849.
- crinipes F. Stoll. f. 86.
                                        2fm. m.
= erythromerus Spin.
                              Can.
                                   VIII. 78, 848,
 ... rufipes F.
                                           Can.
 - stollii Lep. Enc. Brm. - Stoll. 153.
Trigonoscelis Kl.
 -- subspinosa Kl. Symb. Aler.
Trigonosoma Lap. — Brm. — Grm. — Telyra F. —
 Pz. - Ventocoris Hhn.
  - Brm. v. Graphos.
```

Heg. ... affine Hop. albolineata v. Ancyrosoma. apicale Hop. v. Pachyc. Jav. ... bufo Eschsch. Gur. m. - Berb. ... desfontainesii F. - Coq. galii Grm. v. Psacasta. gambiae Hop. v. Pachyc. 11, 36, 133. = nigellae F. - Wolff 86. Gur. m. rufa f. 494. v. variolos. Cap. ... subfasciata Hop. ... subspinosa Kl. Heg. variolosa V. 43. 493. var. rufa ibid. 494. v. Bolbocoris. Tritomacera IX. 217. -- aphanoides Annal. de la Soc. Ent. X. pl. 6. f. 6. Enr. m. Tropicoris Spin. v. Pentatoma. - Dall. (rufipes L.) Tropidocheila Fieb. IX. v. Monanthia. Tynotoma Serv. Leptocoris Hhn. Tuphlocoris m. V. 79-525. v. Urolabida. Urochela Dall. Ent. Tr. I. 2. Ind. ... bimaculata Dall. Ind. ... obscura Dall. Urolabida Westw. - Hop. - Dall. Urostylis Westw. - Hop. Calliprepes White. Typhlocorys m. ... grayii White Mag. nat. h. III. 543. - Ent. Tr. III. Mepal. 94. = semicircularis m. Ind. or. V. 59. 525. ... tenera Hop.

Urostylis Westw. - Hop. - Dall.

gracilis Dall.	Ind.
histrionica Hop.	0
pallida Dall.	Ind.
punctigera Hop.	
Ursocoris Hhu. v. Odontoscelis.	
Velia Ltr Guér Duf Brm Schumm	- Serv.
Hydrometra F. — W.	
Gerris Coq.	IX.
aptera F. R. an ad currens?	
bicolor d'Orb. Voy.	Brs.
= brasiliensis m. Brf. IX. 7	6. 937.
= currens F. — Costa cent. ur. 13.	r
aptera (Hydrom.) F. IX. 76. 93	3. 934.
= rivulorum F. — Ross. — Costa cént. nr. 14	. Ital.
Ventocoris Hhn.	
albolineatus Hhn. v. Ancyrosoma.	
nigellae Hhn. v. Trigonos.	
pedemontanus Hhn. v. Psacasta.	April 1
Verlusia Spin. — Serv.	
Coreus F Wolff Lep Schill.	
Lygaeus Coq.	
= quadrata F. etc.	4. 187.
Cim. rhombeus L. — Ross.	~ Grm.
= sulcicornis Coqueb. 40. 10. 9. Stal. H. 10	4. 442.
Vulsirea Stoll. 142. cf. Arocera Spin.	
aequinoctialis Hop.	
ancora Spin. VIII. 12	
dispar Hop.	
formosa Dall.	Para.
liturata Dall.	Um. m.
— marginata m. non acroleucum Burm. — <mark>niti</mark>	da Hop.

cf. Arocera aurantiaca Spin. Brf. III. 95. 320.

... nigrorubra Spin. ? anchorago Drur. — pulchella Drur. Ins. pl. 46. 8. — Stoll. 142. concentrica Brm. (?) = transversalis m. - variegata Drur. Ins. pl. 38. f. 4. validus Drur. pl. 45. f. 6. (5) tarandus F. Xylocoris Leon. Duf. - Brm. Naeogeus Lap. = albipennis m. 1X. 171. 971. Sar. ... dimidiata Spin. cf. albipennis. = ater Leon. Duf. Annal. de la Soc. Ent. II. pl. 6. B. 3. a-e. IX. 170. 972. ... parisiensis Cost. Cim. regn. Neap. Cent. II. - rufipennis Leon. Duf. Ann. d. sc. nat. Vol. 22. pl. 13. f. 3. — Ann. de la Soc. Ent. II. p. 106. Westw. ibid. III. pl. 6. 1. tarda m. nomel. v. ater. Yolinus Serv. - sufflatus Serv. pl. 6. f. 9. ? Cim. acantharus Wolff. 115. Umer. Inf. Zaitha Serv. Nepa F. Belostoma Lep. — Brm. etc. 1X. 35. t. 296. A—H. = boscii Serv. Enc. - Stoll. t. 12. f. 14?

= stollii Serv. - Stoll. pl. 1. f. 1. - .1X. 35. 897.

Zalega Serv.

898.

... furcifrons Serv.

Diplonych. anurus.

Cap.

Brf.

Mer.

VIII. 26. 799.

Zelus F. — Brm. — Serv.		
Alydus F. — VIII. 88. t. 278. E.		
attelaboides F. R. Auftri. cf. Passaleutus.		
bifidus F. R. China. cf. Hammatocerus.		
binotatus Lep. (Heza). Brf.		
bispinosus F. R. Nov. Camb. cf. Saica.		
ciliatus F. R		
cinereus F. R. (Carol.) cf. Sinea.		
coccineus m Im. Mm. m.		
collaris F. v. Sycanus.		
coronatus F. — Brm. v. quadrispinosus.		
crassicornis Brm. (Montevid.) cf. Atrachelus.		
cursitans F. R. Stoll. 147. cf. Myocoris.		
diadema F. Sinea multispin.		
dispar F. R. Um. m. cf. Darbanus. v. Arilus.		
elongatus F. R. Ufr. aq. incerti gen.		
errans F. R. Um. m.		
erythrocephalus F. R. v. Euagoras. 21m. m.		
erythropterus Brm. Act. L. v. Arilus.		
fasciatus F. R. Can. cf. Myocoris.		
femoratus F. R. Um. m. cf. Sinea multispin.		
festinans F. R. 2(m. m.		
flavicans Serv. Can.		
fornicatus F. R. Cap. cf. Notocyrtus.		
heros F. R. Sumatra. cf. Passaleutus.		
heterogeneus Serv. (Atrachelus). Philad.		
ichneumoneus F. R. Um. m. cf. Myocoris.		
= lateralis m. IX. 120. Brf.		
lineatus Serv. 2(m. fpt.		
longimanus F. R. Surin.		
longipes F. R. 21m. Just.		
macilentus Kl. Stoll. 192. Para.		

means F. R.	Um. m.	
= ochraceus m.	Brf. 1X. 121	
octospinosus F. R.	11 2(m. m.	
? pedestris F. R.	Am. m.	
phalangium F. R.	Um. Inf.	
precatorius F.	Guin.	
punctiger m.	(?)	
Heza.	IX. 121. —	
= quadrispinosus L. F. (Alyd	.) coronat. F Stoll.	
f. 155. VIII. 89. 858. 2(m. m.		
quinquespinosus Wolff. f. 39. Ind. or. v. Tetroxia.		
recurvatus F. R. Am. m. cf. A	canthaspis.	
rufescens Gray pl. 97.		
ruficornis F. R. Um. m. cf. Passaleutus.		
sexdens F.	Mm. m.	
sexspinosus F. R. Moluff. cf. Montina.		
sphegeus F. R. Am. m. cf. Saica.		
spinosus F. R.	Am. m.	
taurus F. R.	Carolina.	
tipuliformis F. R.	Guin.	
triacantharis F. R. Huftrl. cf. Saica.		
vagans F. R. Um. m. cf. Myoc	oris.	
varipe <mark>s m.</mark>	Brf. IX. 121. —	
Zicca Serv.		
= horrida Grm.	Cap. IX. 271. 991.	
massulata Serv.	Cap.	
Zicrona Serv. v. Arma.	_	
- fasciata Serv. Stoll. 119.	Can.	
Zophoessa Dall.		
Pachycoris Grm.	0/6	
= afra m. (Psacasta)	2(fr. V. 47. 497.	
= porosa Grm. Z.	I. 108. 56. Florida.	

Zosmenus Lap. — Brm. — Fieb. — Acanthia Wolff. — Tingis Fall. - Piesma Enc. - Aspidotoma Curt. -Salda Panz.

= anticus Stph. - capitata Fall. var. β. - collaris Zett. pedicularis m. nom. - Fieb. t. 2. f. 19. Germ.

= capitatus Wolff 125. - Panz 100. 19. etc. - Fieb. t. 2. f. 18. Germ.

= laportei Fieb. 1. 2. f. 17. Mustr. 1X. 193. 983.

- maculatus Costa Cim. regn. Neap. t. 3. f. 4. Meap.

- stephensii Fieb. t. 2. f. 20. 21. Bohem.

Hustr.

= quadratus Fieb. t. 2. f. 7. 9. 11. - variabilis Fieb. t. 2. f. 8. 10. 12-16.

1000

Zosmerus falfd für Zosmenus.




Druck von Junge & Sohn in Erlangen.

THE RELEASE AND ADDRESS.











SMITHSONIAN INSTITUTION LIBRARIES

3 9088 00723 7118